



Building
something
great

Environmental Monitoring Report

Water Monitoring

Dunmore Quarry

February 2026

This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of request, any monitoring data that relates to pollution under an Environment Protection Licence.

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 77 (EPL 77 – Boral Dunmore Quarry)

This report provides environmental monitoring data for Dunmore Quarry for the period May 2024 to January 2026.

Dunmore Quarry Information	
Premise Details	Boral – Dunmore Quarry
Address	Princes Highway, Dunmore NSW, 2529
Licensee	Boral Resources (NSW) PTY LTD
EPL N°	77
EPL Location	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=77&id=77&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Monitoring data in this report relates to the monitoring undertaken in the reporting period for the following environmental pollutants:

- Water Quality

Water Monitoring

Water Quality Monitoring is conducted as per condition M2.3 of EPL 77. The water quality results for the reporting period are tabled below.

Sample Period: January 2026
Licensee: Dunmore Quarry
Licensee Address: Princes Hwy, Dunmore NSW 2529
EPL No.: 77

Qualifications related to Water

* Sampling only required at Monitoring points #6, #7, #9 and #10 during discharge from site. ND denotes no discharge. NV denotes not visible.

Location	Date Received	Monitoring Frequency	Pollutant	Measurement	Unit	Comment
January-2025						
Monitoring Point 6			n/a	ND	n/a	
Monitoring Point 7	23/01/2026		pH	7.64	pH	
			Conductivity	331	µs/cm	
			TSS	10	mg/L	
			Turbidity	7.9	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	23/01/2026		pH	7.61	pH	
			Conductivity	365	µs/cm	
			TSS	<5	mg/L	
			Turbidity	2.8	NTU	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
Monitoring Point 7	22/01/2026		pH	7.59	pH	
			Conductivity	325	µs/cm	
			TSS	5	mg/L	
			Turbidity	3.9	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	22/01/2026		pH	7.60	pH	
			Conductivity	355	µs/cm	
			TSS	<5	mg/L	
			Turbidity	3.2	NTU	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
Monitoring Point 7	21/01/2026		pH	7.64	pH	
			Conductivity	331	µs/cm	
			TSS	17	mg/L	
			Turbidity	22.4	NTU	



Building something great

			Oil & Grease	<5	mg/L	
Monitoring Point 9	21/01/2026		pH	7.17	pH	
			Conductivity	336	µs/cm	
			TSS	7	mg/L	
			Turbidity	4.6	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
Monitoring Point 7	20/01/2026		pH	7.53	pH	
			Conductivity	327	µs/cm	
			TSS	164	mg/L	
			Turbidity	270	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	20/01/2026		pH	7.03	pH	
			Conductivity	321	µs/cm	
			TSS	8	mg/L	
			Turbidity	11.1	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
Monitoring Point 7	19/01/2026		pH	8.12	pH	
			Conductivity	308	µs/cm	
			TSS	246	mg/L	
			Turbidity	492	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	19/01/2026		pH	7.32	pH	
			Conductivity	303	µs/cm	
			TSS	9	mg/L	
			Turbidity	16.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
Monitoring Point 7	18/01/2026	Daily during discharge	pH	7.98	pH	Oil & Grease sample jar broken during handling – no data available
			Conductivity	290	µs/cm	
			TSS	346	mg/L	
			Turbidity	245	NTU	
			Oil & Grease	-	mg/L	
Monitoring Point 9	18/01/2026		pH	7.15	pH	
			Conductivity	380	µs/cm	
			TSS	33	mg/L	
			Turbidity	48.5	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	



Building something great

Historical Monitoring Data

Location	Date Received	Monitoring Frequency	Pollutant	Measurement	Unit	Comment	
Dec-25							
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge	
Monitoring Point 7			n/a	ND	n/a	No Discharge	
Monitoring Point 9			n/a	ND	n/a	No Discharge	
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Nov-25							
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge	
Monitoring Point 7			n/a	ND	n/a	No Discharge	
Monitoring Point 9			n/a	ND	n/a	No Discharge	
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Oct-25							
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge	
Monitoring Point 7			pH	ND	pH	No Discharge	
			Conductivity	ND	µs/cm		
			TSS	ND	mg/L		
			Turbidity	ND	NTU		
			Oil & Grease	ND	mg/L		
Monitoring Point 9			pH	ND	pH	No Discharge	
			Conductivity	ND	µs/cm		
			TSS	ND	mg/L		
			Turbidity	ND	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Sep-25							
Monitoring Point 6			Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	pH		7.96	pH	Uncontrolled discharge following 121mm rainfall event	
		Conductivity		417	µs/cm		
		TSS		109	mg/L		
		Turbidity		211	NTU		



Building something great

			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.26	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	262	µs/cm	
			TSS	30	mg/L	
			Turbidity	32	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	8.04	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	372	µs/cm	
			TSS	173	mg/L	
			Turbidity	278	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.39	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	236	µs/cm	
			TSS	29	mg/L	
			Turbidity	37.5	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	14/09/2025	Daily during discharge	pH	7.95	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	314	µs/cm	
			TSS	150	mg/L	
			Turbidity	280	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.27	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	217	µs/cm	
			TSS	30	mg/L	
			Turbidity	37.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.45	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	218	µs/cm	
			TSS	23	mg/L	
			Turbidity	51.4	NTU	
			Oil & Grease	<5	mg/L	



Building something great

Monitoring Point 9	#####		pH	7.47	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	215	µs/cm	
			TSS	14	mg/L	
			Turbidity	34.1	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.08	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	196	µs/cm	
			TSS	54	mg/L	
			Turbidity	89.3	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.09	pH	Uncontrolled discharge following 121mm rainfall event
		Conductivity	174	µs/cm		
		TSS	20	mg/L		
		Turbidity	45.7	NTU		
		Oil & Grease	<5	mg/L		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Aug-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.22	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	316	µs/cm	
			TSS	17	mg/L	
			Turbidity	86.6	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.21	pH	Uncontrolled discharge following 154mm rainfall event
		Conductivity	246	µs/cm		
		TSS	10	mg/L		
		Turbidity	24.9	NTU		
		Oil & Grease	<5	mg/L		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.08	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	340	µs/cm	
			TSS	86	mg/L	
			Turbidity	130	NTU	
			Oil & Grease	<5	mg/L	



Building something great

Monitoring Point 9	#####		pH	6.47	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	223	µs/cm	
			TSS	7	mg/L	
			Turbidity	28.2	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	23/08/2025	Daily during discharge	pH	7.51	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	240	µs/cm	
			TSS	62	mg/L	
			Turbidity	152	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.22	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	182	µs/cm	
			TSS	12	mg/L	
			Turbidity	39.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.91	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	275	µs/cm	
			TSS	304	mg/L	
			Turbidity	571	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.2	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	145	µs/cm	
			TSS	16	mg/L	
			Turbidity	48.2	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.9	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	305	µs/cm	
			TSS	145	mg/L	
			Turbidity	475	NTU	
			Oil & Grease	<5	mg/L	
	#####		pH	-	pH	



Building something great

Monitoring Point 9			Conductivity	-	µs/cm	Site unreachable due to flooding
			TSS	-	mg/L	
			Turbidity	-	NTU	
			Oil & Grease	-	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	7/08/2025	Daily during discharge	pH	7.98	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	393	µs/cm	
			TSS	106	mg/L	
			Turbidity	182	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	7/08/2025		pH	7.62	pH	Uncontrolled discharge following 97mm rainfall event
		Conductivity	262	µs/cm		
		TSS	<5	mg/L		
		Turbidity	15.6	NTU		
		Oil & Grease	<5	mg/L		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	6/08/2025	Daily during discharge	pH	7.94	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	373	µs/cm	
			TSS	109	mg/L	
			Turbidity	283	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	6/08/2025		pH	7.34	pH	Uncontrolled discharge following 97mm rainfall event
		Conductivity	266	µs/cm		
		TSS	7	mg/L		
		Turbidity	21.3	NTU		
		Oil & Grease	<5	mg/L		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	5/08/2025	Daily during discharge	pH	7.71	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	357	µs/cm	
			TSS	120	mg/L	
			Turbidity	319	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	5/08/2025		pH	7.4	pH	Uncontrolled discharge
		Conductivity	243	µs/cm		



Building something great

			TSS	8	mg/L	following 97mm rainfall event
			Turbidity	26.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	4/08/2025		pH	7.97	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	345	µs/cm	
			TSS	164	mg/L	
			Turbidity	425	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	4/08/2025		pH	7.19	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	221	µs/cm	
			TSS	10	mg/L	
			Turbidity	37.4	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	3/08/2025		pH	7.95	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	341	µs/cm	
			TSS	299	mg/L	
			Turbidity	580	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	3/08/2025		pH	7.21	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	199	µs/cm	
			TSS	31	mg/L	
			Turbidity	53.1	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jul-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	2/07/2025		Conductivity	265	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.94	pH	
			TSS	407	mg/L	
			Turbidity	926	NTU	
Monitoring Point 9	2/07/2025		Conductivity		µs/cm	Sampling site was
		Oil & Grease		mg/L		



Building something great

Monitoring Point	Date	Discharge Status	pH	TSS	Turbidity	pH	Notes
			pH			pH	unreachable due to flooding
			TSS			mg/L	
			Turbidity			NTU	
Monitoring Point 10			n/a	ND		n/a	No Discharge
Monitoring Point 6			n/a	ND		n/a	No Discharge
Monitoring Point 7	3/07/2025	Daily during discharge	Conductivity	273		µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5		mg/L	
			pH	7.6		pH	
			TSS	231		mg/L	
			Turbidity	543		NTU	
Monitoring Point 9	3/07/2025	Daily during discharge	Conductivity	167		µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5		mg/L	
			pH	7.4		pH	
			TSS	10		mg/L	
			Turbidity	37.1		NTU	
Monitoring Point 10			n/a	ND		n/a	No Discharge
Monitoring Point 6			n/a	ND		n/a	No Discharge
Monitoring Point 7	4/07/2025	Daily during discharge	Conductivity	300		µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	6		mg/L	
			pH	7.69		pH	
			TSS	166		mg/L	
			Turbidity	375		NTU	
Monitoring Point 9	4/07/2025	Daily during discharge	Conductivity	198		µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5		mg/L	
			pH	7.18		pH	
			TSS	8		mg/L	
			Turbidity	26.3		NTU	
Monitoring Point 10			n/a	ND		n/a	No Discharge
Monitoring Point 6			n/a	ND		n/a	No Discharge
Monitoring Point 7	5/07/2025	Daily during discharge	Conductivity	311		µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5		mg/L	
			pH	7.26		pH	
			TSS	153		mg/L	
			Turbidity	368		NTU	
Monitoring Point 9	5/07/2025	Daily during discharge	Conductivity	217		µs/cm	Uncontrolled discharge following
			Oil & Grease	<5		mg/L	
			pH	6.8		pH	



Building something great

			TSS	13	mg/L	124mm rainfall event
			Turbidity	22	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	6/07/2024		Conductivity	338	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.65	pH	
			TSS	140	mg/L	
Monitoring Point 9	6/07/2024		Turbidity	311	NTU	Uncontrolled discharge following 124mm rainfall event
			Conductivity	239	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.14	pH	
Monitoring Point 10			TSS	10	mg/L	No Discharge
		Turbidity	19.1	NTU		
Jun-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	5/06/2025		Conductivity	469	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.02	pH	
			TSS	64	mg/L	
Monitoring Point 9	5/06/2025		Turbidity	74.6	NTU	
			Conductivity	516	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.7	pH	
Monitoring Point 10			TSS	9	mg/L	No Discharge
		Turbidity	11.7	NTU		
May-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	407	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.03	pH	
			TSS	71	mg/L	
Monitoring Point 9	#####		Turbidity	136	NTU	
			Conductivity	283	µs/cm	
			Oil & Grease	<5	mg/L	



Building something great

			pH	7.62	pH	
			TSS	<5	mg/L	
			Turbidity	11.2	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	388	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.03	pH	
			TSS	122	mg/L	
			Turbidity	214	NTU	
Monitoring Point 9	#####	Daily during discharge	Conductivity	281	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.61	pH	
			TSS	19	mg/L	
			Turbidity	20.4	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	365	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.13	pH	
			TSS	137	mg/L	
			Turbidity	270	NTU	
Monitoring Point 9	#####	Daily during discharge	Conductivity	256	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.4	pH	
			TSS	15	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	340	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.01	pH	
			TSS	148	mg/L	
			Turbidity	340	NTU	
Monitoring Point 9	#####	Daily during discharge	Conductivity	234	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.28	pH	



Building something great

			TSS	6	mg/L	
			Turbidity	20.5	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Apr-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	497	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	6.66	pH	
			TSS	139	mg/L	
			Turbidity	275	NTU	
Monitoring Point 9	#####		Conductivity	491	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.18	pH	
			TSS	20	mg/L	
			Turbidity	27.2	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	495	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.64	pH	
			TSS	144	mg/L	
			Turbidity	310	NTU	
Monitoring Point 9	#####		Conductivity	488	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	6.83	pH	
			TSS	17	mg/L	
			Turbidity	21.8	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	366	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.09	pH	
			TSS	10	mg/L	
			Turbidity	2.3	NTU	
Monitoring Point 9	#####		Conductivity	526	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.35	pH	



Building something great

			TSS	24	mg/L	
			Turbidity	27	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	4/04/2025	Daily during discharge	Conductivity	415	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.14	pH	
			TSS	109	mg/L	
			Turbidity	275	NTU	
Monitoring Point 9	4/04/2025	Daily during discharge	Conductivity	409	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.58	pH	
			TSS	15	mg/L	
			Turbidity	11.5	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/04/2025	Daily during discharge	Conductivity	373	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.47	pH	
			TSS	68	mg/L	
			Turbidity	139	NTU	
Monitoring Point 9	3/04/2025	Daily during discharge	Conductivity	372	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.16	pH	
			TSS	<5	mg/L	
			Turbidity	8	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	2/04/2025	Daily during discharge	Conductivity	356	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.06	pH	
			TSS	154	mg/L	
			Turbidity	330	NTU	
Monitoring Point 9	2/04/2025	Daily during discharge	Conductivity	360	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	6.97	pH	
			TSS	23	mg/L	



Building something great

			Turbidity	24.8	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	1/04/2025	Daily during discharge	Conductivity	327	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.95	pH	
			TSS	186	mg/L	
			Turbidity	335	NTU	
Monitoring Point 9	1/04/2025		Conductivity	340	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.31	pH	
			TSS	6	mg/L	
			Turbidity	20.2	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Mar-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	298	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.84	pH	
			TSS	487	mg/L	
			Turbidity	565	NTU	
Monitoring Point 9	#####		Conductivity	340	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.07	pH	
		TSS	18	mg/L		
		Turbidity	40.1	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Feb-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	550	µs/cm	
		Oil & Grease	<5	mg/L		
		pH	7.16	pH		



Building something great

			TSS	52	mg/L	
			Turbidity	25	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jan-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	571	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.11	pH	
			TSS	14	mg/L	
				Turbidity	12.9	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Dec-24						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	516	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.5	pH	
			TSS	17	mg/L	
				Turbidity	20.2	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Nov-24						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	725	µs/cm	
			Oil & Grease	<5	mg/L	



Building something great

			pH	7.3	pH		
			TSS	153	mg/L		
			Turbidity	102	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Oct-24							
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge	
Monitoring Point 7	#####		Conductivity	ND	µs/cm		
			Oil & Grease	ND	mg/L		
			pH	ND	pH		
			TSS	ND	mg/L		
			Turbidity	ND	NTU		
Monitoring Point 9	#####		Conductivity	511	µs/cm		
			Oil & Grease	<5	mg/L		
			pH	7.94	pH		
			TSS	<5	mg/L		
			Turbidity	170	NTU		
Monitoring Point 10			n/a	ND	n/a		No Discharge
Sep-24							
Monitoring Point 6		Daily during discharge	n/a	ND	n/a		No Discharge
Monitoring Point 7			Conductivity	ND	µs/cm		
			Oil & Grease	ND	mg/L		
			pH	ND	pH		
			TSS	ND	mg/L		
			Turbidity	ND	NTU		
Monitoring Point 9			Conductivity		µs/cm		
			Oil & Grease		mg/L		
			pH		pH		
			TSS		mg/L		
			Turbidity		NTU		
Monitoring Point 10			n/a	ND	n/a		No Discharge
Aug-24							
Monitoring Point 6		Daily during discharge	n/a	ND	n/a		No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm		
			Oil & Grease	ND	mg/L		
			pH	ND	pH		
			TSS	ND	mg/L		
			Turbidity	ND	NTU		
	#####		Conductivity	470	µs/cm		



Building something great

Monitoring Point 9			Oil & Grease	<5	mg/L	
			pH	7.27	pH	
			TSS	26	mg/L	
			Turbidity	55.3	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jul-24						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####	Daily during discharge	Conductivity	420	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	25	mg/L	
			Turbidity	29	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####	Daily during discharge	Conductivity	471	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	46	mg/L	
			Turbidity	70	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a		n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####	Daily during discharge	Conductivity	469	µs/cm	
			Oil & Grease	<0.1	mg/L	



Building something great

			pH	7.5	pH	
			TSS	302	mg/L	
			Turbidity	200	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	417	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	24	mg/L	
Monitoring Point 10			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	402	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	50	mg/L	
Monitoring Point 10			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	438	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	26	mg/L	



Building something great

			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	475	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	60	mg/L	
			Turbidity	80	NTU	
Monitoring Point 9	#####		Conductivity	441	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	22	mg/L	
		Turbidity	42	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	490	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	1604	mg/L	
			Turbidity	1600	NTU	
Monitoring Point 9	#####		Conductivity	417	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	53	mg/L	
		Turbidity	45	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	471	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	149	mg/L	
			Turbidity	130	NTU	
Monitoring Point 9	#####		Conductivity	390	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	26	mg/L	
		Turbidity	27	NTU		



Building something great

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	459	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	88	mg/L	
			Turbidity	95	NTU	
Monitoring Point 9	#####		Conductivity	393	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	29	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	356	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	24	mg/L	
			Turbidity	22	NTU	
Monitoring Point 9	#####		Conductivity	392	µs/cm	
			Oil & Grease	<0.01	mg/L	
			pH	7.3	pH	
			TSS	70	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	439	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	167	mg/L	
			Turbidity	130	NTU	
Monitoring Point 9	#####		Conductivity	391	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	28	mg/L	
Monitoring Point 10			n/a	ND	n/a	



Building something great

Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	444	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	153	mg/L	
			Turbidity	100	NTU	
Monitoring Point 9	#####		Conductivity	384	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	12	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	466	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	57	mg/L	
			Turbidity	110	NTU	
Monitoring Point 9	#####		Conductivity	414	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	16	mg/L	
		Turbidity	47	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	467	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	57	mg/L	
			Turbidity	78	NTU	
Monitoring Point 9	#####		Conductivity	372	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	16	mg/L	
		Turbidity	19	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge



Building something great

Monitoring Point 7	#####		Conductivity	469	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	61	mg/L	
			Turbidity	75	NTU	
Monitoring Point 9	#####		Conductivity	395	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	18	mg/L	
			Turbidity	21	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	462	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	111	mg/L	
			Turbidity	100	NTU	
Monitoring Point 9	#####		Conductivity	375	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	15	mg/L	
			Turbidity	21	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	449	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	1511	mg/L	
			Turbidity	1700	NTU	
Monitoring Point 9	#####		Conductivity	356	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	50	mg/L	
			Turbidity	24	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	448	µs/cm	
			Oil & Grease	<0.1	mg/L	



Building something great

			pH	7.4	pH	
			TSS	87	mg/L	
			Turbidity	110	NTU	
Monitoring Point 9	#####		Conductivity	352	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	21	mg/L	
			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	442	µs/cm	
			Oil & Grease	<0.01	mg/L	
			pH	7.6	pH	
			TSS	100	mg/L	
			Turbidity	130	NTU	
Monitoring Point 9	#####		Conductivity	341	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	12	mg/L	
			Turbidity	20	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	432	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	95	mg/L	
			Turbidity	160	NTU	
Monitoring Point 9	#####		Conductivity	320	µs/cm	
			Oil & Grease	<0.1	mg/L	
		pH	7.5	pH		
		TSS	19	mg/L		
		Turbidity	20	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	9/07/2024	Daily during discharge	Conductivity	425	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	107	mg/L	



Building something great

			Turbidity	150	NTU		
			Conductivity	297	µs/cm		
			Oil & Grease	<0.1	mg/L		
			pH	7.5	pH		
			TSS	15	mg/L		
			Turbidity	21	NTU		
Monitoring Point 9	9/07/2024		n/a	ND	n/a	No Discharge	
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Monitoring Point 6			n/a	ND	n/a	No Discharge	
		Daily during discharge	Conductivity	410	µs/cm		
			Oil & Grease	<0.1	mg/L		
			pH	7.4	pH		
			TSS	80	mg/L		
			Turbidity	110	NTU		
Monitoring Point 7	8/07/2024			Conductivity	281	µs/cm	
				Oil & Grease	<0.1	mg/L	
				pH	7.4	pH	
				TSS	13	mg/L	
				Turbidity	20	NTU	
Monitoring Point 9	8/07/2024		n/a	ND	n/a	No Discharge	
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Monitoring Point 6			n/a	ND	n/a	No Discharge	
		Daily during discharge	Conductivity	388	µs/cm		
			Oil & Grease	<0.1	mg/L		
			pH	7.2	pH		
			TSS	294	mg/L		
			Turbidity	260	NTU		
Monitoring Point 7	7/07/2024			Conductivity	266	µs/cm	
				Oil & Grease	<0.1	mg/L	
				pH	7.3	pH	
				TSS	18	mg/L	
				Turbidity	26	NTU	
Monitoring Point 9	7/07/2024		n/a	ND	n/a	No Discharge	
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Monitoring Point 6			n/a	ND	n/a	No Discharge	
		Daily during discharge	Conductivity	359	µs/cm		
			Oil & Grease	<0.1	mg/L		
			pH	7.2	pH		
			TSS	132	mg/L		
			Turbidity	170	NTU		
Monitoring Point 7	6/07/2024		n/a	ND	n/a	No Discharge	



Building something great

Monitoring Point 9	6/07/2024		Conductivity	244	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	23	mg/L	
			Turbidity	34	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	5/07/2024	Daily during discharge	Conductivity	362	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	210	mg/L	
			Turbidity	230	NTU	
Monitoring Point 9	5/07/2024		Conductivity	234	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	26	mg/L	
			Turbidity	45	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	4/07/2024	Daily during discharge	Conductivity	442	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	140	mg/L	
			Turbidity	103	NTU	
Monitoring Point 9	4/07/2024		Conductivity	352	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	25	mg/L	
			Turbidity	28	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/07/2024	Daily during discharge	Conductivity	465	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	82	mg/L	
			Turbidity	110	NTU	
Monitoring Point 9	3/07/2024		Conductivity	397	µs/cm	
			Oil & Grease	<0.1	mg/L	



Building something great

			pH	7.7	pH	
			TSS	14	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	2/07/2024	Daily during discharge	Conductivity	447	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	73	mg/L	
			Turbidity	76	NTU	
			Conductivity	381	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	16	mg/L	
			Turbidity	18	NTU	
Monitoring Point 9	2/07/2024		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	1/07/2024	Daily during discharge	Conductivity	459	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	66	mg/L	
			Turbidity	70	NTU	
			Conductivity	396	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.8	pH	
			TSS	29	mg/L	
			Turbidity	25	NTU	
Monitoring Point 9	1/07/2024		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jun-24						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	418	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.9	pH	
			TSS	52	mg/L	
			Turbidity	55	NTU	
Monitoring Point 9	#####		Conductivity	395	µs/cm	
			Oil & Grease	<0.1	mg/L	



Building something great

			pH	7.8	pH	
			TSS	22	mg/L	
			Turbidity	24	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	463	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.6	pH	
			TSS	38	mg/L	
			Turbidity	50	NTU	
Monitoring Point 9	#####		Conductivity	372	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.2	pH	
			TSS	19	mg/L	
			Turbidity	31	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	477	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	55	mg/L	
			Turbidity	65	NTU	
Monitoring Point 9	#####		Conductivity	368	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	10	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	488	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	29	mg/L	
			Turbidity	65	NTU	
Monitoring Point 9	#####		Conductivity	357	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	11	mg/L	



Building something great

			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	483	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	66	mg/L	
			Turbidity	60	NTU	
Monitoring Point 9	#####		Conductivity	369	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	30	mg/L	
		Turbidity	5	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	469	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	41	mg/L	
			Turbidity	55	NTU	
Monitoring Point 9	#####		Conductivity	390	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	30	mg/L	
		Turbidity	23	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	476	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	55	mg/L	
			Turbidity	60	NTU	
Monitoring Point 9	#####		Conductivity	361	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	31	mg/L	
		Turbidity	26	NTU		



Building something great

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	475	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	59	mg/L	
			Turbidity	65	NTU	
Monitoring Point 9	#####		Conductivity	342	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	14	mg/L	
			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	483	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.1	pH	
			TSS	50	mg/L	
			Turbidity	70	NTU	
Monitoring Point 9	#####		Conductivity	335	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	9	mg/L	
			Turbidity	17	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	429	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	53	mg/L	
			Turbidity	55	NTU	
Monitoring Point 9	#####		Conductivity	336	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.1	pH	
			TSS	3	mg/L	
			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge



Building something great

Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	324	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	37	mg/L	
			Turbidity	34	NTU	
Monitoring Point 9	#####		Conductivity	319	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	6.9	pH	
			TSS	17	mg/L	
			Turbidity	31	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	484	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.1	pH	
			TSS	68	mg/L	
			Turbidity	80	NTU	
Monitoring Point 9	#####		Conductivity	323	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.1	pH	
			TSS	2	mg/L	
		Turbidity	10	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	437	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.1	pH	
			TSS	39	mg/L	
			Turbidity	60	NTU	
Monitoring Point 9	#####		Conductivity	316	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	8	mg/L	
		Turbidity	14	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge



Building something great

Monitoring Point 7	#####		Conductivity	456	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.1	pH	
			TSS	73	mg/L	
			Turbidity	95	NTU	
Monitoring Point 9	#####		Conductivity	296	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7	pH	
			TSS	2	mg/L	
			Turbidity	15	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	439	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	63	mg/L	
			Turbidity	95	NTU	
			Conductivity	289	µs/cm	
Monitoring Point 9	#####		Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	5	mg/L	
			Turbidity	23	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	452	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	89	mg/L	
			Turbidity	100	NTU	
			Conductivity	288	µs/cm	
Monitoring Point 9	#####		Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	2	mg/L	
			Turbidity	15	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	452	µs/cm	
			Oil & Grease	<0.1	mg/L	



Building something great

			pH	7.4	pH	
			TSS	268	mg/L	
			Turbidity	190	NTU	
Monitoring Point 9	#####		Conductivity	267	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	6	mg/L	
			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	444	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	117	mg/L	
			Turbidity	110	NTU	
Monitoring Point 9	#####		Conductivity	262	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	12	mg/L	
			Turbidity	20	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	331	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	35	mg/L	
			Turbidity	55	NTU	
Monitoring Point 9	#####		Conductivity	245	µs/cm	
			Oil & Grease	<0.1	mg/L	
		pH	7.4	pH		
		TSS	10	mg/L		
		Turbidity	21	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	6/06/2024	Daily during discharge	Conductivity	430	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	563	mg/L	



Building something great

			Turbidity	850	NTU	
			Conductivity	297	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	56	mg/L	
			Turbidity	60	NTU	
Monitoring Point 9	6/06/2024		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
			Conductivity	494	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	77	mg/L	
			Turbidity	100	NTU	
Monitoring Point 7	5/06/2024		Conductivity	378	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	23	mg/L	
Monitoring Point 9	5/06/2024	Turbidity	26	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
			Conductivity	495	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	69	mg/L	
			Turbidity	85	NTU	
Monitoring Point 7	4/06/2024		Conductivity	375	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	402	mg/L	
Monitoring Point 9	4/06/2024	Turbidity	240	NTU		
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
			Conductivity	460	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	161	mg/L	
			Turbidity	150	NTU	
Monitoring Point 7	3/06/2024		Conductivity	399	µs/cm	
	3/06/2024					



Building something great

Monitoring Point 9			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	19	mg/L	
			Turbidity	25	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	2/06/2024	Daily during discharge	Conductivity	488	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	143	mg/L	
			Turbidity	170	NTU	
Monitoring Point 9	2/06/2024	Daily during discharge	Conductivity	395	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	12	mg/L	
			Turbidity	20	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	1/06/2024	Daily during discharge	Conductivity	477	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	59	mg/L	
			Turbidity	80	NTU	
Monitoring Point 9	1/06/2024	Daily during discharge	Conductivity	385	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	28	mg/L	
			Turbidity	36	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
May-24						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	513	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	67	mg/L	
			Turbidity	100	NTU	
Monitoring Point 9	#####	Daily during discharge	Conductivity	368	µs/cm	
			Oil & Grease	<0.1	mg/L	



Building something great

			pH	7.5	pH	
			TSS	7	mg/L	
			Turbidity	22	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	500	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	71	mg/L	
			Turbidity	23	NTU	
Monitoring Point 9	#####		Conductivity	384	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	26	mg/L	
			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	506	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	302	mg/L	
			Turbidity	310	NTU	
Monitoring Point 9	#####		Conductivity	367	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	25	mg/L	
			Turbidity	9.4	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	498	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	64	mg/L	
			Turbidity	80	NTU	
Monitoring Point 9	#####		Conductivity	364	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	



Building something great

			TSS	21	mg/L	
			Turbidity	5	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	491	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	69	mg/L	
			Turbidity	85	NTU	
Monitoring Point 9	#####		Conductivity	381	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	17	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	498	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	74	mg/L	
			Turbidity	3.4	NTU	
Monitoring Point 9	#####		Conductivity	348	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	20	mg/L	
			Turbidity	8.4	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	496	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	73	mg/L	
			Turbidity	17	NTU	
Monitoring Point 9	#####		Conductivity	330	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	17	mg/L	



Building something great

			Turbidity	7.8	NTU			
Monitoring Point 10			n/a	ND	n/a	No Discharge		
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge		
Monitoring Point 7	#####		Conductivity	394	µs/cm			
			Oil & Grease	<0.1	mg/L			
			pH	7.4	pH			
			TSS	31	mg/L			
			Turbidity	45	NTU			
Monitoring Point 9	#####		Conductivity	326	µs/cm			
			Oil & Grease	<0.1	mg/L			
			pH	7.3	pH			
			TSS	20	mg/L			
			Turbidity	22	NTU			
Monitoring Point 10			n/a	ND	n/a		No Discharge	
Monitoring Point 6			Daily during discharge	n/a	ND		n/a	No Discharge
Monitoring Point 7	#####			Conductivity	484		µs/cm	
		Oil & Grease		<0.1	mg/L			
		pH		7.6	pH			
		TSS		69	mg/L			
		Turbidity		85	NTU			
Monitoring Point 9	#####	Conductivity		323	µs/cm			
		Oil & Grease		<0.1	mg/L			
		pH		7.5	pH			
		TSS		6	mg/L			
		Turbidity		14	NTU			
Monitoring Point 10		n/a		ND	n/a	No Discharge		
Monitoring Point 6		Daily during discharge		n/a	ND	n/a	No Discharge	
Monitoring Point 7	#####			Conductivity	479	µs/cm		
			Oil & Grease	<0.1	mg/L			
			pH	7.5	pH			
			TSS	54	mg/L			
			Turbidity	80	NTU			
Monitoring Point 9	#####		Conductivity	312	µs/cm			
			Oil & Grease	<0.1	mg/L			
			pH	7.6	pH			
			TSS	9	mg/L			
			Turbidity	15	NTU			



Building something great

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	486	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	117	mg/L	
			Turbidity	140	NTU	
Monitoring Point 9	#####		Conductivity	277	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	17	mg/L	
			Turbidity	20	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	470	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	133	mg/L	
			Turbidity	150	NTU	
Monitoring Point 9	#####		Conductivity	271	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7	pH	
			TSS	19	mg/L	
			Turbidity	24	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	284	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.1	pH	
			TSS	20	mg/L	
			Turbidity	35	NTU	
Monitoring Point 9	#####		Conductivity	258	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.1	pH	
			TSS	12	mg/L	
			Turbidity	22	NTU	



Building something great

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	259	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	20	mg/L	
			Turbidity	45	NTU	
Monitoring Point 9	#####		Conductivity	246	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	13	mg/L	
			Turbidity	27	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	413	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	560	mg/L	
			Turbidity	500	NTU	
Monitoring Point 9	#####		Conductivity	219	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	22	mg/L	
			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	308	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	522	mg/L	
			Turbidity	400	NTU	
Monitoring Point 9	#####		Conductivity	461	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.9	pH	
			TSS	51	mg/L	
			Turbidity	70	NTU	



Building something great

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	413	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	289	mg/L	
			Turbidity	380	NTU	
Monitoring Point 9	#####		Conductivity	261	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	25	mg/L	
			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	9/05/2024	Daily during discharge	Conductivity	439	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.1	pH	
			TSS	314	mg/L	
			Turbidity	400	NTU	
Monitoring Point 9	9/05/2024		Conductivity	266	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	27	mg/L	
			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	8/05/2024	Daily during discharge	Conductivity	289	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	151	mg/L	
			Turbidity	200	NTU	
Monitoring Point 9	8/05/2024		Conductivity	224	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	15	mg/L	
			Turbidity	33	NTU	



Building something great

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	7/05/2024	Daily during discharge	Conductivity	278	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	340	mg/L	
			Turbidity	600	NTU	
Monitoring Point 9	7/05/2024		Conductivity	195	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	6.8	pH	
			TSS	17	mg/L	
Monitoring Point 9	7/05/2024		Turbidity	45	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	6/05/2024	Daily during discharge	Conductivity	289	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	282	mg/L	
			Turbidity	450	NTU	
Monitoring Point 9	6/05/2024		Conductivity	197	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7	pH	
			TSS	27	mg/L	
Monitoring Point 9	6/05/2024		Turbidity	38	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	5/05/2024	Daily during discharge	Conductivity	341	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	287	mg/L	
			Turbidity	400	NTU	
Monitoring Point 9	5/05/2024		Conductivity	228	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7	pH	
			TSS	16	mg/L	
Monitoring Point 9	5/05/2024		Turbidity	26	NTU	



Building something great

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	4/05/2024	Daily during discharge	Conductivity	497	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	88	mg/L	
			Turbidity	180	NTU	
Monitoring Point 9	4/05/2024		Conductivity	420	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	25	mg/L	
			Turbidity	50	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/05/2024	Daily during discharge	Conductivity	532	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	47	mg/L	
			Turbidity	70	NTU	
Monitoring Point 9	3/05/2024		Conductivity	383	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	6.8	pH	
			TSS	17	mg/L	
			Turbidity	45	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Apr-24						
Monitoring Point 6		Daily during discharge	Conductivity	ND	µS/cm	No controlled discharge initiated
			Flow	ND	KL/day	
			Oil and Grease	ND	mg/L	
			pH	ND	pH	
			Total Suspended Solids	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 7	1/05/2024	Daily during discharge	Conductivity	412	µS/cm	Sampling undertaken on 12/4/2024 in



Building something great

			Oil and Grease	<0.1	mg/L	response to uncontrolled discharge. Due to higher than average monthly rainfall and high groundwater table dewatering of Lower Dam is not possible.
			pH	7.2	pH	
			Total Suspended Solids	176	mg/L	
			Turbidity	210	NTU	
Monitoring Point 9	1/05/2024	Daily during discharge	Conductivity	295	µS/cm	
			Oil and Grease	<0.1	mg/L	
			pH	7.5	pH	
			Total Suspended Solids	14	mg/L	
			Turbidity	14	NTU	
Monitoring Point 10		Daily during discharge	Conductivity	ND	µS/cm	No controlled discharge initiated
			Oil and Grease	ND	mg/L	
			pH	ND	pH	
			Total Suspended Solids	ND	mg/L	
			Turbidity	ND	NTU	

Dunmore Quarry Monitoring Locations.



LEGEND

- Site Boundary
- Water Discharge Monitoring Point
- Deposited Dust Monitoring Point
- Weather Analysis Monitoring Point
- Blast Monitoring Point
- High Volume Air Sampling Point