



Building  
something  
great

# Environmental Monitoring Report

## Air/Dust Monitoring

---

# Dunmore Lakes Sand Project

February 2026



This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of request, any monitoring data that relates to pollution under an Environment Protection Licence.

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 11147 (EPL 11147 – Boral Dunmore Lakes Sand Project)

This report provides environmental monitoring data for Dunmore Lakes Sand Project for the period of December 2021 to December 2025.

Dunmore Lakes Sand Project Information	
Premise Details	Boral – Dunmore Lakes Sand Project
Address	Princes Highway, Dunmore NSW, 2529
Licensee	Boral Resources (NSW) PTY LTD
EPL N°	11147
EPL Location	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33270&amp;SYSUID=1&amp;LICID=11147">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33270&amp;SYSUID=1&amp;LICID=11147</a>

Monitoring data in this report relates to the monitoring undertaken for Deposited Dust.



**Building  
something  
great**

## Air Quality

Air Quality Monitoring is conducted as per condition M2.2 of EPL 11147. The air quality results for the reporting period are tabled below.

Deposited Dust (g/m<sup>2</sup>/month) results for the reporting period.

Sample Period: December 2025  
Date received: 28/01/2026  
Licensee: Dunmore Lakes Sand Project  
Licensee Address: Princes Hwy, Dunmore NSW 2529  
EPL No: 11147

### Qualifications related to Dust

Air Emissions Monitoring - Dust Deposition Gauge

### Results

Location	Monitoring Frequency	Pollutant	Measurement	Unit	Comments
Monitoring Point 2 (DD2)	December 2025 Monthly (Received 28/01/2026)	Insoluble Solids	3.68	g/m <sup>2</sup> /month	DD5 had a high content of dead insects inside
		Ash	1.48	g/m <sup>2</sup> /month	
		Combustible Solids	2.20	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Insoluble Solids	7.38	g/m <sup>2</sup> /month	
		Ash	3.32	g/m <sup>2</sup> /month	
		Combustible Solids	4.07	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Insoluble Solids	4.30	g/m <sup>2</sup> /month	
		Ash	1.95	g/m <sup>2</sup> /month	
		Combustible Solids	2.35	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	3.71	g/m <sup>2</sup> /month	
		Ash	1.83	g/m <sup>2</sup> /month	
		Combustible Solids	1.88	g/m <sup>2</sup> /month	



**Building  
something  
great**

**Historical Deposited Dust Data**

Location	Month	Pollutant	Measurement	Unit	Comments
Monitoring Point 2 (DD2)	November 2025 Monthly (Received 21/01/2026)	Insoluble Solids	4.26	g/m <sup>2</sup> /month	DD5 had a high content of dead insects inside.
		Ash	2.05	g/m <sup>2</sup> /month	
		Combustible Solids	2.21	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Insoluble Solids	17.49	g/m <sup>2</sup> /month	
		Ash	7.62	g/m <sup>2</sup> /month	
		Combustible Solids	9.87	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Insoluble Solids	2.81	g/m <sup>2</sup> /month	
		Ash	1.52	g/m <sup>2</sup> /month	
		Combustible Solids	1.30	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	4.37	g/m <sup>2</sup> /month	
	Ash	1.92	g/m <sup>2</sup> /month		
	Combustible Solids	2.45	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	October 2025 Monthly (Received 18/11/2025)	Ash	0.89	g/m <sup>2</sup> /month	DD5 dust bottle was found tipped over and broken on 9th October. Therefore, sampling period was shorter than normal. Significant amount of bird droppings found inside the bottle.
		Combustible Solids	0.82	g/m <sup>2</sup> /month	
		Insoluble Solids	1.71	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	9.33	g/m <sup>2</sup> /month	
		Combustible Solids	11.20	g/m <sup>2</sup> /month	
		Insoluble Solids	20.53	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.95	g/m <sup>2</sup> /month	
		Combustible Solids	0.63	g/m <sup>2</sup> /month	
		Insoluble Solids	1.57	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.69	g/m <sup>2</sup> /month	
		Combustible Solids	1.84	g/m <sup>2</sup> /month	
		Insoluble Solids	3.53	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	September 2025 Monthly (Received 24/10/2025)	Ash	0.51	g/m <sup>2</sup> /month	Monitoring point 4 (DD5) had a significant amount of snail droppings, which can be seen in the high values.
		Combustible Solids	0.08	g/m <sup>2</sup> /month	
		Insoluble Solids	0.59	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	6.80	g/m <sup>2</sup> /month	
		Combustible Solids	8.04	g/m <sup>2</sup> /month	
		Insoluble Solids	14.84	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.70	g/m <sup>2</sup> /month	
		Combustible Solids	0.42	g/m <sup>2</sup> /month	
		Insoluble Solids	1.12	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.15	g/m <sup>2</sup> /month	
		Combustible Solids	0.80	g/m <sup>2</sup> /month	
		Insoluble Solids	1.95	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	August 2025 Monthly (Received 22/09/2025)	Ash	0.46	g/m <sup>2</sup> /month	All within compliance limits. DD5 dust bottle was found tipped over and broken on 29 July. Therefore, sampling period was shorter than normal.
		Combustible Solids	0.25	g/m <sup>2</sup> /month	
		Insoluble Solids	0.72	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	1.14	g/m <sup>2</sup> /month	
		Combustible Solids	0.49	g/m <sup>2</sup> /month	
		Insoluble Solids	1.63	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.74	g/m <sup>2</sup> /month	
		Combustible Solids	0.34	g/m <sup>2</sup> /month	
		Insoluble Solids	1.08	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.40	g/m <sup>2</sup> /month	
		Combustible Solids	0.31	g/m <sup>2</sup> /month	
		Insoluble Solids	0.71	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	July 2025 Monthly	Ash	0.13	g/m <sup>2</sup> /month	All within compliance limits.
		Combustible Solids	0.11	g/m <sup>2</sup> /month	



**Building something great**

Monitoring Point 4 (DD5)	(Received 22/08/2025)	Insoluble Solids	0.24	g/m <sup>2</sup> /month		
		Ash	1.79	g/m <sup>2</sup> /month		
		Combustible Solids	1.30	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)		Insoluble Solids	3.09	g/m <sup>2</sup> /month		
		Ash	0.28	g/m <sup>2</sup> /month		
		Combustible Solids	0.30	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)		Insoluble Solids	0.58	g/m <sup>2</sup> /month		
		Ash	0.51	g/m <sup>2</sup> /month		
		Combustible Solids	0.55	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	June 2025 Monthly (Received 08/07/2025)	Insoluble Solids	1.06	g/m <sup>2</sup> /month	All within compliance limits.	
		Ash	0.24	g/m <sup>2</sup> /month		
		Combustible Solids	0.16	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)		Insoluble Solids	0.40	g/m <sup>2</sup> /month		
		Ash	0.39	g/m <sup>2</sup> /month		
		Combustible Solids	0.28	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)		Insoluble Solids	0.67	g/m <sup>2</sup> /month		
		Ash	0.41	g/m <sup>2</sup> /month		
		Combustible Solids	0.45	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)		Insoluble Solids	0.86	g/m <sup>2</sup> /month		
		Ash	0.48	g/m <sup>2</sup> /month		
		Combustible Solids	0.57	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	May 2025 Monthly (Received 26/06/2025)	Insoluble Solids	0.86	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 8.68 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 0.58 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.	
		Ash	0.30	g/m <sup>2</sup> /month		
		Combustible Solids	0.28	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)		Insoluble Solids	0.58	g/m <sup>2</sup> /month		
		Ash	4.72	g/m <sup>2</sup> /month		
		Combustible Solids	3.96	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)		Insoluble Solids	8.68	g/m <sup>2</sup> /month		
		Ash	0.86	g/m <sup>2</sup> /month		
		Combustible Solids	0.90	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)		Insoluble Solids	1.76	g/m <sup>2</sup> /month		
		Ash	0.35	g/m <sup>2</sup> /month		
		Combustible Solids	0.33	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	April 2025 Monthly (Received 23/05/2025)	Insoluble Solids	0.68	g/m <sup>2</sup> /month	All within compliance limits.	
		Ash	0.40	g/m <sup>2</sup> /month		
		Combustible Solids	0.27	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)		Insoluble Solids	0.67	g/m <sup>2</sup> /month		
		Ash	1.83	g/m <sup>2</sup> /month		
		Combustible Solids	1.24	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)		Insoluble Solids	3.06	g/m <sup>2</sup> /month		
		Ash	0.57	g/m <sup>2</sup> /month		
		Combustible Solids	0.06	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)		Insoluble Solids	0.63	g/m <sup>2</sup> /month		
		Ash	0.65	g/m <sup>2</sup> /month		
		Combustible Solids	0.07	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	March 2025 Monthly (Received 17/04/2025)	Insoluble Solids	0.71	g/m <sup>2</sup> /month	All within compliance limits.	
		Ash	0.57	g/m <sup>2</sup> /month		
		Combustible Solids	0.56	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)		Insoluble Solids	1.12	g/m <sup>2</sup> /month		
		Ash	1.24	g/m <sup>2</sup> /month		
		Combustible Solids	2.70	g/m <sup>2</sup> /month		
			Insoluble Solids	3.93		g/m <sup>2</sup> /month
			Ash	0.67		g/m <sup>2</sup> /month



**Building something great**

Monitoring Point 7 (DD10)		Combustible Solids	0.20	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	0.87	g/m <sup>2</sup> /month	
		Ash	1.16	g/m <sup>2</sup> /month	
		Combustible Solids	0.04	g/m <sup>2</sup> /month	
		Insoluble Solids	1.20	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	February 2025 Monthly (Received 25/03/2025)	Ash	0.49	g/m <sup>2</sup> /month	All within compliance limits.
Monitoring Point 4 (DD5)		Combustible Solids	0.70	g/m <sup>2</sup> /month	
		Insoluble Solids	1.19	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.09	g/m <sup>2</sup> /month	
		Combustible Solids	2.2	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	3.29	g/m <sup>2</sup> /month	
		Ash	1.21	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Combustible Solids	1.82	g/m <sup>2</sup> /month	
		Insoluble Solids	3.03	g/m <sup>2</sup> /month	
		Ash	0.71	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)	Combustible Solids	0.91	g/m <sup>2</sup> /month		
	Insoluble Solids	1.62	g/m <sup>2</sup> /month		
	Ash	1.22	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.68	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 10.54 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 2.99 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Insoluble Solids	1.90	g/m <sup>2</sup> /month		
	Ash	3.56	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	6.98	g/m <sup>2</sup> /month		
	Insoluble Solids	10.54	g/m <sup>2</sup> /month		
	Ash	1.32	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.48	g/m <sup>2</sup> /month		
	Insoluble Solids	1.80	g/m <sup>2</sup> /month		
	Ash	1.35	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	1.01	g/m <sup>2</sup> /month		
	Insoluble Solids	2.36	g/m <sup>2</sup> /month		
	Ash	1.92	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	2.85	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 17.28 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 2.99 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Insoluble Solids	4.77	g/m <sup>2</sup> /month		
	Ash	3.11	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	14.17	g/m <sup>2</sup> /month		
	Insoluble Solids	17.28	g/m <sup>2</sup> /month		
	Ash	2.18	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	4.25	g/m <sup>2</sup> /month		
	Insoluble Solids	6.43	g/m <sup>2</sup> /month		
	Ash	1.24	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	1.76	g/m <sup>2</sup> /month		
	Insoluble Solids	2.99	g/m <sup>2</sup> /month		
	Ash	1.72	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.47	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.56 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 2.51 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Insoluble Solids	2.2	g/m <sup>2</sup> /month		
	Ash	2.47	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.04	g/m <sup>2</sup> /month		
	Insoluble Solids	2.51	g/m <sup>2</sup> /month		
	Ash	1.49	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.40	g/m <sup>2</sup> /month		
	Insoluble Solids	1.89	g/m <sup>2</sup> /month		
	Ash	2.94	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	1.38	g/m <sup>2</sup> /month		
	Insoluble Solids	1.38	g/m <sup>2</sup> /month		



**Building something great**

		Insoluble Solids	1.56	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	October Monthly (Received 13/02/2025)	Ash	0.82	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 4.67 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	1.11	g/m <sup>2</sup> /month	
		Insoluble Solids	1.93	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	1.42	g/m <sup>2</sup> /month	
		Combustible Solids	3.25	g/m <sup>2</sup> /month	
		Insoluble Solids	4.67	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.99	g/m <sup>2</sup> /month	
		Combustible Solids	0.02	g/m <sup>2</sup> /month	
		Insoluble Solids	1.02	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.24	g/m <sup>2</sup> /month	
		Combustible Solids	0.41	g/m <sup>2</sup> /month	
		Insoluble Solids	1.65	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	September Monthly (Received 13/02/2025)	Ash	0.29	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 3.83 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels.
Monitoring Point 4 (DD5)		Combustible Solids	2.7	g/m <sup>2</sup> /month	
		Insoluble Solids	3.0	g/m <sup>2</sup> /month	
		Ash	0.6	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	2.46	g/m <sup>2</sup> /month	
		Insoluble Solids	2.52	g/m <sup>2</sup> /month	
		Ash	0.16	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Combustible Solids	3.67	g/m <sup>2</sup> /month	
		Insoluble Solids	3.83	g/m <sup>2</sup> /month	
		Ash	0.63	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Combustible Solids	3.11	g/m <sup>2</sup> /month	
		Insoluble Solids	1.02	g/m <sup>2</sup> /month	
	Ash	0.53	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.70	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 3.35 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Insoluble Solids	1.23	g/m <sup>2</sup> /month		
	Ash	1.47	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	1.89	g/m <sup>2</sup> /month		
	Insoluble Solids	3.35	g/m <sup>2</sup> /month		
	Ash	0.97	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.49	g/m <sup>2</sup> /month		
	Insoluble Solids	1.46	g/m <sup>2</sup> /month		
	Ash	0.63	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.39	g/m <sup>2</sup> /month		
	Insoluble Solids	1.02	g/m <sup>2</sup> /month		
	Ash	0.50	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.41	g/m <sup>2</sup> /month	All within compliance limits.	
	Insoluble Solids	0.91	g/m <sup>2</sup> /month		
	Ash	1.30	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.17	g/m <sup>2</sup> /month		
	Insoluble Solids	1.47	g/m <sup>2</sup> /month		
	Ash	0.54	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.25	g/m <sup>2</sup> /month		
	Insoluble Solids	0.79	g/m <sup>2</sup> /month		
	Ash	0.50	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.26	g/m <sup>2</sup> /month		All within compliance limits
	Insoluble Solids	0.76	g/m <sup>2</sup> /month		
	Ash	0.28	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.06	g/m <sup>2</sup> /month	All within compliance limits	
	Insoluble Solids	0.22	g/m <sup>2</sup> /month		



**Building  
something  
great**

Monitoring Point 4 (DD5)	June Monthly (Received 18/07/2024)	Ash	0.09	g/m <sup>2</sup> /month			
		Combustible Solids	0.54	g/m <sup>2</sup> /month			
		Insoluble Solids	0.63	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Ash	0.32	g/m <sup>2</sup> /month			
		Combustible Solids	0.25	g/m <sup>2</sup> /month			
		Insoluble Solids	0.57	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Ash	0.26	g/m <sup>2</sup> /month			
		Combustible Solids	0.02	g/m <sup>2</sup> /month			
		Insoluble Solids	0.28	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	May Monthly (Received 25/06/2024)	Ash	0.09	g/m <sup>2</sup> /month	All within compliance limits.		
		Combustible Solids	0.11	g/m <sup>2</sup> /month			
		Insoluble Solids	0.20	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Ash	0.27	g/m <sup>2</sup> /month			
		Combustible Solids	1.25	g/m <sup>2</sup> /month			
		Insoluble Solids	1.52	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Ash	0.02	g/m <sup>2</sup> /month			
		Combustible Solids	3.57	g/m <sup>2</sup> /month			
		Insoluble Solids	3.59	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Ash	1.17	g/m <sup>2</sup> /month			
		Combustible Solids	0.69	g/m <sup>2</sup> /month			
		Insoluble Solids	1.86	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)		April Monthly (Received 31/05/2024)	Ash	0.23		g/m <sup>2</sup> /month	All within compliance limits.
			Combustible Solids	1.28		g/m <sup>2</sup> /month	
			Insoluble Solids	1.51		g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)			Ash	0.12		g/m <sup>2</sup> /month	
			Combustible Solids	3.11		g/m <sup>2</sup> /month	
			Insoluble Solids	3.23		g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)	Ash		0.57	g/m <sup>2</sup> /month			
	Combustible Solids		1.29	g/m <sup>2</sup> /month			
	Insoluble Solids		1.86	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)	Ash		0.41	g/m <sup>2</sup> /month			
	Combustible Solids		0.80	g/m <sup>2</sup> /month			
	Insoluble Solids		1.21	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	March Monthly (Received 24/04/2024)	Ash	0.61	g/m <sup>2</sup> /month	All within compliance limits.		
		Combustible Solids	0.27	g/m <sup>2</sup> /month			
		Insoluble Solids	0.88	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Ash	1.26	g/m <sup>2</sup> /month			
		Combustible Solids	0.80	g/m <sup>2</sup> /month			
		Insoluble Solids	2.06	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Ash	1.25	g/m <sup>2</sup> /month			
		Combustible Solids	1.63	g/m <sup>2</sup> /month			
		Insoluble Solids	2.88	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Ash	0.62	g/m <sup>2</sup> /month			
		Combustible Solids	0.10	g/m <sup>2</sup> /month			
		Insoluble Solids	0.72	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	February Monthly (Received 28/02/2024)	Ash	1.34	g/m <sup>2</sup> /month	Monitoring Point 4 was contaminated, so the data that was received from the		
		Combustible Solids	0.78	g/m <sup>2</sup> /month			
		Insoluble Solids	2.12	g/m <sup>2</sup> /month			
Ash		NV	g/m <sup>2</sup> /month				



**Building something great**

Monitoring Point 4 (DD5)		Combustible Solids	NV	g/m <sup>2</sup> /month	laboratory was regarded to be inaccurate.
		Insoluble Solids	NV	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.43	g/m <sup>2</sup> /month	
		Combustible Solids	0.88	g/m <sup>2</sup> /month	
		Insoluble Solids	2.30	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.92	g/m <sup>2</sup> /month	
		Combustible Solids	0.88	g/m <sup>2</sup> /month	
		Insoluble Solids	2.81	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		January Monthly (Received 20/03/2024)	Ash	1.05	
	Combustible Solids		0.07	g/m <sup>2</sup> /month	
	Insoluble Solids		1.12	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)	Ash		4.57	g/m <sup>2</sup> /month	
	Combustible Solids		0.05	g/m <sup>2</sup> /month	
	Insoluble Solids		4.62	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)	Ash		1.17	g/m <sup>2</sup> /month	
	Combustible Solids		0.21	g/m <sup>2</sup> /month	
	Insoluble Solids		1.38	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)	December Monthly (Received 07/02/2024)	Ash	2.18	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.38 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 6.87 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	1.31	g/m <sup>2</sup> /month	
		Insoluble Solids	3.49	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Ash	1.60	g/m <sup>2</sup> /month	
		Combustible Solids	4.19	g/m <sup>2</sup> /month	
		Insoluble Solids	5.80	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	6.84	g/m <sup>2</sup> /month	
		Combustible Solids	0.03	g/m <sup>2</sup> /month	
		Insoluble Solids	6.87	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)	November Monthly (Received 10/01/2024)	Ash	0.46	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.75 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 3.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	2.69	g/m <sup>2</sup> /month	
		Insoluble Solids	3.15	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.81	g/m <sup>2</sup> /month	
		Combustible Solids	0.57	g/m <sup>2</sup> /month	
		Insoluble Solids	1.38	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Ash	0.96	g/m <sup>2</sup> /month	
		Combustible Solids	0.82	g/m <sup>2</sup> /month	
		Insoluble Solids	1.78	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)	October Monthly (received 11/12/2023)	Ash	0.47	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.05 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.97 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator
		Combustible Solids	2.55	g/m <sup>2</sup> /month	
		Insoluble Solids	3.02	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.33	g/m <sup>2</sup> /month	
		Combustible Solids	0.48	g/m <sup>2</sup> /month	
		Insoluble Solids	0.81	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.40	g/m <sup>2</sup> /month	
		Combustible Solids	0.34	g/m <sup>2</sup> /month	
		Insoluble Solids	0.75	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Ash	0.16	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.05 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.97 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator
		Combustible Solids	1.35	g/m <sup>2</sup> /month	
		Insoluble Solids	1.97	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.17	g/m <sup>2</sup> /month	
		Combustible Solids	0.88	g/m <sup>2</sup> /month	
		Insoluble Solids	1.05	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.06	g/m <sup>2</sup> /month	
		Combustible Solids	0.89	g/m <sup>2</sup> /month	
		Insoluble Solids	1.96	g/m <sup>2</sup> /month	



**Building something great**

Monitoring Point 8 (DD6)		Ash	1.10	g/m <sup>2</sup> /month	for the project's contribution to local dust levels.
		Combustible Solids	0.40	g/m <sup>2</sup> /month	
		Insoluble Solids	1.49	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	September Monthly (Received 31/10/2023)	Ash	1.84	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.61 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 2.47 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.33	g/m <sup>2</sup> /month	
		Insoluble Solids	2.47	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	1.48	g/m <sup>2</sup> /month	
		Combustible Solids	0.52	g/m <sup>2</sup> /month	
		Insoluble Solids	2.00	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.07	g/m <sup>2</sup> /month	
		Combustible Solids	1.35	g/m <sup>2</sup> /month	
		Insoluble Solids	2.42	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.23	g/m <sup>2</sup> /month	
		Combustible Solids	0.38	g/m <sup>2</sup> /month	
		Insoluble Solids	1.61	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	August Monthly (Received 31/10/2023)	Ash	0.47	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.28 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 3.37 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	2.90	g/m <sup>2</sup> /month	
		Insoluble Solids	3.37	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.77	g/m <sup>2</sup> /month	
		Combustible Solids	0.50	g/m <sup>2</sup> /month	
		Insoluble Solids	1.28	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.63	g/m <sup>2</sup> /month	
		Combustible Solids	1.02	g/m <sup>2</sup> /month	
		Insoluble Solids	1.64	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.60	g/m <sup>2</sup> /month	
		Combustible Solids	0.14	g/m <sup>2</sup> /month	
		Insoluble Solids	1.74	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	July Monthly (Received 5/9/2023)	Ash	0.53	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.62 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 1.16 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.39	g/m <sup>2</sup> /month	
		Insoluble Solids	0.92	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.23	g/m <sup>2</sup> /month	
		Combustible Solids	0.93	g/m <sup>2</sup> /month	
		Insoluble Solids	1.16	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.47	g/m <sup>2</sup> /month	
		Combustible Solids	0.14	g/m <sup>2</sup> /month	
		Insoluble Solids	0.62	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.60	g/m <sup>2</sup> /month	
		Combustible Solids	0.53	g/m <sup>2</sup> /month	
		Insoluble Solids	1.14	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	June Monthly (Received 10/08/2023)	Ash	0.68	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.63 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.28 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.60	g/m <sup>2</sup> /month	
		Insoluble Solids	1.28	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.51	g/m <sup>2</sup> /month	
		Combustible Solids	0.12	g/m <sup>2</sup> /month	
		Insoluble Solids	0.63	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.46	g/m <sup>2</sup> /month	
		Combustible Solids	0.23	g/m <sup>2</sup> /month	
		Insoluble Solids	0.69	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.43	g/m <sup>2</sup> /month	
		Combustible Solids	0.44	g/m <sup>2</sup> /month	
		Insoluble Solids	0.87	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	May Monthly	Ash	0.65	g/m <sup>2</sup> /month	
		Combustible Solids	0.01	g/m <sup>2</sup> /month	



**Building something great**

Monitoring Point 4 (DD5)	(Received 3/07/2023)	Insoluble Solids	0.63	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.01 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 0.63 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.		
		Ash	0.63	g/m <sup>2</sup> /month			
		Combustible Solids	0.26	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Insoluble Solids	0.89	g/m <sup>2</sup> /month			
		Ash	0.63	g/m <sup>2</sup> /month			
		Combustible Solids	0.19	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Insoluble Solids	1.01	g/m <sup>2</sup> /month			
		Ash	0.56	g/m <sup>2</sup> /month			
		Combustible Solids	0.17	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	April Monthly (Received 5/06/2023)	Insoluble Solids	0.73	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.64 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 1.30 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels.		
		Ash	1.15	g/m <sup>2</sup> /month			
		Combustible Solids	1.49	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Insoluble Solids	2.64	g/m <sup>2</sup> /month			
		Ash	0.69	g/m <sup>2</sup> /month			
		Combustible Solids	1.13	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Insoluble Solids	1.82	g/m <sup>2</sup> /month			
		Ash	0.77	g/m <sup>2</sup> /month			
		Combustible Solids	0.53	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Insoluble Solids	1.30	g/m <sup>2</sup> /month			
		Ash	0.21	g/m <sup>2</sup> /month			
		Combustible Solids	1.13	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)		Insoluble Solids	1.34	g/m <sup>2</sup> /month		The deposited dust data for the reporting period range from 6.83 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 2.32 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is considered a better indicator for the project's contribution to local dust levels.	
		Ash	2.55	g/m <sup>2</sup> /month			
		Combustible Solids	4.28	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		March Monthly (Received 5/06/2023)	Insoluble Solids	6.83			g/m <sup>2</sup> /month
			Ash	1.32			g/m <sup>2</sup> /month
			Combustible Solids	1.93			g/m <sup>2</sup> /month
Monitoring Point 7 (DD10)	Insoluble Solids		3.25	g/m <sup>2</sup> /month			
	Ash		2.17	g/m <sup>2</sup> /month			
	Combustible Solids		0.24	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)	Insoluble Solids		2.41	g/m <sup>2</sup> /month			
	Ash		1.37	g/m <sup>2</sup> /month			
	Combustible Solids		0.94	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	February 2023 (Received 4/04/2023)		Insoluble Solids	2.32	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.98 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 0.22 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.	
			Ash	1.68	g/m <sup>2</sup> /month		
			Combustible Solids	0.30	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)		Insoluble Solids	1.98	g/m <sup>2</sup> /month			
		Ash	0.21	g/m <sup>2</sup> /month			
		Combustible Solids	0.01	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Insoluble Solids	0.22	g/m <sup>2</sup> /month			
		Ash	0.66	g/m <sup>2</sup> /month			
		Combustible Solids	0.61	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Insoluble Solids	1.26	g/m <sup>2</sup> /month			
		Ash	1.03	g/m <sup>2</sup> /month			
		Combustible Solids	0.67	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)		January 2023 (Received 4/04/2023)	Insoluble Solids	1.70	g/m <sup>2</sup> /month		The deposited dust data for the reporting period range from 1.81 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.23 g/m <sup>2</sup> /month
			Ash	0.54	g/m <sup>2</sup> /month		
			Combustible Solids	0.85	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)			Insoluble Solids	1.40	g/m <sup>2</sup> /month		
			Ash	1.41	g/m <sup>2</sup> /month		
			Combustible Solids	0.40	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Insoluble Solids		1.81	g/m <sup>2</sup> /month			



**Building  
something  
great**

Monitoring Point 7 (DD10)		Ash	0.60	g/m <sup>2</sup> /month	of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels.
Monitoring Point 8 (DD6)		Combustible Solids	0.63	g/m <sup>2</sup> /month	
		Insoluble Solids	1.23	g/m <sup>2</sup> /month	
		Ash	0.86	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Combustible Solids	0.60	g/m <sup>2</sup> /month	
		Insoluble Solids	1.46	g/m <sup>2</sup> /month	
	Ash	0.97	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.12	g/m <sup>2</sup> /month		
	Insoluble Solids	1.10	g/m <sup>2</sup> /month		
	Ash	5.92	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	2.09	g/m <sup>2</sup> /month		
	Insoluble Solids	8.01	g/m <sup>2</sup> /month		
	Ash	1.29	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.16	g/m <sup>2</sup> /month		
	Insoluble Solids	1.45	g/m <sup>2</sup> /month		
	Ash	4.59	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.27	g/m <sup>2</sup> /month		
	Insoluble Solids	4.86	g/m <sup>2</sup> /month		
	Ash	0.76	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.48	g/m <sup>2</sup> /month		
	Insoluble Solids	1.24	g/m <sup>2</sup> /month		
	Ash	0.87	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.32	g/m <sup>2</sup> /month		
	Insoluble Solids	1.19	g/m <sup>2</sup> /month		
	Ash	1.18	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.26	g/m <sup>2</sup> /month		
	Insoluble Solids	1.43	g/m <sup>2</sup> /month		
	Ash	0.94	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.37	g/m <sup>2</sup> /month		
	Insoluble Solids	1.31	g/m <sup>2</sup> /month		
	Ash	ND*	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	ND	g/m <sup>2</sup> /month		
	Insoluble Solids	ND	g/m <sup>2</sup> /month		
	Ash	0.45	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.46	g/m <sup>2</sup> /month		
	Insoluble Solids	0.91	g/m <sup>2</sup> /month		
	Ash	0.69	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.45	g/m <sup>2</sup> /month		
	Insoluble Solids	1.15	g/m <sup>2</sup> /month		
	Ash	0.61	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.03	g/m <sup>2</sup> /month		
	Insoluble Solids	0.64	g/m <sup>2</sup> /month		
	Ash	1.45	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.88	g/m <sup>2</sup> /month		
	Insoluble Solids	2.32	g/m <sup>2</sup> /month		
	Ash	1.59	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.59	g/m <sup>2</sup> /month		
	Insoluble Solids	2.18	g/m <sup>2</sup> /month		
	Ash	1.30	g/m <sup>2</sup> /month		
	Combustible Solids	1.02	g/m <sup>2</sup> /month		
	Insoluble Solids	2.32	g/m <sup>2</sup> /month		
	Ash	2.06	g/m <sup>2</sup> /month		



**Building something great**

Monitoring Point 8 (DD6)		Combustible Solids	0.98	g/m <sup>2</sup> /month	for the project's contribution to local dust levels.
		Insoluble Solids	3.05	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	August 2022 (Received 28/9/2022)	Ash	1.74	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.98 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 1.82 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.09	g/m <sup>2</sup> /month	
		Insoluble Solids	1.82	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.55	g/m <sup>2</sup> /month	
		Combustible Solids	0.49	g/m <sup>2</sup> /month	
		Insoluble Solids	1.04	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.73	g/m <sup>2</sup> /month	
		Combustible Solids	0.25	g/m <sup>2</sup> /month	
		Insoluble Solids	0.98	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.40	g/m <sup>2</sup> /month	
	Combustible Solids	0.72	g/m <sup>2</sup> /month		
	Insoluble Solids	1.13	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	July 2022 (Received 31/08/2022)	Ash	3.16	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.35 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 5.06 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	1.90	g/m <sup>2</sup> /month	
		Insoluble Solids	5.06	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.17	g/m <sup>2</sup> /month	
		Combustible Solids	0.19	g/m <sup>2</sup> /month	
		Insoluble Solids	0.35	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.36	g/m <sup>2</sup> /month	
		Combustible Solids	0.28	g/m <sup>2</sup> /month	
		Insoluble Solids	0.63	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.37	g/m <sup>2</sup> /month	
	Combustible Solids	0.45	g/m <sup>2</sup> /month		
	Insoluble Solids	0.81	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	June 2022 (Received 1/8/2022)	Ash	0.56	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.60 g/m <sup>2</sup> /month of insoluble solids at Monitoring Points 4 and 8, to 0.85 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.30	g/m <sup>2</sup> /month	
		Insoluble Solids	0.85	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.49	g/m <sup>2</sup> /month	
		Combustible Solids	0.11	g/m <sup>2</sup> /month	
		Insoluble Solids	0.60	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.31	g/m <sup>2</sup> /month	
		Combustible Solids	0.36	g/m <sup>2</sup> /month	
		Insoluble Solids	0.67	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.26	g/m <sup>2</sup> /month	
	Combustible Solids	0.34	g/m <sup>2</sup> /month		
	Insoluble Solids	0.60	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	May 2022 (Received 1/06/2022)	Ash	0.27	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.08 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 2.44 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels
		Combustible Solids	1.07	g/m <sup>2</sup> /month	
		Insoluble Solids	1.34	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.57	g/m <sup>2</sup> /month	
		Combustible Solids	1.05	g/m <sup>2</sup> /month	
		Insoluble Solids	1.62	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.04	g/m <sup>2</sup> /month	
		Combustible Solids	1.40	g/m <sup>2</sup> /month	
		Insoluble Solids	2.44	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.25	g/m <sup>2</sup> /month	
	Combustible Solids	0.83	g/m <sup>2</sup> /month		
	Insoluble Solids	1.08	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	April 2022	Ash	0.32	g/m <sup>2</sup> /month	
		Combustible Solids	0.56	g/m <sup>2</sup> /month	



**Building something great**

Monitoring Point 4 (DD5)	(Received 25/5/2022)	Insoluble Solids	0.88	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.88 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 2.33 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels		
		Ash	1.61	g/m <sup>2</sup> /month			
		Combustible Solids	0.72	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Insoluble Solids	2.33	g/m <sup>2</sup> /month			
		Ash	0.34	g/m <sup>2</sup> /month			
		Combustible Solids	0.98	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Insoluble Solids	1.31	g/m <sup>2</sup> /month			
		Ash	0.54	g/m <sup>2</sup> /month			
		Combustible Solids	0.59	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	March 2022 (Received 29/04/2022)	Insoluble Solids	1.13	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.13 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 0.68 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels		
		Ash	0.09	g/m <sup>2</sup> /month			
		Combustible Solids	0.59	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Insoluble Solids	0.68	g/m <sup>2</sup> /month			
		Ash	0.03	g/m <sup>2</sup> /month			
		Combustible Solids	0.29	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Insoluble Solids	0.32	g/m <sup>2</sup> /month			
		Ash	0.10	g/m <sup>2</sup> /month			
		Combustible Solids	0.40	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Insoluble Solids	0.50	g/m <sup>2</sup> /month			
		Ash	0.05	g/m <sup>2</sup> /month			
		Combustible Solids	0.08	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)		February 2022 (Received 28/03/2022)	Insoluble Solids	0.13		g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.94 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.42 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels
			Ash	0.62		g/m <sup>2</sup> /month	
			Combustible Solids	0.57		g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)	Insoluble Solids		1.19	g/m <sup>2</sup> /month			
	Ash		0.25	g/m <sup>2</sup> /month			
	Combustible Solids		0.69	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)	Insoluble Solids		0.94	g/m <sup>2</sup> /month			
	Ash		0.17	g/m <sup>2</sup> /month			
	Combustible Solids		1.25	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)	Insoluble Solids		1.42	g/m <sup>2</sup> /month			
	Ash		0.51	g/m <sup>2</sup> /month			
	Combustible Solids		0.46	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	January 2022 (received 23/2/22)		Insoluble Solids	0.97	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 3.08 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 0.42 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels	
			Ash	0.95	g/m <sup>2</sup> /month		
			Combustible Solids	0.46	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)		Insoluble Solids	1.41	g/m <sup>2</sup> /month			
		Ash	2.56	g/m <sup>2</sup> /month			
		Combustible Solids	0.52	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Insoluble Solids	3.08	g/m <sup>2</sup> /month			
		Ash	0.28	g/m <sup>2</sup> /month			
		Combustible Solids	0.14	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Insoluble Solids	0.42	g/m <sup>2</sup> /month			
		Ash	1.33	g/m <sup>2</sup> /month			
		Combustible Solids	0.10	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)		December 2021 (received 9/2/22)	Insoluble Solids	1.42	g/m <sup>2</sup> /month		The deposited dust data for the reporting period range from 2.60 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 1.62 g/m <sup>2</sup> /month
			Ash	1.03	g/m <sup>2</sup> /month		
			Combustible Solids	1.23	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Insoluble Solids		2.26	g/m <sup>2</sup> /month			
	Ash		0.82	g/m <sup>2</sup> /month			
	Combustible Solids		0.79	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)	Insoluble Solids		1.62	g/m <sup>2</sup> /month			



**Building  
something  
great**

Monitoring Point 7 (DD10)	Ash	0.89	g/m <sup>2</sup> /month	of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels
	Combustible Solids	1.58	g/m <sup>2</sup> /month	
	Insoluble Solids	2.47	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)	Ash	0.99	g/m <sup>2</sup> /month	
	Combustible Solids	1.61	g/m <sup>2</sup> /month	
	Insoluble Solids	2.60	g/m <sup>2</sup> /month	
Further historical monitoring data relating to dust can be found in the associated Annual Reviews for each year. Location of the Dunmore Lakes Sand Project Annual Reviews can be found at <a href="https://www.boral.com.au/locations/boral-dunmore-operations">https://www.boral.com.au/locations/boral-dunmore-operations</a>				



**Building  
something  
great**

## Dunmore Lakes Sand Project Monitoring Locations.

### Deposited Dust Monitoring Locations

