



Building
something
great

Boral Recycling Widemere Annual Review

25 November 2024 - 24 November 2025

Lot 4001
DP 1173524
Widemere Road
Wetherill Park

Development Consent SSD 6525





**Building
something
great**

Ref	Prepared by	Approved by	Date	Amendments	Distribution
V1.0	Lauren Sibigroth Environment Business Partner NSW/ACT	Philip Paterson Recycling Operations Manager NSW/ACT	May 2024	Update staff details. Update data and commentary.	Department of Planning, Industry and Environment, and Boral Website
V2.0	Lauren Sibigroth Environment Business Partner NSW/ACT	Philip Paterson Recycling Operations Manager NSW/ACT	May 2025	Update staff details. Update data and commentary.	Department of Planning, Industry and Environment, and Boral Website
V3.0	Lauren Sibigroth Environment Business Partner NSW/ACT	Philip Paterson Recycling Operations Manager NSW/ACT	February 2026	Update staff details. Update data and commentary.	Department of Planning, Industry and Environment, and Boral Website



Building something great

Name of operation	Boral Recycling Widemere
Name of operator	Boral Resources (NSW) Pty Ltd
Development consent	SSD 6525
Name of holder of development consent	Boral Resources (NSW) Pty Ltd
Annual Review start date	25 November 2024
Annual Review end date	24 November 2025
<p>I, Philip Paterson, certify that this audit is a true and accurate record of the compliance statuses of the Boral Recycling Widemere Project for the period of the 2025 Reporting Period and that I am authorised to make this statement on behalf of Boral Resources (NSW) Pty Ltd.</p> <p>Note The annual review is an 'environmental audit' for the purposes of section 122B(2) of the Environmental Planning and Assessment Act 1979. Section 122E provides that a person must not include false or misleading information (or provide information for inclusion in) an audit report produced to the Minister in connection with an environmental audit if the person knows that the information is false or misleading in a material respect. The maximum penalty is, in the case of a corporation, \$1 million and for an individual \$250,000.</p>	
Name of authorised reporting officer	Lauren Sibigroth on behalf Philip Paterson (Recycling Manager NSW/ACT)
Title of authorised reporting officer	Environment Business Partner
Signature	
Date	06/02/2026



**Building
something
great**

Table of Contents

Contents

1. Introduction.....	7
1.1 Background.....	7
1.2 Purpose/Scope	7
2. Statement of Compliance	9
3. Development overview	10
3.1 Widemere Recycling Operations.....	10
3.2 List of Relevant Approvals.....	14
3.3 Operations over reporting period	14
3.4 Proposed operations for next reporting period	21
4. Environmental monitoring results and complaints records	21
4.1 Relevant statutory requirements and performance criteria	21
4.1.1 Waste Monitoring.....	21
4.1.2 Dust Management	24
4.1.3 Storm Water Management	27
4.1.4 Ground water	28
4.1.5 Noise Management.....	29
4.1.6 Visual Controls.....	31
4.1.7 Traffic Management.....	31
4.1.8 Site Security	32
4.1.9 Refuelling	32
4.1.10 Waste Disposal and Sewage Management.....	33
4.2 Monitoring requirements.....	33
4.2.1 Dust Management	33
4.2.2 Noise Monitoring	39
4.2.3 Surface Water Quality	40
4.2.4 Ground Water Quality.....	41
4.2.5 Waste Monitoring.....	44



**Building
something
great**

4.2.6	Complaints Register	47
4.2.7	Procedure for the Reveal and Screening of Waste for Recycling	48
4.2.8	Landscape Management Plan.....	48
5.	Compliance with conditions of consent	48
6.	Comparison of impacts and performance against EIS predictions	71
7.	Details when performance goals not achieved	73
8.	Monitoring data trends	73
9.	Environmental management targets and strategies for the following 12 months	76



**Building
something
great**

Table of Figure

<i>Figure 1 - Widemere Recycling Location Map</i>	11
<i>Figure 2 - Widemere Recycling Reference Map</i>	12
<i>Figure 3 - Widemere Recycling – Map of Affected Areas</i>	13
<i>Figure 4 - Boral Recycling Widemere – Dust Deposition Monitoring and Meteorological Station Locations</i>	34
<i>Figure 5 - Widemere Recycling monthly deposited dust results for Site 1</i>	38
<i>Figure 6 - Widemere Recycling monthly deposited dust results for Site 2</i>	38
<i>Figure 7 - Location of dust gauges in relation to nearest residential receptors</i>	39
<i>Figure 8 - Ground water Bore Locations</i>	42
<i>Figure 9 - Gravimetric dust monitoring (Site 1) July 2003 – November 2025</i>	75

Table of Tables

<i>Table 1 Consent condition addressed in document</i>	8
<i>Table 2 - Statement of Compliance</i>	9
<i>Table 3 - DPHI Annual Review Guidelines Compliance Status key</i>	9
<i>Table 4 - Site contacts Widemere Recycling Facility</i>	10
<i>Table 5 - Widemere Recycling Facilities Approvals</i>	14
<i>Table 6 – Recommended Actions List</i>	16
<i>Table 7 - 2024 AEMR Actions</i>	18
<i>Table 8 – Compliance with EPL waste limits for material accepted and stored on site for the current reporting period</i>	23
<i>Table 9 - Air Quality Audit recommendations and response</i>	27
<i>Table 10 - Widemere Recycling Operational Noise Limits</i>	30
<i>Table 11 - Dust Deposition Parameter Monitoring</i>	34
<i>Table 12 - Boral Recycling Dust Deposition Results (ash content)</i>	36
<i>Table 13 - Uncontrolled Discharge Monitoring Results</i>	
<i>Table 14 - Ground water bore details</i>	41
<i>Table 15 - Ground water monitoring parameters</i>	43
<i>Table 16 – Historical compliance with EPL waste limits for material accepted and stored on site</i>	46
<i>Table 17- Compliance with Conditions of Consent. Boral Recycling Pty Ltd – Construction and Demolition Materials Recycling Facility, Widemere Road, Wetherill Park. DA -SSD 6525</i>	49
<i>Table 18 - Comparison of impacts and performance against EIS predictions</i>	71
<i>Table 19 – Historical water quality results obtained from EPL discharge point 2</i>	74
<i>Table 20 - 2026 AEMR Proposedctions</i>	76



**Building
something
great**

1. Introduction

1.1 Background

Boral's Widemere Recycling facility (the facility) is located on Widemere Road, Wetherill Park. The facility is a construction and demolition waste recycling facility and produces a range of recycled products including road bases, aggregates and sands.

On 25th November 2002, The Minister for Planning granted development consent for a Construction and Demolition Materials Recycling Facility DA-21-1-2002-I. This was subsequently constructed, and Boral Recycling Pty. Ltd. (Boral) commenced operations in July 2003.

On 17 November 2005 the site's development consent was modified (MOD-126-8-2005-I) to increase the capacity of the facility, alter operating hours and gain approval to install a blending plant. The blending plant was installed in early 2008.

On 25 November 2016, a new state significant development consent (SSD 6525) was issued by the NSW Department of Planning and Environment. This consent increased the capacity of the facility to receive or process up to 1,000,000 tonnes of waste per annum.

The commencement of the expanded operations occurred in November 2021.

An Independent Environmental Audit was conducted for the 2020 to 2023 period, triggering a number of environmental reviews. The next Independent Environmental Audit will be conducted in the following reporting period.

The sites Development Consent was modified (SSD-6526-Mod-2) on 21 December 2023. The modification included an increase to 24/7 operational hours and the availability to install an additional weighbridge.

1.2 Purpose/Scope

This report has been prepared to address Annual Review (AR) requirements in accordance with Schedule D, condition D9 of Development Consent SSD 6525. Condition D9 is outlined below in Table 1, with reference to the section where an Annual Review requirement has been addressed in this document. This report accounts for the 12-month period between 25 of November 2024 and 24 November 2025 (the 'reporting period').



**Building
something
great**

Table 1 Consent condition addressed in document

Condition	Condition Requirements	Where addressed in this report
D9	Within one year of the date of this consent, and every year thereafter, the Applicant shall review the environmental performance of the Development to the satisfaction of the Secretary. This review must:	Section 4
D9 (a)	Describe the Development that was carried out in the previous calendar year, and the Development that is proposed to be carried out over the next year;	Section 3
D9 (b)	(b) Include a comprehensive review of the monitoring results and complaints records of the Development over the previous calendar year, which includes a comparison of these results against the:	Section 4
D9 (b)(i)	The relevant statutory requirements, limits or performance measures/criteria;	Section 4
D9 (b)(ii)	Requirements of any plan or program required under this consent;	Section 4
D9 (b)(iii)	The monitoring results of previous years; and	Section 4.2
D9 (b)(iv)	(iv) The relevant predictions in the EIS;	Section 6
D9 (c)	Identify any non-compliance over the last year, and describe what actions were (or are being) taken to ensure compliance;	Section 5
D9 (d)	Identify any trends in the monitoring data over the life of the Development;	Section 8
D9 (e)	Identify any discrepancies between the predicted and actual impacts of the Development, and analyse the potential cause of any significant discrepancies; and	Section 8
D9 (f)	Describe what measures will be implemented over the next year to improve the environmental performance of the Development.	Section 3.4



Building something great

2. Statement of Compliance

The statement of compliance for the current reporting period (25 November 2024 – 24 November 2025) is contained in Table 2 below:

Table 2 - Statement of Compliance

Were all conditions of the relevant approval(s) complied with?	
SSD 6525	Yes

No non-compliances with the conditions of SSD 6525 were identified in the reporting period arising from Widemere recycling development activities.

Therefore, the DPHI Annual Review Guidelines Compliance Status key as outlined in Table 3 below, does not need to be applied.

Table 3 - DPE Annual Review Guidelines Compliance Status key

Risk Level	Colour Code	Description
High	Non-compliant	Non-compliance with potential for significant environmental consequences, regardless of the likelihood of occurrence
Medium	Non-compliant	Non-compliance with: <ul style="list-style-type: none"> • potential for serious environmental consequences, but is unlikely to occur; or • potential for moderate environmental consequences, but is likely to occur
Low	Non-compliant	Non-compliance with: <ul style="list-style-type: none"> • potential for moderate environmental consequences, but is unlikely to occur; or • potential for low environmental consequences, but is likely to occur
Administrative	Non-compliant	Only to be applied where the non-compliance does not result in any risk of environmental harm (e.g. submitting a report to government later than required under approval conditions)

Copies of the AR will be submitted to the DPHI and, once approved, made available to the public at on the Boral Recycling Widemere operations website.

<https://www.boral.com.au/locations/boral-recycling-widemere-wetherill-park>



**Building
something
great**

Key contacts associated with the management of the Boral Recycling Widemere, environment, safety and stakeholder relationships are provided in Table 4.

Table 4 - Site contacts Widemere Recycling Facility

Contact	Position	Contact Details
Brendan Whitmore	Widemere Site Manager	Tel: 0466 518 768 Email: Brendan.Whitmore@boral.com.au
Philip Paterson	Recycling Operations Manager NSW/ACT	Tel: 0401 894 227 Email: Philip.paterson@boral.com.au
Lauren Sibigroth	Environment Business Partner NSW/ACT	Tel: 0401 895 790 Email: Lauren Sibigroth@boral.com.au
Kate Woodbridge	Stakeholder Relations Manager	Tel: (02) 9033 5215 Email: kate.woodbridge@boral.com.au

3. Development overview

3.1 Widemere Recycling Operations

The Widemere Recycling Facility, owned and operated by Boral Resources (NSW) Pty Ltd, is located at Widemere Road, Wetherill Park in the Fairfield Council Local Government Area. The facility covers approximately 8 ha and comprises a weighbridge, office and amenities, spotter stations, receivals area, stockpiles, processing areas, water management areas and internal haul roads. The facility is a construction and demolition waste recycling facility and separates, crushes and blends construction and demolition waste with quarry material to produce a range of recycled products including road bases, aggregates and sands.

The site was formerly a quarry between 1924 and 2002. From around 1975 to 1997 there was also an asphalt plant and associated stockpiling on the site. The site was used for stockpiling gravel and other construction materials from 1997 to 2002.

During the reporting period 558,846.34 tonnes of material was received with 548,693.05 tonnes sold after processing. A maximum of 424,611 tonnes of material was stored on site at any one time during the current reporting period, which occurred during October 2025

The relevant features of the site during the reporting period, including site location, on-site elements and a map of the affected area are depicted in Figures 1, 2 and 3, respectively.

Figure 1 - Widemere Recycling Location Map



Figure 2 - Widemere Recycling Reference Map





Building something great

Figure 3 - Widemere Recycling – Map of Affected Areas





**Building
something
great**

3.2 List of Relevant Approvals

A summary of all the relevant approvals relevant to the Widemere Recycling Facility are provided in Table 5 below:

Table 5 - Widemere Recycling Facilities Approvals

Approval Type	Approval Authority	Approval No.	Date Granted
Development Consent	Department of Planning, Housing, Infrastructure Environment	SSD 6525	25/11/2016
Development Consent	Department of Planning, Housing, Infrastructure Environment	SSD 6526 Mod 2	21/12/2023
Environment Protection Licence	Environment Protection Authority	11815	21/02/2003

3.3 Operations over reporting period

Production at Widemere Recycling Facility during the reporting period was recorded at 635,700.75 tonnes. During the reporting period 558,846.34 tonnes of material were received with 548,693.05 tonnes sold after processing. A maximum of 424,611 tonnes of material was stored on site at any one time during the current reporting period, which occurred during October 2025.

A total of 153 loads were rejected during the reporting period for loads that contained material that could not be accepted at the site.

On 20 October 2023, the EPA varied EPL11815 to include an additional PRP for discharges from site. Additionally, several conditions were updated to include maximum volume of rainfall storage at the site from 45mm to 120mm. An update to allow controlled discharges and managed overflows from site, due to rainfall events greater than 120mm over a 5-day timeframe, was also included. During the previous reporting period, this PRP was satisfied with the submission of required report to EPA relating to discharge events from site. Following this, the EPA varied EPL11815 to include an additional PRP for discharges from site that requires 3 discharge events and a follow-on report to complete. During this reporting period there were no uncontrolled or controlled discharge events from the site.

During the 2023 reporting period, an independent audit was commissioned and prepared by International Environmental Consultants, in accordance with Condition 10 of Schedule D of SSD-6525. The independent audit report found that the facility is well managed and



**Building
something
great**

operating within its original assessed level of environmental impact, and that Boral's management has solid systems in place for continued management of the development. The audit identified a total of 10 non-compliances, 8 historical from the previous audit and 2 new non-compliances. It was noted that both historical and new non-compliances related to consultation with agencies during the preparation of various management plans, ensuring confirmation of approvals from the Department of Planning and similar administrative matters. It is noted that actions pertaining to new non-compliances did not occur within this reporting period.

A number of actions and recommendations were required from the Audit findings with a status update for actions not completed in the previous reporting period and or on-going actions, provided in Table 6 below. The next Independent Environmental Audit will occur in the following reporting period.



Table 6 – Recommended Actions List

Item No.#	Action Item Description	Action taken	By Whom	By When	Date Closed
Points for improvement					
C31	Requirements relating to the certification of clay liners have effectively been superseded by the construction of new sediment basins onsite. As such, the proponent should liaise with DPHI to arrange suitable resolution to the condition requirements	<p>Boral to engage with DPHI concerning the relevance of the condition given the removal of the clay liner and replacement with HDPE liner. Submission of OEMP to DPHI in July 2023 highlights review of clay liners and updated HDPE liners. Boral waits feedback from DPHI in this regard.</p> <p>Boral has engaged external contractor to update OEMP in the following reporting period</p>	Environmental Business Partner	Ongoing, Boral sent correspondence to DPHI in the 2023 reporting period. Pending response.	



Building something great

Item No.#	Action Item Description	Action taken	By Whom	By When	Date Closed
C38	Additional groundwater threshold elements be added to the Groundwater Management Plan. These would include pH, Aluminium and Copper along with the existing Chromium, Vanadium and TRH for the purposes of determining if the on-site dams are leaking or if there are any other impacts to groundwater caused by the operation of the facility.	Condition 38 of SSD6525 has been satisfied and now moot following the installation of HDPE at the retention dams on site. Visual inspection of the liner and cleaning was completed in December 2023 and 2024. Groundwater monitoring occurred on site August 2023, 2024 and 2025. Annual groundwater monitoring will continue to occur.	Environmental Business Partner	Monitoring on-going annually. C38 moot following HDPE installation.	C38 satisfied, 2025
	Boral should consider the reinstatement of the water treatment and flocculation system originally proposed by Royal Haskoning DHV in the first Water Management Plan. The plant would only need to operate at times when water recycling and reuse from the pollution control dams is limited due to adverse weather conditions. This would improve water quality within the ponds in the event that a discharge occurs and would meet the expectation of achieving current best management practice.	Due to limited off site discharges, slow treatment time during large rainfall events and lack of data from overflows, there appears to be no necessity to warrant an immediate installation of a water treatment system at site. At this time it has been determined that a water treatment and flocculation system would not be applicable due to the volume of water on site during heavy rainfall.	Environmental Business Partner	Closed.	2025



Building something great

Item No.#	Action Item Description	Action taken	By Whom	By When	Date Closed
D2	The current OEMP needs updating to include the latest management plans and monitoring requirements. There have also been internal Boral management changes since the 2021 OEMP was completed. Consideration should also be given to simplifying the document and providing a summary of management actions which can be more easily be incorporated into existing onsite inspection checklists and data systems.	OEMP 2021 has been submitted to the Department and awaiting approval. Boral has engaged external contractor to update OEMP in the following reporting period	Environmental Business Partner	Upon receiving approval of OEMP 2021 sitting with DPHI.	
C46	Boral should commission the independent Surface Water Audit on the development in accordance with condition C46 and to ensure appropriate consultation with the EPA and DPE.	Boral aims to commission the independent Surface Water Audit in accordance with condition C46.	Environmental Business Partner	Planned for 2026 reporting period. Delay due to PRP addition on EPL and lack of response from DPHI regarding OEMP.	



Building something great

Item No.#	Action Item Description	Action taken	By Whom	By When	Date Closed
C43(b)	The Surface Water Management and Monitoring Plan should be updated on completion of the Surface Water Validation Report and approval of the revised document sought from DPE in accordance with condition C43(b).	Boral aims to commence an update to the SWMMP within the next reporting period after the completion and approval of the Surface Water Validation Report.	Environmental Business Partner	Planned for 2026 reporting period. Due to PRP addition on EPL and lack of response from DPHI regarding OEMP.	

The 2024 AEMR, identified a number of items to be addressed in the following reporting period to which this AEMR refers. These items are listed in Table 7 – 2024 AEMR Actions.

Table 7 2024 AEMR Actions

Action	Status
Review and update OEMP and sub-plans, as required.	Review of OEMP following approval of current OEMP sitting with the Department.
Undertake Surface water audit (3 months after PRP validation report is complete)	EPL 11815 was varied to include additional PRP requirements and discharge events. No discharges as of this report.
Develop Water Management Plan	To be reviewed in next reporting period.
Air quality audit recommendation to relocate the dust deposition bottle will be progressed following discussion with the EPA and DPE.	Review of dust bottle conducted and alternative suitable site not available on site.
Upgrade weather station accessibility.	Complete. Weather station accessibility updated and available in real time on site.
General maintenance updates to front entrance roadways.	Complete. Front entrance maintenance completed.
As part of the site's continual improvement program, the site will monitor the current control methods relating to dust, noise, waste management and traffic management and where necessary update and modify existing controls.	Controls updated as required.
Undertaken annual ground water monitoring at least three-months before the end of the Annual Environmental Management Report (AEMR) period at least nine-months after the previous annual monitoring event.	Groundwater monitoring was conducted in August 2025 as per the requirements.

Physical controls implemented on-site during the current reporting period are summarised below.

- Resealed entrance road.
- Cap added to lower outlet on water retention basins to increase capacity of storage through additional outlet at a higher point.
- Upgrade to weather station accessibility.
- Additional dust suppression added with sprinklers and sprays along the back ring road.



**Building
something
great**

Continued environmental compliance has been monitored through the use of the Environmental Permit Planner (EPP) tool, which is utilised as a monthly mini-audit tool covering environmental management, monitoring and regulatory compliance aspects relevant to the site. Further auditing of the process is achieved through EPP verifications, which are mini audits conducted by a non-site-based Boral employees to verify the EPP tasks are being conducted to an acceptable standard.

3.4 Proposed operations for next reporting period

Recycling operations are to continue without any proposed infrastructure changes for the 2025 – 2026 reporting period.

A summary of the relevant conditions requiring further action in the next reporting period (2025 – 2026) is detailed in Section 9, Table 19. The results of which have been reported in this Annual Review.

4. Environmental monitoring results and complaints records

4.1 Relevant statutory requirements and performance criteria

4.1.1 Waste Monitoring

Appendix A of the OEMP, contains the waste monitoring program for the Widemere site.

The waste monitoring program addresses Condition C1 of SSD 6525 and details the methodologies and mitigation measures for waste monitoring at the site.

As materials are delivered to site, and prior to their acceptance and receipt on site, all materials are checked in accordance with the waste monitoring program along with the NSW EPA Minimum Standards for Managing Construction and Demolition Waste in NSW, including verification of their origin, as per the following checks:

- Undertaking independent checks on material origin prior to receipt on site. This includes ensuring compliance in relation to material separation and handling
- Verification of source materials by obtaining appropriate clearance certificates (e.g. site clearance audits, asbestos clearance) where required



**Building
something
great**

- Monitoring and tracking of materials received on site by:
 - Truck registration; company name; driver signature; material origin and load weight
 - Visual inspection of loads (weighbridge & receivals area)
 - Rejecting and recording unsatisfactory loads and maintaining a 'rejected loads register' for loads that cannot be accepted on site

The use of the Inspection and Receivals Protocol for recycling has been prepared for the site to ensure relevant legislative and approval requirements are met, this document is reviewed annually. The protocol details the actions to be taken in the event suspected contaminated material is encountered.

Boral Recycling retains the services of occupational hygiene contractors, to advise on matters relating to the safe handling of potential hazardous material in construction and demolition waste. The Widemere occupational hygiene contractor are Hibbs and Associates Pty Ltd.

A summary of the volumes of waste accepted at site for current reporting periods is summarised in Table 8. The table references the waste limits described in Condition L3 of EPL 11815.

Relevant condition	Waste Type	Limit	2025 data
L3.1	Garden waste	1,000 tonnes stockpiled onsite at any one time.	No garden waste is accepted on site. Any garden waste received is rejected and detailed in the rejected loads register
L3.1	Soils	Arsenic 40mg/kg; Cadmium 2mg/kg; Copper 200mg/kg; Mercury 1.5mg/kg; Zinc 600mg/kg; Petroleum Hydrocarbons C6-C9 150mg/kg; Petroleum Hydrocarbons C10-C36 1600mg/kg; Polycyclic aromatic hydrocarbons 80mg/kg; Polychlorinated biphenyls (individual) 1mg/kg. No Acid Sulfate Soil or Potential Acid Sulfate Soil is to be received at the Premises.	No OT received CT1 soil is pre-classified by an Independent geotechnical contractor prior to acceptance and copies of classification maintained and stored. No CT1 soils are accepted on site if they are not found to be compliant with limits described.
L3.2	The authorised amount of waste permitted on the premises cannot exceed 750,000 tonnes at any one time	750,000 tonnes of waste at any one time	Maximum amount stored onsite 257,704.74 tonnes (Oct 2025)
L3.3	The Licensee must not receive on the Premises, more than 1,000,000 tonnes of waste per year.	1,000,000 tonnes of waste per year.	558,846.34 tonnes of material was received during the 2025 reporting period.
L3.4	The height of any stockpile of any material on the Premises, must not exceed twenty (20) metres above ground level.	> 20m AGL	Heights of stockpiles remain 20m below ground level, monitored using height marker on stabilisation plant, 6 monthly flyovers. Regular review identified in the EPP
L3.5	No asbestos waste is to be accepted or stored at the premises.	0	Any fibrous material detected during three-point inspection protocol is rejected and details entered in the rejected load register stored on site.

Table 8– Compliance with EPL waste limits for material accepted and stored on site for the current reporting period



**Building
something
great**

4.1.2 Dust Management

Appendix C of the OEMP, contains the Dust Management Plan for the Widemere site (Ramboll Environ, November 2017). The Dust Management Plan addresses Condition C17 of SSD 6525 and details the methodologies and mitigation measures for dust and air quality management at the site.

Relevant monitoring requirements described in the Dust Management Plan are summarised below:

Condition M2 of the EPL identifies the air quality monitoring requirements for the facility, which are the monitoring of particulates (deposited matter), in accordance with method AM-19 (NSW EPA, 2007).

Dust deposition rates are recorded at two locations at the facility and are depicted in Figure 7:

- DDG1 – southeast corner of site near the pond (site 2); and
- DDG2 – southwest corner of the site (site 1).

For assessment against regulatory compliance, insoluble solids are compared to the criteria of 4g/m²/month as an annual average. Therefore, a complete 12-month period of dust deposition monitoring is required to assess compliance.

For the purpose of the project, a sample with a high ash content relative to the insoluble solids may be indicative of the influence of emissions from the facility.

In the event of an insoluble solids result above the criteria obtained for an individual month, the following steps are taken:

- A review of the sample ash content is conducted,
 - In the event that the sample information indicates that site operations were a contributing source (elevated ash content relative to insoluble solids content), meteorological conditions and operations during that month are reviewed, with the aim to identify the contributing emissions source or activity; and;
 - Applicable management practices will be reviewed and improved as required.
- In regards to compliance with the requirements of the plan during the current reporting period, the data collected each month is presented as part of the pollution monitoring data for the site and uploaded to the Boral website (<https://www.boral.com.au/our-commitment/environmental-reporting>) within 14 days of the results being received from the NATA accredited laboratory.



**Building
something
great**

During the current reporting period, dust monitoring reporting was conducted in accordance with the Dust Management Plan with the data presented in Section 4.2.1. This includes review of the ash content of the samples when the insoluble content exceeded the 4g/m²/month criteria as described in Section 4.1.2.

Condition L4.4 of the EPL requires that a meteorological station is established and maintained onsite that complies with the requirements of the NSW EPA (2007). The location of the on-site meteorological station is depicted in Figure 7.

To ensure the ongoing effectiveness of measures described in the Dust Management Plan, the performance of all onsite mitigation measure technology is routinely checked and serviced to maintain ongoing performance to original specifications.

Weekly site inspections are carried out by the site manager, site supervisors and leading hands, which are a visual inspection of sprays while they are operating. The weekly site inspections include checking that water sprays are on and that dust suppression measures are operating effectively in the stockpile yard. Any non-operational sprays are reported via the weekly inspection and repaired /replaced as required.

Mitigation of fugitive dust emissions on site has been an area of emphasis since the commencement of operations. Sources of dust include the crushing facility, materials stockpiles, vehicular movement on unsealed roads, and product transfer.

A number of existing controls are in place throughout the facility. The current dust controls used on site include:

- Watering all roads within the facility with a water cart. The water cart is equipped with a cannon which reaches to the vertical extent of stockpiles and power to wash and scrub hard surfaces
- Use of water sprays and sprinklers on stockpiles, receivals area, sales area, and on fixed plant
- Cessation or reduction in dust generating activities during periods of high potential for offsite dust migration e.g. high winds
- Wheel washing facilities (x 2), equipped with cattle grids, at raw materials exit (bottom wheel wash) and product sales exit (top wheel wash)
- Sealed internal roads from the wheel wash to the point of exit
- Primary feed bin sprays installed and operated manually
- Increased surface area of sealed internal roads and reparation of damaged roads (this is an ongoing process with the site undertaking works when a load of over-ordered, or out of RMS specification, hot mix asphalt is delivered to site)
- Operational cameras installed around the site with video monitoring within the operations manager's office



**Building
something
great**

- Impact crusher has been enclosed and fitted with a water misting system
- Water tank at receivals area to provide an independent water source to ensure adequate supply & coverage at all times
- Recycled water tanks installed on site to assist with site water management capacity and dust suppression
- The regular use of a street sweeper on the site and also along sections of Reconciliation Drive
- Back haul road use minimises dust creation from trucks
- Dust suppression pumps in dams to assist around the site
- New upgraded water collection/sediment dams have increased water storage capacity on site
- Additional water canon on the stab plant into the sales yard
- Extra sprinklers around the southern ring road.
- Daily review of projected weather
- Real time dashboard for weather station and associated wind speeds accessibility improvements
- Sprinklers and sprayers on the back ring road.

As required upon the commencement of expanded operations, an air quality audit was conducted within 6 months of the expanded operations trigger (5 May 2022) and submitted to the Secretary.

The audit found

“• mitigation measures implemented at the facility continue to align with accepted industry best practice, consistent with the findings of the 2017 BMPR;

- additional mitigation actions identified in the 2017 BMPR, specifically related to the secondary crusher and unpaved section of the perimeter haul road, have been included by Boral;*
- Boral has included further mitigation measures at the facility, such as additional water sprays at the blending plant;*
- based on limited data, the air quality predictions in the EIS appear to be generally consistent with recent monitoring results collected at the facility;*
- no complaints have been received by Boral in relation to dust emissions or impacts from the facility since 2017; and*
- several air quality actions and recommendation have been made for Boral’s consideration, including a review of existing dust deposition monitoring locations and rainfall monitoring, improvement to the secondary crusher spray system installation and the reduction of paved surface material loading.”*

The audit recommendations, status and Boral’s response are contained in Table 9.



**Building
something
great**

Table 9 Air Quality Audit recommendations and response

Audit recommendation	Boral's response	Action Timing
<p>6.1 Dust Deposition Monitoring Review the existing dust deposition monitoring network, including the ongoing value of undertaking the monitoring</p>	<p>Boral is currently reviewing options for the Dust deposition Monitoring Network, with the view that a more appropriate location, in the proximity of the current Meteorological Monitoring Station, will provide appropriate data and meet all installation guideline requirements of AS/NZS 3580.1.1:2016.</p> <p>Consultation is required with EPA to ensure new location is reflected in EPL.</p>	<p>Revised timing of October 2026.</p>

Boral provided a response to the recommendations to the DPHI. All recommendations were addressed during the 2022 reporting period with the exception of the relocation of a dust monitoring gauge, which will be progressed in the following reporting period.

4.1.3 Storm Water Management

The sedimentation basins installed in the southeastern corner of the site are designed to capture dry and wet weather flows. Markers have been installed to ensure that the capacities of the basins are maintained for 120ml over a 5-day rainfall event.

No controlled discharges occurred over the reporting period (storm water detention basins are maintained to ensure adequate capacity to hold a 120ml rain event over 5 days). Water captured in the detention basins is reused on site for dust suppression or for use in the blending plant. The overflow pond, Dam 2, is maintained at levels that allow the maximum volume of water storage.

Water management system upgrades were completed in 2019, which included enhanced basins sizes with HDPE liners to meet the permeability requirements of the consent. Installation of an impervious HDPE liner, and additional water storage tank infrastructure have demonstrated that the water management system and operational practices are effective in restricting overflows to significant rainfall events, which generally comprise 120 mm or more of rainfall. When overflows do occur, they are expected and have been observed to cease within 1 to 2 days. As a result, overflows will only occur during periods



**Building
something
great**

of elevated streamflow in Prospect Creek, enabling rapid mixing and dilution to occur. Previous water sampling of Prospect Creek confirms this, providing evidence that any unmanaged discharge would be unlikely to cause or threaten material harm.

During the reporting period, no overflow events occurred.

The previous Pollution Reduction Program (PRP) in place under the Environment Protection Licence EPL 11815, which required additional sampling during discharge over the period of 25 October 2023 to 30 June 2024, has been satiated. A summary report was provided to the EPA to provide “validation of implemented mitigation measures.”, by 31 August 2024.

Following the submission of this report, the EPA varied EPL11815 to include an additional PRP. Details of this and the August 2024 report are summarised in section 4.2.3.

The EPA advised on the 20 September 2022, that the requirements of three previous PRP's had been satisfied, including the SWMMP.

4.1.4 Groundwater

A groundwater monitoring network was installed in January 2017.

The objectives of the groundwater monitoring network were to assess the potential for leakage from the basins to groundwater and to gather baseline data to characterise the groundwater systems that the facility potentially impacts upon (alluvium and Bringelly Shale).

The monitoring network consists of four monitoring bores, two deep monitoring bores targeting the uppermost water bearing zones within the Bringelly Shale and two shallow monitoring bores to assess potential seepage from the basins.

A groundwater monitoring program commenced in January 2017. The program had the following two phases:

- **Initial Monitoring** – commenced in January 2017 and comprised five monthly samples collected from each of the four bores between January and May 2017. The objectives of the initial monitoring were to characterise the groundwater quality and identify any potential impacts to groundwater quality.



**Building
something
great**

• **After Expanded Operations Monitoring** – The second phase of monitoring started close to the commencement of Expanded Operations and comprised three samples collected from each of the four bores between October 2021 and January 2022. The objectives of the monitoring were to identify:

- any changes in groundwater quality due to the Expanded Operations or water management system modifications that were completed in mid-2019; and
- any potential impacts to groundwater quality.

This second phase of monitoring complies with Condition C38 requiring a groundwater monitoring program to be undertaken within 6 months of the commencement of the expended operations.

The Groundwater Monitoring Program (GMP) was issued to the DPHI and the EPA in April 2022, in line with Condition C39 requiring the plan to be issued within 3 months of the completion of monitoring.

Groundwater testing was undertaken at least three-months before the end of the Annual Environmental Management Report (AEMR) period and at least nine-months after the previous annual monitoring event, in August 2025, as per the GMP.

4.1.5 Noise Management

Initially, noise modelling was undertaken and measured by EMM from 2nd to 15th May 2014 as part of the noise impact assessment (NIA) that accompanied the environmental impact statement, prepared to support the 2015 consent modification for increased capacity of the facility. Based on the NIA modelling results, it was determined that the noise emissions arising from the proposed modification would satisfy the project specific noise levels (PSNLs) at all assessment locations.

Operational noise limits provided in Condition C7 of Development Consent SSD 6525 are based on those limits provided in the NIA, as well as operational noise predictions and are consistent with those described in Condition L5.1 of EPL 11815. It is noted that there are no cumulative noise criteria specified in either the Development Consent SSD 6525 or EPL 11815 and no noise or vibration monitoring is required under EPL 11815.

The site-specific operational noise limits provided in the NMP and as per consent condition C.6 of SSD 6525 are outlined in Table 10 below.



Building something great

Location	Day (7am – 6pm)	Evening (6pm – 10pm)	Night (10pm – 12am)		Morning shoulder (6am – 7am)
	L _{Aeq,15 minute}	L _{Aeq,15 minute}	L _{Aeq,15 minute}	L _{Fmax(15 minute)}	L _{Aeq,15 minute}
71 Munro St, Greystanes	39	38	35	50	39
146 Daruga Ave, Nelsons Ridge	35	35	35	50	35
Greystanes Estate – Future southern extent ¹	39	37	35	50	39

*Notes: 1. Identified as Location R10 in Widemere Recycling Facility – Noise Impact Assessment (NIA) prepared by EMGA Mitchell McLennan (Ref J13127RP1 dated 27 April 2015).
2. Noise generated by the Development is to be measured in accordance with the relevant procedures and exemptions (including certain meteorological conditions) of the Industrial Noise Policy.*

Table 10 - Widemere Recycling Operational Noise Limits

There are a number of techniques that are used to minimise unnecessary noise on site. These are contained in the site’s Noise Management Plan (NMP) which is included in Appendix B of the site Operational Environmental Management Plan (OEMP).

A number of noise management strategies in line with Condition C9 are employed on the site;

- Implementation of best management practices, including all reasonable and feasible noise management and mitigation measures to prevent and minimise operational, low frequency and traffic noise generated by the site.
- Minimising the noise impacts of the development during adverse meteorological conditions.
- Maintaining the effectiveness of any noise suppression equipment on plant at all times and ensure defective plant is not used operationally until fully repaired.
- Regularly assessing any noise monitoring data and relocate, modify and / or stop operations to ensure compliance.

From an operational perspective, some of the measures contained in the NMP, include:

- regular servicing and maintenance of fixed and mobile plant to ensure the equipment is operating to specification,
- incorporation of advanced and affordable technology to minimise noise from equipment, plant and machinery used on site,
- restricting movement of equipment on exposed areas,
- locating noisy equipment behind structures that act as barriers, or at the greatest distance from recognised noise sensitive areas,
- orienting equipment so that noise emissions are directed away from any sensitive areas,
- employing ‘quiet’ practices when operating equipment e.g. positioning idling trucks in appropriate areas,



**Building
something
great**

- using low tonal reversing alarms (which limit the acoustic range of the warning) to warn of vehicles reversing,
- pursuing efficient muffler design on relevant equipment,
- barriers (in the form of freestanding walls, earth mounds or bunds or placing acoustically significant equipment in trenches or cuttings).

Upon approval of Modification 2, 24/7 operations, additional noise monitoring was required within three months of the expanded operations. This occurred on 15 August 2024.

Monitoring was undertaken in September 2025 to satisfy condition C7A of consent SSD-6525-MOD2. The monitoring results identified that *“noise emissions were inaudible during all assessment periods at all sampling locations, and estimated facility contribution was below relevant EPL noise limits.”*

4.1.6 Visual Controls

The OEMP covers the maintenance of bund walls, tree plantings, and minimising visual dust using water sprays. All of these have been managed over the last year, using landscape contractors to control weeds around the site and replant trees where required, and the use of sprinklers on exposed areas to reduce dust generation.

In accordance with the conditions of EPL 11815 (L4.4), the facility does not allow any stockpile heights greater than 20 m to ensure a safe working environment in operational areas and to maintain the visual amenity of the site.

The site previously planted a screen of trees to assist in enhancing the visual amenity along the site frontage. Weed control and regular plantings will be ongoing to ensure that this tree screen remains effective.

The site will continue to investigate other ongoing future planting and ongoing weed control.

4.1.7 Traffic Management

The OEMP covers internal traffic management and the loading and unloading of materials restricted to the property boundary. This is managed through the implementation of a traffic management plan which has separate internal routes for deliveries and sales. Additionally, there is a Transport Code of Conduct which identifies routes used by vehicles entering and exiting the site, as well as expected driver behaviour.



**Building
something
great**

The OEMP stipulates that vehicle speeds on unsealed areas are to be kept to a practical minimum to avoid dust emissions and internal roads are continually sprayed using a water cart.

The Traffic and Pedestrian management system was updated for the site in 2020. This is to ensure pedestrians moving around the site are safe and separate to the traffic of vehicles driving around the site. Continuous improvements of the Traffic and Pedestrian management system continued during the 2025 reporting period.

As per the consent condition C54, the driver code of conduct for heavy vehicles was implemented and submitted to the Department for approval within 3 months of the commencement of expanded operations in September 2024.

4.1.8 Site Security

All fencing around the site is maintained to restrict unauthorised access to the site as per the OEMP. A security contractor performs random patrols on the property and the facilities include back to base monitoring.

The site has also in operation surveillance cameras around the processing plant, picking huts, weighbridge, car parks and site stockpiling areas.

4.1.9 Refuelling

Refuelling of machinery and vehicles used on site is carried out as per the OEMP.

Absorbent materials are available to soak up minor spills. The site contains a 12,500L double skinned above ground diesel tank that is used for onsite refuelling of plant and equipment. The integrity of the 12,500L double skinned tank is inspected regularly.

During the 2022 reporting period, an assessment against the requirements of SEPP 33 - Hazardous and Offensive Development Application Guidelines and confirmed the volumes stored on site are below the SEPP 33 requirements. Therefore, the development is not potentially hazardous and a PHA is not required.

During the 2023 reporting period the refuelling and lube area was upgraded via the installation of a self-bunded oil and grease container. This new self-bunded container and diesel tank have been partially enclosed by a block wall barrier to create a fully equipped refuelling station.



**Building
something
great**

Boral utilises the ChemAlert program and track thresholds using the program.

4.1.10 Waste Disposal and Sewage Management

Solid waste management includes non-recyclable raw materials, recyclable steel reinforcing materials, domestic garbage and spill material (if a spill was to occur). All these materials are disposed of at appropriately licensed waste facilities in accordance with the Waste Monitoring Program (EMM, May 2021). Less than 0.5% by weight of all materials received on site is disposed of at landfill.

The sewage management on site is controlled by an Econocycle unit which is inspected and maintained routinely by a qualified contractor. Treated water from the system is used as non-potable water around the site to irrigate tree and shrub plantings.

4.2 Monitoring requirements

4.2.1 Dust Management

Gravimetric gauges have been placed in the following locations, which are illustrated in Figure 7;

- (1) At the south west corner of the site (EPL license point EPL ID1).
- (2) At the south east corner of the site, adjacent the sedimentation basins.



Building something great



Figure 4 - Boral Recycling Widemere – Dust Deposition Monitoring and Meteorological Station Locations

Dust monitoring is undertaken in accordance with the requirements of Table 11 below, as per section 4.4 of the development consent.

Pollutant/Parameter	Discharge Point	Method	Frequency
Particulate Matter (deposited matter)	g/m ² /month	AM-1, AM-19	Continuous

Table 11 - Dust Deposition Parameter Monitoring

Dust collection and testing is conducted as per the NSW EPA Approved Method 19 – AS 3580.10.1 *Methods of sampling and analysis of ambient air; Determination of particulate Deposited Matter – Gravimetric Method.*



**Building
something
great**

Sample analysis was performed by Boral Materials Technical Services, which is a NATA Accredited Laboratory (No: 9968).

The 12-month rolling average for the current and past reporting periods is shown in Table 12, where the general trend in the rolling average for ash has been decreasing over subsequent reporting periods.



**Building
something
great**

Monitoring Points Test Method AM 19	Dec 2017 – Nov 2018 (g/m2/mth): Ash	Dec 2018 – Nov 2019 Av (g/m2/mth): Ash	Dec 2019 – Nov 2020 Av (g/m2/mth): Ash	Dec 2020 – Nov 2021 Av (g/m2/mth): Ash	Dec 2021 – Nov 2022 Av (g/m2/mth): Ash	Dec 2022 – Nov 2023 Av (g/m2/mth): Ash	Dec 2023 – Nov 2024 Av (g/m2/mth): Ash	Dec 2024 – Nov 2025 Av (g/m2/mth): Ash
1 SW Corner**	4.45	4.15	3.19	3.30	1.62	2.97	2.0	1.54
2. SE Corner near Sediment Basins	4.96	4.27	3.50	3.28	3.12	3.21	1.3	0.9

** EPL 11815 Licensed monitoring point
Table 12 - Boral Recycling Dust Deposition Results (ash content)



**Building
something
great**

In interpreting the results presented in Table 12, it is necessary to refer to the *NSW EPA Approved Methods and Guidance – For the Modelling and Assessment of Air Pollutants in NSW*. The impact assessment for dust is listed as the maximum annual average of deposited dust being $4\text{g}/\text{m}^2/\text{mth}$ for insoluble solids. Section 10 of the Gravimetric Method standard indicates that the accuracy of the method is $\pm 20\%$ on monthly average for insoluble solids.

Throughout the reporting period, the gauges have recorded insoluble solids above the limit of $4\text{g}/\text{m}^2/\text{month}$ on 2 occasions. These gauges are located on the operating site and are on occasions influenced by localised dust generating activities. To that extent, the recorded fallout rates are not necessarily representative of off-site dust levels or even widespread dust levels on the site.

Due to the physical nature of construction and demolition materials, it is generally accepted that the ash level (sample heated to 850 degrees Celsius for 30 minutes, as per the standard), may be used as a measure to reduce the impact arising from detecting other sources of organic deposited matter. These organic sources usually include insects, bird droppings, pollen, grass seed etc. Ash in the standard is defined as 'the mass of that portion of the insoluble matter remaining after combustion.'

When reviewing dust data obtained for the previous reporting periods and presented in Table 12, a decrease from the last reporting period and an overall stabilisation of the ash level at dust gauge #1 (EPL location) and site #2 has been observed. This indicates that the dust generation minimisations activities at the site have been effective in reducing or maintaining the annual dust levels. Dust monitoring locations are located in highly active operational areas on site, within the surrounding tree screen, and are not necessarily considered indicative of offsite dust concentrations.

A summary of the monthly sampling results obtained from the dust deposition gauges for the current reporting period for Site 1 and Site 2 are presented in Figure 8 and Figure 9, respectively, below.

The site is surrounded to the west by the Prospect reservoir, to the south and north by commercial / industrial developments and to the east by open space and recreational land use. There are no sensitive or residential receptors in close proximity to the site and therefore, the risk of dust generating activities impacting human or ecological receptors is considered low. An illustration of the location of dust deposition gauges in reference to nearest residential receptors is provided in Figure 10 below.



Building something great




Figure 5 - Widemere Recycling monthly deposited dust results for Site 1



Building something great




Figure 6 - Widemere Recycling monthly deposited dust results for Site 2



Building
something
great



Figure 7 - Location of dust gauges in relation to nearest residential receptors

4.2.2 Noise Monitoring

Noise monitoring is undertaken as required following noise related complaints or significant changes to site operations, as per the recommendations of the NMP (EMM, May 2021). This change to the NMP was based on subsequent years of compliant noise monitoring results.

Background noise monitoring was conducted in November and December 2022 as part of the application for Modification 2. Monitoring occurred in November 2023 to assess the potential for any impact from the expanded operations. Additional monitoring occurred following the commencement of expanded operations under MOD2 in August 2024 to assess impact. Both rounds of monitoring concluded that noise levels from site were well within designated limits. Noise monitoring for the reporting period was conducted in September 2025 and concluded that noise levels from the premise were well within designated limits.



**Building
something
great**

4.2.3 Surface Water Quality

During the reporting period there were no controlled discharges of water off site. Storm water collected during rain events in the two basins and 13 x 30KL water tanks is harvested and re-used for dust suppression and/or used in the blending plant.

At present and during the reporting period, approval to undertake controlled discharges under EPL 11815 has been reapproved by the EPA via a licence variation that included a new Pollution Reduction Program (PRP) contained in Section U. The objective of the PRP is to investigate the sites water quality during discharge events. No controlled or uncontrolled discharges occurred during the reporting period.

The previous reporting period experienced one discharge event. The event occurred on 6 April 2024 from approximately 7am to 1pm and an estimated 0.5ML of water was released after 124mm of rainfall within a 5-day period. The water quality monitoring data results of the uncontrolled discharge event are summarised in Table 13 below.

Analyte	Result
pH	10.8
Turbidity (NTU)	70
Oil and Grease (mg/L)	<0.1
Total Suspended Solids (mg/L)	73
Aluminium (mg/L)	1.4
Chromium (mg/L)	0.02
Copper (mg/L)	0.02

Table 13 Uncontrolled Discharge Monitoring Results

For background, Boral agreed to the inclusion of the following PRPs on their EPL as part of the licence variation issued 11 November 2016, which were subsequently submitted to the Department of Planning and Environment (DPE) and the NSW EPA on the 1 May 2017;



**Building
something
great**

- Surface Water Characterisation Assessment (as per EPL 11815 PRP U1.2-U1.4).
- Surface Water Monitoring and Mitigation Plan (as per EPL 11815 PRP U1.5 – U1.9).

The Surface Water Characterisation Assessment was submitted to the EPA on 4 April 2017, with the Surface Water Monitoring and Mitigation Plan submitted to the EPA on 28 April 2017. Following the submission of the reports above it has been agreed with the EPA to undertake further investigations into measures to reasonably reduce potential contaminants of concern from the potential point sources identified. As of 20 September 2022, the EPA has advised that the PRPs associated with conditions U1.2-U1.9, have been satisfied and removed from the licence.

An additional PRP was included for the “validation of implemented mitigation measures”, with a report due within August 2024. This report was submitted to the EPA to satiate condition U1.5 of EPL11815.

During the reporting period an additional PRP was included within the licence following review of the August 2024 report submission. The additional requirements are included below:

U1 Water Pollution Management

Validation of implemented mitigation measures

U1.1 To ascertain the ongoing effectiveness of the implemented mitigation measures and, the value of adding additional mitigation measures, on minimising water pollution during discharge events, the Licensee must undertake monitoring during any discharge events up to and including three discharge events.

U1.2 The Licensee must record all overflow events, including the duration of the event, estimated volume of the overflow and associated daily rainfall.

U1.3 The discharge from Dam 2 must be sampled daily during overflow events.

U1.4 Samples must be analysed in a NATA or equivalently accredited laboratory for;

- Chromium (VI) (ug/L)
- Aluminium (ug/L)
- Copper (ug/L)
- Ecotoxicology

U1.5 The Licensee must report the results of the monitoring and provide justification for instances that exceed the 90th percentile for ANZECC guidelines for fresh water as well as impacts of discharged water on prospect creek ecology to the EPA after 3 discharge events.



Building something great

U1.6 Where the results indicate a potential impact, the EPA may require the Licensee to undertake further assessment, such as implementing additional mitigation measures outline in the SWMMP August 2021.

As described in U1.5, a final report is due to be provided to the EPA following 3 uncontrolled discharges from the site. No controlled or uncontrolled discharges occurred at the site within the reporting period. Thus, zero out of three required uncontrolled discharges as per the PRP have occurred at this time.

4.2.4 Ground Water Quality

The monitoring network consists of four monitoring bores, two deep monitoring bores targeting the uppermost water bearing zones within the Bringelly Shale and two shallow monitoring bores to assess potential seepage from the basins. Details of the monitoring bores are provided in Table 14 and bore locations are shown in Figure 11.

Monitoring bore	Total depth (m bgl)	Total depth (m AHD)	Screened interval (m bgl)	Screened interval (m AHD)	Screened lithology	Purpose
MW01	25.5	14.95	17.5 – 23.5	23.0 – 17.0	Bringelly Shale	Regional groundwater level monitoring - downgradient
MW02	11.0	28.16	3.0 – 9.0	36.2 – 30.2	Alluvial clay	Basin 2 seepage monitoring
MW03	11.0	28.54	3.0 – 9.0	36.5 – 30.5	Alluvial clay	Basin 1 seepage monitoring
MW04	29.0	18.33	20.0 – 26.0	27.3 – 21.3	Bringelly Shale	Regional groundwater level monitoring - upgradient

Notes: m bgl = meters below ground level, m AHD = meters Australian Height Datum.

Table 14 Ground water bore details



Building something great




Figure 8 Groundwater Bore locations

Groundwater monitoring was initially undertaken over a period October 2021 to January 2022 in response to the commencement of expanded operations.

A number of parameters were measured as outlined in the Groundwater Monitoring plan and shown in Table 15 with the results being compared to DGVs for slightly-to-moderately disturbed freshwater ecosystem (ANZG 2018).



Building something great

Grouping	Parameters	
Physicochemical parameters (field / lab)	Electrical conductivity	Temperature
	pH	Total dissolved solids
	Total suspended solids	
Major ions	Calcium	Chloride
	Magnesium	Total alkalinity
	Sodium	Sulphate
	Potassium	Fluoride
Dissolved metals	Aluminium	Gallium
	Arsenic	Iron
	Beryllium	Lead
	Barium	Manganese
	Cadmium	Molybdenum
	Chromium (III + VI)	Nickel
	Cobalt	Vanadium
	Copper	Zinc
		Mercury
Nutrients	Ammonia	Total Kjeldahl nitrogen
	Nitrate	Total nitrogen
	Nitrite	Total phosphorus
	Nitrite + Nitrate	Reactive phosphorus
Hydrocarbons	Total Petroleum Hydrocarbons (TPH)	Benzene, toluene, Ethylbenzene, xylenes, naphthalene (BTEXN)
	Total Recoverable Hydrocarbons (TRH)	
		Polynuclear Aromatic Hydrocarbons (PAH)

Table 15 groundwater monitoring parameters

The results from the monitoring identified that groundwater quality was different at each of the monitoring bores and that concentrations of several metals exceed the DGVs on either a frequent or occasional basis.

Surface water at the facility is known to have concentrations of aluminium, copper, chromium and vanadium that are consistently above the DGV values.

Two of these metals, chromium and vanadium, were consistently below detection levels in all groundwater water samples collected, indicating that surface water from the facility is not impacting groundwater quality.

Hydrocarbon related chemicals were also consistently below detection levels at all monitoring locations.

The key conclusion from the results analysis is that there is no evidence of groundwater impacts due to the operation of the facility (both prior to an after Expanded Operations).



**Building
something
great**

In accordance with the Groundwater Monitoring Plan, groundwater quality monitoring will be undertaken on an annual basis from the four groundwater monitoring bores.

The annual monitoring is to be undertaken:

- at least three-months before the end of the Annual Environmental Management Report (AEMR) period to enable time for additional investigations (see Section 7.3) to be undertaken and incorporated into the AEMR, should they be required; and
- at least nine-months after the previous annual monitoring event.

As per the requirements above, groundwater monitoring was conducted in August 2025.

4.2.5 Waste Monitoring

Waste monitoring is undertaken in accordance with the waste monitoring program for the Widemere site (EMM, May 2021). The program is described in Section 4.1.1.

A summary of the volumes of waste accepted at site for previous reporting periods is summarised in Table 16. The table references the waste limits described in Condition L4 of EPL 11815.

Relevant condition	Waste Type	Limit	2025 data	2024 data	2023 data	2022 data	2021 data	2020 data
L31	Garden waste	1,000 tonnes stockpiled onsite at any one time.	No garden waste is accepted on site. Any garden waste received is rejected and detailed in the rejected loads register	No garden waste is accepted on site. Any garden waste received is rejected and detailed in the rejected loads register	No garden waste is accepted on site. Any garden waste received is rejected and detailed in the rejected loads register	No garden waste is accepted on site. Any garden waste received is rejected and detailed in the rejected loads register	No garden waste is accepted on site. Any garden waste received is rejected and detailed in the rejected loads register	No garden waste is accepted on site. Any garden waste received is rejected and detailed in the rejected loads register
L3.1	Soils	Arsenic 40mg/kg; Cadmium 2mg/kg; Copper 200mg/kg; Mercury 1.5mg/kg; Zinc 600mg/kg; Petroleum Hydrocarbons C6-C9 150mg/kg; Petroleum Hydrocarbons C10-C36 1600mg/kg; Polycyclic aromatic hydrocarbons 80mg/kg; Polychlorinated biphenyls (individual) 1mg/kg. No Acid Sulfate Soil or Potential Acid Sulfate Soil is to be received at the Premises.	No 0T received CT1 soil is pre-classified by an Independent geotechnical contractor prior to acceptance and copies of classification maintained and stored. No CT1 soils are accepted on site if they are not found to be compliant with limits described.	Yes 2,825.66T received CT1 soil is pre-classified by an Independent geotechnical contractor prior to acceptance and copies of classification maintained and stored. No CT1 soils are accepted on site if they are not found to be compliant with limits described.	Yes 6958.58T received CT1 soil is pre-classified by an Independent geotechnical contractor prior to acceptance and copies of classification maintained and stored. No CT1 soils are accepted on site if they are not found to be compliant with limits described.	Yes 14962T received CT1 soil is pre-classified by an Independent geotechnical contractor prior to acceptance and copies of classification maintained and stored. No CT1 soils are accepted on site if they are not found to be compliant with limits described.	CT1 soil is pre-classified by an Independent geotechnical contractor to confirm compliance with the limits prior to acceptance on-site and copies of classification maintained and stored. CT1 soils are not accepted on site if they are not compliant with limits described.	CT1 soil is pre-classified by an Independent geotechnical contractor to confirm compliance with the limits prior to acceptance on-site and copies of classification maintained and stored. CT1 soils are not accepted on site if they are not compliant with limits described.
L3.2	The authorised amount of waste permitted on the premises cannot exceed	750,000 tonnes of waste at any one time	Maximum amount stored onsite 257,704.74 tonnes (Oct 2025)	Maximum amount stored onsite 282,447.92 tonnes (April 2024)	Maximum amount stored onsite 243,652.38 tonnes (Nov 2023)	Maximum amount stored onsite 262,805 tonnes (April 2022)	Maximum amount stored onsite 221,030 tonnes (August 2021)	Maximum amount stored onsite 143,614 tonnes (April 2020)

	750,000 tonnes at any one time							
L3.3	The Licensee must not receive on the Premises, more than 1,000,000 tonnes of waste per year.	1,000,000 tonnes of waste per year.	558,846.34 tonnes of material was received during the 2025 reporting period.	763,846.6 tonnes of material was received during the 2024 reporting period.	819,719.88 tonnes of material was received during the 2023 reporting period.	778653 tonnes of material was received during the 2022 reporting period.	818,062 tonnes of material were received during the 2021 reporting period.	597,697 tonnes of material were received during the 2020 reporting period.
L3.4	The height of any stockpile of any material on the Premises, must not exceed twenty (20) metres above ground level.	> 20m AGL	Heights of stockpiles remain 20m below ground level, monitored using height marker on stabilisation plant, 6 monthly flyovers. Regular review identified in the EPP	Heights of stockpiles remain 20m below ground level, monitored using height marker on stabilisation plant, 6 monthly flyovers. Regular review identified in the EPP	Heights of stockpiles remain 20m below ground level, monitored using height marker on stabilisation plant, 6 monthly flyovers. Regular review identified in the EPP	Heights of stockpiles remain 20m below ground level, monitored using height marker on stabilisation plant, 6 monthly flyovers. Regular review identified in the EPP	Heights of stockpiles remain 20m below ground level, monitored using height marker on stabilisation plant, 6 monthly flyovers.	Heights of stockpiles remain 20m below ground level, monitored using height marker on stabilisation plant, 6 monthly flyovers.
L3.5	No asbestos waste is to be accepted or stored at the premises.	0	Any fibrous material detected during three point inspection protocol is rejected and details entered in the rejected load register stored on site.	Any fibrous material detected during three point inspection protocol is rejected and details entered in the rejected load register stored on site.	Any fibrous material detected during three point inspection protocol is rejected and details entered in the rejected load register stored on site.	Any fibrous material detected during three point inspection protocol is rejected and details entered in the rejected load register stored on site.	Any fibrous material detected during three-point inspection protocol is rejected and details entered in the rejected load register stored on site.	Any fibrous material detected during three-point inspection protocol is rejected and details entered in the rejected load register stored on site.

Table 16 – Historical compliance with EPL waste limits for material accepted and stored on site.



**Building
something
great**

4.2.6 Complaints Register

An environmental complaints register is available on site and online, however all hazards or incidents are recorded into Boral's HSEQ Incident Management System reporting system called SEQuence. Once entered, actions can be allocated, investigation teams established, and closure of any incidents tracked to completion.

Complaints Management

The purpose of the complaints register is to:

- Ensure that complaints/concerns received regarding the facility are documented; and
- An appropriate response to complaints is initiated (this may include changing management practices/monitoring procedures or adopting new practices/monitoring procedures).

Complaints must be reported to the Production Supervisor within 24 hours of receipt. The Production Supervisor will log the complaint on the electronic complaints register (SEQuence) and retain a copy on site.

The person reporting the complaint should where possible provide the Manager with the following information:

- Date of the complaint;
- Name of the person making the complaint;
- Telephone number of the person making the complaint;
- Reason for the complaint; and
- Actions taken in response to the complaint.

Upon being informed of a complaint the Manager must determine:

- Whether any further response actions are required; and
- Whether changes to site management procedures/monitoring programs are required.

Complaints Summary & Resolutions

There were 3 complaints received during the reporting period. They are detailed below:



**Building
something
great**

- Community complaint received on 19/02/2025 via email relating to damage to community members car. This damage appeared to occur offsite, outside of the Wetherill Park Facility. CCTV cameras were reviewed and visual inspection of a damaged stormwater drain was conducted. This was alleged to have caused the damage. Boral responded to the community member via email.
- Community member reported vehicle speeding whilst in transit and debris was falling off the back of the truck on 18/09/2025. Contractor company was contacted and notified and the driver investigated. Community member was emailed a statement and copy of dash camera footage.
- The site received a community complaint via phone call from EPA on 11/11/2025. EPA received complaint on a Tuesday afternoon relating to dust at Widemere for the same day (time not included). All sprays running and extra dust suppression turned on immediately following the phone call. CCTV footage review conducted in conjunction with a review of the weather station activity. No issues identified that would impact dust for this day. The site responded to EPA with information with no additional follow up.

A complaints register can be viewed on the Boral, Widemere Recycling, page.

4.2.7 Procedure for the Receiving and Screening of Waste for Recycling

The Inspection and Receptions protocol is maintained by Boral and outlines in detail the steps and procedures for the receiving and screening of waste for recycling. The procedure includes: Actions and Responsibilities, Screening Procedures, Procedures for handling suspected/confirmed asbestos products, Training, and Document review. This document is reviewed annually and updated as required.

State Government Legislation require recyclers of waste to test their products for a range of substances and materials. The site is complying with this requirement.

4.2.8 Landscape Management Plan

The main landscape management issues associated with the site are:

- Removal from the site of all noxious weeds as listed under the *NSW Noxious Weeds Act 1993*.
- Protection of existing vegetation at the southern end of the site.
- Timely re-establishment of landscaping as areas is completed.
- Ongoing maintenance of landscaped areas.



**Building
something
great**

- Protection of the Swamp Oak Endangered Ecological Community listed under the TSC Act.

Contractors conduct ongoing chemical, mechanical and (where appropriate) biological weed removal controls and bush regeneration on site. Periodic inspections (monthly) are conducted to identify the early stages of weed infestation.

5. Compliance with conditions of consent

Table 17 below summarises all the conditions of consent, indicates compliance (if relevant) and provides comments if required. Where applicable, the conditions were considered for the reporting period of this Annual Review.

Table 17- Compliance with Conditions of Consent. Boral Recycling Pty Ltd – Construction and Demolition Materials Recycling Facility, Widemere Road, Wetherill Park. DA -SSD 6525

Condition No.	Condition Summary	Complied with Y/N	Comments
1. General			
A.1	Increase in processing capacity of an existing resource recovery facility to 1,000,000 tonnes per annum of non-putrescible construction and demolition waste.	Y	The site has processed 635,700 tonnes within the current reporting period.
Obligation to Minimise Harm to the Environment.			
B.1	Implement all reasonable and feasible measures to minimise harm to the environment that may result from the development.	Y	On-going implementation of water management, dust management, noise management, hydrocarbon management practices.
Terms of Consent			
B.2	Carry out development in accordance with the: (a) EIS; (b) RTS; (c) Development layout plans and drawings in the EIS; and (d) The management and mitigation measures.	Y	Operations are carried out generally in accordance with the documents listed.
B.3	If there is any inconsistency between the above documents, the most recent document shall prevail to the extent of the inconsistency. However, the conditions of this consent shall prevail to the extent of any inconsistency.	N/A	No inconsistencies between the documents have been identified to date. The most recent document (SSD 6525) takes precedence in the event of any inconsistency.
B.4	The applicant shall comply with any reasonable requirement(s) of the secretary from the Department's assessment of: (a) Any reports, plans or correspondence that are submitted in accordance with this consent and;	Y	



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	(b) The implementation of any actions or measures contained within these reports, plans or correspondence.		
Limits of Consent			
B.5	This consent lapses every five years after the date from which it operates unless the Development has physically commenced on the land to which the consent applies.	N/A	Noted.
B.6	The applicant shall not receive or process on the site, more than 1,000,000 tonnes of waste (as expressly permitted by an EPL) per year.	Y	The throughput on site is managed by an online database system called QRS to track volumes of materials entering, leaving and being processed on site.
B.7	The Applicant shall not cause, permit or allow any materials or waste generated outside the site to be received at the site for storage, treatment, processing, reprocessing or disposal on the site, except as expressly permitted by an EPL.	Y	The site undertakes inspections of incoming materials at the site weighbridge entrance, at the tipping point, during processing and is also monitored through CCTV footage to ensure the material is acceptable for receipt.
B.8	Virgin Excavated Natural Material (VENM), timber, metal, plastic, glass, paper, cardboard, tree cuttings and tree trunks when mixed with inert waste may only comprise up to 20% by mass of all the stockpiles on site at any one time.	Y	The volumes of each stockpile are continuously monitored by QRS.
B.9	Stockpiles of permitted waste and recycled products shall not be more than 20 meters above ground level.	Y	Utilising stab plant 18.5m as height indicator for lower stockpile & 16m pole at NE corner of site for top stockpiles.
Staged Submission of Plans or Programs			
B.10	With the approval of the Secretary, the Applicant may: (a) submit any strategy, plan or program required by this consent on a progressive basis; and / or (b) Combine any strategy, plan or program required by this consent.	N/A	Noted.
B.11	If the submission of any strategy, plan or program is to be staged, then the relevant strategy, plan or program shall	N/A	Noted.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	clearly describe the specific stage to which the strategy, plan or program applies the relationship of the stage to any future stages and the trigger for updating the strategy, plan or program.		
Evidence of Consultation			
B.12	Where consultation with any public authority is required by the conditions of this consent, the Applicant shall: <i>...comply with conditions (a) to (c)</i>	N/A	Noted.
Dispute Resolution			
B.13	In event of a dispute between applicant and Council or a public utility in relation to requirements under this consent, either party may refer the matter to the Secretary for resolution.	N/A	Noted. None to Date
Statutory Requirements			
B.14	The Applicant shall ensure that all licences, permits and approvals/consents are obtained as required by law and maintained as required throughout the life of the Development.	Y	Copies of the sites EPL, DA and other operating permits are maintained in both hard and digital copies in the site office and on internal Boral databases.
Meteorological Monitoring			
B.15	Within 3 months of the date of this consent, the Applicant shall ensure that there is a suitable meteorological station on the site that complies with the requirements in the latest version of the Approved Methods for Sampling of Air Pollutants in New South Wales. The meteorological station must be operated and maintained for the life of the Development.	Y	Site has an operational weather station installed on site. Results are available in real time.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
Utilities and Services			
B.16	Prior to the construction of any utility works associated with the Development, the Applicant shall obtain relevant approvals from service providers.	N/A	No utility works have been conducted on site in the current reporting period.
Compliance			
B.17	The Applicant shall ensure that employees, contractors and sub-contractors are aware of, and comply with, the conditions of this consent relevant to their respective activities.	Y	The site conducts inductions, training, and toolbox talks and provides operational management plans for staff and contractors to comply with the conditions of this consent.
B.18	The Applicant shall be responsible for environmental impacts resulting from the actions of all persons that it invites onto the site, including contractors, sub-contractors and visitors.	Y	The site conducts site inductions for every person (employee, visitor or contractor) prior to entering site.
B.19	The Secretary at any time may require an update on compliance with all, or any part, of the conditions of this consent. Any such update shall meet the requirements of the Secretary and be submitted within such period as the Secretary may agree.	N/A	Noted.
B.20	The Applicant shall meet the requirements of the Secretary in respect of the implementation of any measure necessary to ensure compliance with the conditions of this consent, and general consistency with the EIS and those documents listed under Condition 82. The Secretary may direct that such a measure be implemented in response to the information contained within any report, plan, correspondence or other document submitted in accordance with the conditions of this consent, within such time as the Secretary may agree.	N/A	Noted.
Operation of Plant and Equipment			



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
B.21	The Applicant shall ensure that all plant and equipment used for the Development is: (a) maintained in a proper and efficient condition; and (b) operated in a proper and efficient manner.	Y	Regular maintenance of all fixed and mobile plant is organised through an automated management system (Maximo) and driver / operator qualifications and verification of competencies are maintained current on the site.
Development Contributions			
B.22	The Applicant must pay a levy of the percentage authorised by Fairfield City Council Indirect (Section 94A) Development Contributions Plan 2011, of the proposed cost of carrying out the development. The levy must be paid prior to the commencement of the expanded operations. A copy of the receipt for the payment must be submitted to the Department within two months of payment. The amount of the levy that is payable to Council, calculated as at the date of the grant of this development consent is \$1,641.12.	Y	Paid on the 18 January 2017.
Notification and Surrender of Consent			
B.23	Prior to the commencement of the expanded operations, the Applicant shall provide written notification in the manner prescribed by Clause 97 of the Environmental Planning and Assessment Regulations 2000, and surrender the following consent: (a) DA No. 21-1-2002-1 granted by the Minister for Planning on 25 November 2002 for the construction and operation of a construction materials recycling facility.	N/A	Consent has been surrendered.
Waste Management / Waste Monitoring Program:			
C.1	The Applicant shall prepare a Waste Monitoring Program for the Development. This program must:	Y	A waste monitoring program has been devised by external consultants (EMM) and is included in Appendix A of the site's OEMP. The plan fulfils the requirements of the conditions.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	<p>(a) be prepared in consultation with the EPA by a suitably qualified and experienced expert within 3 months of the date of this consent;</p> <p>(b) include suitable provision to monitor the:</p> <p>(i) quantity, type and source of waste received on site; and</p> <p>(ii) quantity, type and quality of the outputs produced on site.</p> <p>(c) ensure that:</p> <p>(i) all waste that are controlled under a tracking system have the appropriate documentation prior to acceptance at the site; and</p> <p>(ii) staff receive adequate training in order to be able to recognise and handle any hazardous or other prohibited waste including asbestos.</p>		
C.2	The Applicant shall carry out the Development in accordance with the Waste Monitoring Program approved by the Secretary (as revised and approved by the Secretary from time to time), unless otherwise agreed by the Secretary.	Y	The site carries out all operations in accordance with the waste management plan referred to in item C.1.
Construction And Operation Hours			
C.3	<p>The Applicant shall comply with the construction and operation hours in Table 1 unless otherwise agreed to in writing by the Secretary.</p> <p>CONSTRUCTION: Monday to Friday; 7 am to 6 pm, Saturday 8 am to 1 pm, Sunday & Public Holidays; Nil.</p> <p>OPERATION: Processing, Receival and Dispatch Activities; 24 hour operations</p>	Y	The site carries out all operations within the consented hours discussed in the consent condition. Modification of hours granted in December 2023 and have come into effect during the 2023-2024 reporting period.
C.4	The Applicant must keep a record of Sunday works as identified in Table 1.	Y	This condition has been removed due to approval of Modification 2, 24/7 operations.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
C.5	Condition C.3 does not apply to any activity that is required to be performed by police or other authorities for safety reasons; and/or if there is an on-site emergency that poses an immediate danger to personnel or equipment; and/or the operation or personnel or equipment is endangered. In such circumstances, prior notification shall be provided to the EPA and any affected residents as soon as possible, or within a reasonable period in the case of emergency.	Y	Noted.
Operational Noise Limits			
C.6	The Applicant shall ensure noise from the operation does not exceed the limits in Table 2 below. (Refer to 'Development Consent')	Y	No operational noise has exceeded the acceptable site criteria and no complaints pertaining to noise issues have been recorded during the reporting period. Implementation of noise mitigation strategies outlined in the site's NMP will help to maintain compliance of the operation.
Noise and Vibration Monitoring			
C.7	The Applicant shall carry out noise and /or vibration monitoring in accordance with any requirements in the EPL. This shall include verification that the facility is operating in accordance with the criteria outlined in Condition C6.	Y	Noise and vibration monitoring is carried out as per the EPL and a noise management plan (NMP) is included in Appendix B of the site's OEMP.
C7A	Within three months of the commencement of extended operation hours as approved under Modification 2, the Applicant must prepare and submit a noise verification report for the development. The noise verification report must: (a) be prepared to the satisfaction of the Planning Secretary; (b) demonstrate that noise verification has been carried out by a suitably qualified and experienced acoustic consultant in accordance with: (i) the Australian Standard AS 1055:2018	Y	A noise verification report for the development was submitted to DPHI within 3 months of the commencement to extended hours. No issues relating to noise were identified.



Building something great

Condition No.	Condition Summary	Complied with Y/N	Comments
	<p>Acoustics – Description and measurement of environmental noise (Standards Australia, 2018); and</p> <p>(ii) the monitoring and reporting requirements detailed in Section 7 of the Noise Policy for Industry (EPA, 2017);</p> <p>(c) include: (i) an analysis of compliance with noise limits specified in condition C6;</p> <p>(ii) an outline of management actions to be taken to address any exceedances of the limits specified in condition C6; and</p> <p>(iii) a description of contingency measures in the event management actions are not effective in reducing noise levels to an acceptable level.</p>		
Vibration Criteria			
C.8	The Applicant shall ensure that vibration resulting from the development does not exceed the continuous or impulsive vibration criteria in the EPA's Assessing Vibration: A Technical Guideline (February 2006) at residential receivers.	Y	Noted. No excessive vibration has been detected due to site operations to date.
Noise Mitigation			
C.9	The Applicant shall: (a) implement best management practice, including all reasonable and feasible noise management and mitigation measures to prevent and minimise operational, low frequency and traffic noise generated by the development; (b) minimise the noise impacts of the development during adverse meteorological conditions;	Y	<p>(a) Noise mitigation measures are implemented as per the NMP..</p> <p>(b) Meteorological conditions are monitored using the onsite weather station.</p> <p>(c) Maintenance to plant and machinery is arranged through the automated Maximo system to prevent excessive operational noise emissions.</p> <p>(d) Noise monitoring will be conducted as required as per the NMP.</p>



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	(c) maintain the effectiveness of any noise suppression equipment on plant at all times and ensure defective plant is not used operationally until fully repaired; and (d) regularly assess any noise monitoring data and relocate, modify and/or stop operations to ensure compliance with the relevant conditions of this consent.		
Noise Management			
C.10	As part of the OEMP for the Development, required under Condition D2 of this consent, the Applicant shall prepare a Noise Management Plan. The Plan must: <i>...comply with sections (a) to (i) of the condition.</i>	Y	A NMP was prepared and included in the site OEMP, containing the relevant information.
C.11	The Applicant shall carry out the Development in accordance with the Noise Management Plan approved by the Secretary (as revised and approved by the Secretary from time to time), unless otherwise agreed by the Secretary.	Y	The site carries out operations as per the conditions of the NMP.
Odour			
C.12	The Applicant shall ensure the Development does not cause or permit the emission of any offensive odour (as defined in the POEO Act).	Y	The site operations or materials stored and processed on site do not emit offensive odour.
Air Quality			



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
C.13	The Applicant shall carry out all reasonable and feasible measures to minimise dust generated by the Development.	Y	The site operates a street sweeper to maintain internal roads and a water cart wet suppresses unsealed areas; sprinklers have been set up along all stockpile / operational areas and throughout the processing plant area; vehicle speeds on site are reduced to prevent the suspension of particulates; dust monitoring is conducted on a monthly basis at Point 1 to AM-19 (sampling method) as per EPL M2.2 Point # 1; and unsealed internal roads and operational areas are systematically covered with asphalt or hardstand to reduce the exposed surface area of the site. Back haul road has been concreted to minimise dust generation.
C.14	The Applicant shall carry out air quality monitoring in accordance with any requirements in the EPL.	Y	Dust monitoring is conducted at Point 1 to AM-19 (sampling method) as per EPL M2.2 Point # 1. Dust bottles are collected monthly and sent to BTMS for testing & analysis. Method of sampling is to AS 3580.10.1-2003- Methods for sampling and analysis of ambient air method 10.1- Determination of particulate matter, Deposited matter- Gravimetric method.
C.15	The Applicant shall ensure the development complies with any air quality limits in the EPL.	N/A	No air quality limits were established in the EPL.
Air Quality Mitigation			
C.16	The Applicant shall: (a) operate the Development so that air emissions are minimised during all meteorological conditions; (b) implement best management practice, including all reasonable and feasible air emissions mitigation measures to minimise emissions from the Development, including but not limited to: (i) limiting vehicle speed on-site to 30 kilometres per hour;	Y	All of the mentioned dust mitigation measures in condition C.16 are employed on site at all times.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	(ii) ensuring all loaded vehicles entering or leaving the site have their loads covered; (iii) ensuring all loaded vehicles leaving the site are cleaned of dirt, sand and other materials before they leave the site, to avoid tracking these materials on public roads; and (iv) dust sprays through chemical suppressants, water sprays/misters.		
Dust Management			
C.17	As part of the OEMP for the Development, required under Condition D2 of this consent, the Applicant shall prepare a Dust Management Plan. The Plan must: <i>...comply with conditions (a) to (i).</i>	Y	A dust management plan (DMP) has been devised by EMM and is included in Appendix C of the OEMP and fulfils the requirements outlined in condition C.17.
C.18	The Applicant shall carry out the Development in accordance with the Dust Management Plan approved by the Secretary (as revised and approved by the Secretary from time to time), unless otherwise agreed by the Secretary.	Y	The development is carried out in accordance with the DMP.
Air Quality Audit			
C.19	The Applicant shall carry out an Air Quality Audit of the Development no later than six months after the commencement of the expanded operations.	Y	A “Best Practice Dust Management Benchmarking Study” was conducted by external contractor (Ramboll) and supplied to the DPE on 30 th June 2017. An Air Quality audit was conducted in 2022 following the commencement of expanded operations.
C.20	Within three months of commissioning this audit, the Applicant shall submit a copy of the audit report to the Secretary, together with its response to any recommendations contained in the audit report.	Y	The Air quality audit was submitted to the DPE in August 2022. DPE acknowledged receipt of the report and implementation of the recommendations in November 2022



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
C.21	The Applicant shall comply with any reasonable requirement(s) of the Secretary arising from the Air Quality Audit.	N/A	Noted.
Pollution of Waters			
C.22	The Development shall comply with Section 120 of the POEO Act, which prohibits the pollution of waters, except as expressly provided in an EPL.	Y	Site operations are conducted in accordance with the Surface Water Mitigation and Monitoring Plan (SWMMP) and the site's EPL requirements to prevent the pollution of waters.
C.23	Any discharge or water quality criteria specified under the EPL must be complied with.	Y	The site has not undertaken any controlled or uncontrolled discharge events during the current reporting period.
C.24	Surface water must only be discharged from the location specified in the EPL.	Y	There have been no controlled discharges during the current reporting period due to EPL 11815 licence condition U1
C.25	Discharges of turbidity and/or suspended solids to waters from discharge point identified in condition EPL is only permitted when the discharge occurs solely as a result of rainfall exceeding a total of 45 mm over any consecutive 5-day period	Y	The site has not undertaken any controlled or uncontrolled discharge events during the current reporting period
C.26	The Applicant shall undertake water quality monitoring at the discharge point and in accordance with the monitoring requirements described under this consent and the EPL.	Y	The site has not undertaken any controlled or uncontrolled discharge events during the current reporting period
C.27	All soil and / or vegetation disturbed or removed from the site shall be disposed of to, or stored at, an appropriate location where it cannot be washed off the site.	Y	All sediment / vegetation is stored in a location where it will not run off site
Erosion and Sediment Control			
C.28	All construction vehicles exiting the site, having had access to unpaved areas, shall depart via a wheel-wash facility.	Y	An operating wheel wash is provided for all vehicles exiting the site from operational areas. Wheel wash facilities have been introduced on the back road leading to the weighbridge to provide extra wash facilities throughout the site.



Building something great

Condition No.	Condition Summary	Complied with Y/N	Comments
C.29	The Applicant shall implement erosion and sediment control measures during construction in accordance with Landcom's Managing Urban Stormwater: Soils and Construction guideline.	Y	Erosion and sediment control measures have been implemented on site including vegetation of the site boundaries and adequate surface runoff retention capacities on site. Outlined in the OEMP.
Bunding			
C.30	The Applicant shall store all chemicals, fuels and oils used on-site in appropriately banded storage areas in accordance with the requirements of all relevant Australian Standards and the EPA's Storing and Handling Liquids: Environmental Protection - Participants Manual 2007.	Y	Chemicals are stored in hardstand areas, on bunds or within an enclosed self-banded storage with adequate storage capacity to contain leaks. The workshop is enclosed and banded. All machinery servicing is completed in the workshop. A rollover bund has also been installed at the self banded diesel tank.
Site Drainage and Surface Water Management			
C.31	Within six months of the expanded operations, the Applicant shall provide certification from a suitably qualified engineer that the internal surfaces of the surface water detention basins have been maintained to the equivalent to, or better than, a clay liner with a permeability of 1×10^{-9} ms ⁻¹ or less and a thickness of no less than 900 mm and whether any repairs are necessary. The documentation of the certification shall be provided to the EPA and Secretary.	N/A	Clay liner has been removed and replaced with HDPE liner as of 2019. Boral has confirmed the geomembrane meets or exceeds the EPA Victoria's Best Practice Environmental Management Publication Siting, design, operation and rehabilitation of landfills (Landfill BPEM), which requires the hydraulic conductivity of the liner to be less than 1×10^{-9} m/s.
C.32	Should the certification as per Condition C31 identify that repairs are required; these repairs shall be carried out within two months of the certification.	Y	Clay liner has been removed and replaced with HDPE liner. Boral has confirmed the geomembrane meets or exceeds the EPA Victoria's Best Practice Environmental Management Publication Siting, design, operation and rehabilitation of landfills (Landfill BPEM), which requires the hydraulic conductivity of the liner to be less than 1×10^{-9} m/s.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
C.33	The Applicant shall maintain all surface water infrastructure to direct all surface water runoff to the site's surface water detention basins.	Y	Site drainage lines are cleaned regularly and kept free of blockages or obstructions.
C.34	Only water contained in the site's secondary surface water detention basin (sediment basin 2- as identified in Appendix 1) is permitted to be applied to land and stockpiles within the site. Spray from the application of this water must not drift beyond the boundary of the area to which it is applied.	Y	The spray from sediment basin 2 does not extend beyond the site boundary.
C.35	The Applicant shall maintain the surface water detention basins on site with a minimum capacity to contain 45 millilitres of rainfall over any consecutive 5-day period. The capacity requirements of the sediment basins may be modified by the EPL.	Y	The site undertakes daily visual monitoring and recording of the water levels in the detention basins to ensure adequate storage capacity is maintained. The dams have a collective volume of 5.1ML and possesses a HDPE liner.
C.36	The Applicant shall ensure that a visible marker is installed in each sediment retention basin in a position that shows the freeboard in the basin that equates to the volume required to contain all rainfall and runoff in the catchment from a 45 mm rainfall event over any consecutive 5 day period or as modified by the EPL.	Y	Red and yellow lines painted on HDPE liner to indicate water level in the new water collection/sediment dams.
C.37	The sediment basin liner shall be monitored every 3 years to ensure a clay liner of permeability of 1×10^{-9} ms ⁻¹ or less and a thickness of no less than 900 mm is maintained.	Y	The liner has now been changed from clay to HDPE (impermeable plastic). The new impermeable plastic liner is easier to manage and inspect than the clay liner and therefore is deemed an upgrade.
Groundwater			
C.38	Within six months of the commencement of the expanded operations. The Applicant shall conduct a Groundwater Monitoring Program.	Y	A groundwater monitoring program (Appendix D, OEMP) has been developed and is being implemented. The program was reviewed with the commencement of the expanded operations
C.39	Within three months of the completion of the Groundwater Monitoring Program, the Applicant shall submit a copy of the	N/A	The groundwater monitoring program was submitted to the DPHI on April 2022.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	Groundwater Monitoring Program as identified in Condition C38 to the Secretary and the EPA.		
C.40	The Applicant shall comply with any reasonable requirement(s) of the Secretary arising from the Groundwater Monitoring Program.	N/A	Noted.
Surface Water Mitigation and Monitoring Plan			
C.41	Prior to any controlled discharges permitted under the EPL the Applicant must provide a Surface Water Monitoring and Mitigation Plan.	Y	Submitted to EPA who advised on the 20 September 2022, that the requirements of the 3 PRPS had been satisfied.
C.42	The Applicant shall carry out the Development in accordance with the Surface Water Mitigation and Monitoring Plan (including the implementation of mitigation measures) approved by the Secretary (as revised and approved by the Secretary from time to time), unless otherwise agreed by the Secretary.	N/A	Noted
Water Quality Validation			
C.43	Within three months of implementing the Surface Water Mitigation and Monitoring Plan, the Applicant shall provide a Surface Water Validation Report.	N/A	Submitted to EPA who advised on the 20 September 2022, that the requirements of the 3 PRPS had been satisfied.
C.44	Any alterations to the surface water management system identified in the Surface Water Validation Report must be implemented prior to any further controlled discharges to the satisfaction of the Secretary.	N/A	Noted.
C.45	The Applicant must comply with any amended water quality criteria and discharge limits identified in the EPL.	N/A	There have been no controlled discharges during the current reporting period.
Surface Water Audit			
C.46	The Applicant shall carry out an independent Surface Water Audit of the Development, in consultation with the EPA,	N/A	Noted. Not yet triggered.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	following completion of the Surface Water Validation Report or as directed by the Secretary.		
C.47	Within three months of commissioning this audit, the Applicant shall submit a copy of the audit report to the Secretary, together with its response to any recommendations contained in the audit report.	N/A	Noted. Not yet triggered. Due next reporting period in line with EPL U1.
C.48	The Applicant shall comply with any reasonable requirement(s) of the Secretary arising from the Surface Water Audit.	N/A	Noted. Not yet triggered.
Contamination			
C.49	Prior to the commencement of construction of the realigned haul road as identified in Appendix 1, the Applicant shall prepare an unexpected finds protocol to ensure that potentially contaminated material is appropriately managed. Any material identified as contaminated shall be disposed offsite, with the disposal location and results of testing submitted to the Secretary, prior to its removal from the site.	Y	Construction works were completed in the 2019 reporting period
C.50	The Applicant shall implement the unexpected finds protocol developed under Condition C49 for the duration of construction works.	N/A	Noted.
Parking			
C.51	The Applicant shall maintain provision for 37 car parking spaces on the site. The spaces must conform to the relevant specifications in the latest version of Australian Standard 2890.1.	Y	The site provides 37 car spaces of acceptable dimensions.
C.52	Accessible, visitor and service vehicle parking spaces must be clearly signposted and designated in accordance with the relevant Australian Standards.	Y	Adequate signage is displayed for visitor and service vehicle parking spaces.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
Operating Conditions			
C.53	<p>The Applicant shall ensure that:</p> <p>(a) the Development does not result in any vehicles parking or queuing on the public road network;</p> <p>(b) the realigned haul road (as identified in Appendix 1) is constructed and maintained in accordance with the relevant Australian Standards;</p> <p>(c) all vehicles are wholly contained on site before being required to stop;</p> <p>(d) all loading and unloading of heavy vehicles is carried out on-site, in particular, all materials when first received at the site shall be unloaded at the receivals area in the north of the site as identified in Appendix 1;</p> <p>(e) the proposed turning areas in the car park are kept clear of any obstacles, including parked cars, at all times;</p> <p>(f) all heavy vehicles associated with the Development have their loads covered and do not track dirt onto public roads;</p> <p>(g) all vehicles enter and leave the site in a forward direction; and</p> <p>(h) all vehicles exiting the site that have accessed unpaved areas shall depart via a wheel wash facility.</p> <p>(i) vehicle movements entering and leaving the site do not exceed 50 (25 in 25 out) between the hours of 12am and 6am; and</p> <p>(j) heavy vehicles do not use Gipps Road or Victoria Street east when traveling to or from the site between the hours of 12am and 6am.</p>	Y	<p>(a) Adequate parking is provided on site, therefore no cars are parked outside;</p> <p>(b) All internal roads and haul roads are maintained to acceptable standards;</p> <p>(c) The driveway to the site has sufficient room to accommodate several vehicles to avoid stopping before being wholly within the site;</p> <p>(d) Driver inductions and signage stress the requirement for unloading to take place only in the receivals area;</p> <p>(e) A clear turning circle for vehicles in the car park is maintained at all times;</p> <p>(f) Driver inductions and toolbox talks identify the requirement to have loads covered at all times except when loading and unloading;</p> <p>(g) The site traffic management plan and site signage promote the entrance and exit to site in a forward direction only; and</p> <p>(h) An operational wheel wash is available for all vehicles exiting site from operational areas.</p> <p>(i) Site speed limits 10km/h while on site. Traffic management plan and site signage at entrance and exit to reduce speed.</p> <p>(j) Highlighted in the Site Induction and Traffic Management Plan.</p>



Building something great

Condition No.	Condition Summary	Complied with Y/N	Comments
C.54	The Applicant shall implement a Driver Code of Conduct for heavy vehicle drivers associated with the Development.	Y	The site does have a Driver Code of Conduct issued to all drivers. A copy is within the OEMP. The document was reviewed and provided to the DPFI in March 2024 following the Independent Audit.
Heritage			
C.55	The Applicant shall cease all works on site in the event that any Aboriginal cultural object(s) or human remains are uncovered onsite. The NSW Police, the Aboriginal Community and the OEHL are to be notified. Works shall not resume in the designated area until consent in writing from the NSW Police and/or the OEHL has been obtained.	N/A	Noted. No heritage items have been identified to date.
Lighting			
C.56	All external lighting associated with the Development shall be mounted, screened, and directed in such a manner so as not to create a nuisance to the surrounding environment, properties and roadways. The lighting shall be the minimum level of illumination necessary and shall comply with Australian Standard AS4282 1997- Control of the Obtrusive Effects of Outdoor Lighting.	Y	All lighting is installed and maintained in accordance with the consent and does not generate nuisance glare.
Signage			
C.57	The Applicant shall not install any advertising signs on site without the written consent of the Secretary.	Y	No advertising signs are displayed on the site.
Flora and Fauna			
C.58	The Applicant shall: (a) avoid clearing the Swamp Oak Floodplain Forest EEC (with the exception of the 12 juvenile Swamp Oaks identified in the EIS) at the southern end of the site and ensure this stand is protected and maintained during construction and operation of the Development;	Y	(a) No mature Swamp Oaks have been removed from the site; (b) Regular weed control is conducted by an external contractor; and (c) Landscaping along the site boundaries are regularly managed by external landscaping contractors.



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
	(b) implement suitable measures to manage and prevent the spread of notifiable weeds on site as defined in the Noxious Weeds Act 1993; and (c) ensure landscaping along the eastern boundary of the site is maintained throughout the life of the Development.		
Security			
C.59	The Applicant shall: (a) install and maintain a perimeter fence and security gates on the site; and (b) ensure that the security gates on site are locked whenever the site is unattended.	Y	The site is surrounded by a perimeter fence which is inspected on a monthly basis for signs of damage or disrepair and security gates are locked when the site is non-operational as dictated by site operating procedures and inductions.
Hazards and Risk			
C.60	The quantities of dangerous goods stored and handled at the site shall be below the threshold quantities listed in the Department of Planning's Hazardous and Offensive Development Application Guidelines - Applying SEPP 33 at all times.	Y	Quantities of hazardous chemicals stored on site don't flag the threshold quantities for the application of SEPP 33.
Construction Environmental Management Plan			
D.1	The Applicant shall implement a Construction Environmental Management Plan during construction work for the Development.	N/A	No construction works have taken place on site during this reporting period.
Operational Environmental Management Plan			
D.2	The Applicant shall implement an Operational Environmental Management Plan for the Development b) Be submitted to and approved by the Secretary prior to the commencement of expanded operations	Y	The OEMP was reviewed and updated by an external consultant and submitted to the DPHI in July 2023. Approval is still sitting with the Department. Boral has requested follow up from the DPHI on several occasions.
Management Plan Requirements			



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
D.3	The Applicant shall ensure that the environmental management plans required under this consent are prepared in accordance with any relevant guidelines...	Y	The OEMP for the site contains all the relevant information contained in condition D.3.
D.4	The Secretary may waive some of the requirements in Condition D3 if they are unnecessary or unwarranted for particular management plans.	N/A	Noted.
Incident Reporting			
D.5	The Applicant shall notify, at the earliest opportunity, the Secretary and any other relevant agencies of any incident that has caused, or threatens to cause, material harm to the environment. For any other incident associated with the Development, the Applicant shall notify the Secretary and any other relevant agencies as soon as practicable after the Applicant becomes aware of the incident. Within 7 days of the date of the incident, the Applicant shall provide the Secretary and any relevant agencies with a detailed report on the incident, and such further reports as may be requested.	N/A	The site has not experienced any incidents that have resulted or threatened to result in material harm to the environment during the reporting period.
Regular Reporting			
D.6	The Applicant shall provide regular reporting on the environmental performance of the Development on its website, in accordance with the reporting arrangements in any plans or programs approved under the conditions of this consent.	Y	Environmental reporting of monitoring results and updated Pollution Incident Response Management Plans are updated on the Boral website on a regular basis.
Independent Environmental Audit			
D.7	Within 1 year of the date of this consent, and every 3 years thereafter, unless the Secretary directs otherwise, the	Y	International Environmental Consultants was engaged in August 2023 to undertake an independent audit. This auditor was approved by the Secretary on 12 September 2023.



Building something great

Condition No.	Condition Summary	Complied with Y/N	Comments
	Applicant shall commission and pay the full cost of an Independent Environmental Audit of the Development.		
D.8	Within three months of commissioning this audit, or as otherwise agreed by the Secretary, the Applicant shall submit a copy of the audit report to the Secretary, together with its response to any recommendations contained in the audit report.	Y	The audit report was submitted to the Department 2 February 2024. The audit was accepted by the Department 3 April 2024. The next independent audit will be conducted October 2026.
Annual Review			
D.9	<p>Within one year of the date of this consent, and every year thereafter, the Applicant shall review the environmental performance of the Development to the satisfaction of the Secretary. This review must:</p> <ul style="list-style-type: none"> (a) describe the Development that was carried out in the previous calendar year, and the Development that is proposed to be carried out over the next year; (b) include a comprehensive review of the monitoring results and complaints records of the Development over the previous calendar year, which includes a comparison of these results against the: NSW Government & Department of Planning and Environment <ul style="list-style-type: none"> (i) the relevant statutory requirements, limits or performance measures/criteria; (ii) requirements of any plan or program required under this consent; (iii) the monitoring results of previous years; and (iv) the relevant predictions in the EIS; 	Y	This annual review satisfies the requirements of condition D.9.



Building something great

Condition No.	Condition Summary	Complied with Y/N	Comments
	(c) identify any non-compliance over the last year, and describe what actions were (or are being) taken to ensure compliance; (d) identify any trends in the monitoring data over the life of the Development; (e) identify any discrepancies between the predicted and actual impacts of the Development, and analyse the potential cause of any significant discrepancies; and (f) describe what measures will be implemented over the next year to improve the environmental performance of the Development.		
Revision of Strategies, Plans and Programs			
D.10	Within three months of the submission of an: (a) annual review under Condition D9 above; (b) incident report under Condition D5 above; (c) audit under Condition D7 above; or (d) any modification to this consent, the Applicant shall review, and if necessary revise, the strategies, plans, and programs required under this consent to the satisfaction of the Secretary.	N/A	A review of the OEMP, SWMMP and GWP will be initiated during the next reporting period upon the approval of OEMP and GMP currently sitting with the DPHI.
D.11	The Applicant shall ensure that the operation of the Development is undertaken in accordance with all relevant updated and/or amended strategies, management plans and programs approved by the Secretary (or as revised and approved by the Secretary), unless otherwise agreed by the Secretary.	Y	The site's Environmental Permit Planner, toolbox talks, site inductions and internal audits ensure that the site operations are compliant with the management plans referred to in condition D.11.
Access to Information			



**Building
something
great**

Condition No.	Condition Summary	Complied with Y/N	Comments
D.12	<p>The Applicant shall:</p> <ul style="list-style-type: none"> (a) make copies of the following publicly available on its website: <ul style="list-style-type: none"> (i) the documents referred to in Condition D2; (ii) all current statutory approvals for the Development; (iii) all approved strategies, plans and programs required under the conditions of this consent; (iv) a comprehensive summary of the monitoring results of the Development, reported in accordance with the specifications in any conditions of this consent, or any approved plans and programs; (v) a complaints register, updated on a monthly basis; (vi) minutes of any community meetings held by the Applicant; (vii) the annual reviews of the Development; (viii) any independent environmental audit of the Development, and the Applicant's response to the recommendations in any audit; (ix) any other matter required by the Secretary; and (b) keep this information up to date and to the satisfaction of the Secretary. 	Y	<p>Access to information for this development can be found at the website below:</p> <p>https://www.boral.com.au/our-commitment/environmental-reporting</p> <p>https://www.boral.com.au/locations/boral-recycling-widemere-wetherill-park</p>

6. Comparison of impacts and performance against EIS predictions

A summary of the impacts and performance of the Widemere site against the EIS predictions is presented in Table 18 below.

Table 18 - Comparison of impacts and performance against EIS predictions

Impact	EIS Prediction	Performance November 2024 - November 2025
Air Quality	Cumulative annual average within the site of 4 g/m ² /month.	The mean result for the annual average of Ash at site 1 from November 2024 to November 2025 is 1.54 g/m ² /mth. The mean result for the annual average of Ash at site 2 from November 2024 to November 2025 is 0.9g/m ² /mth. In comparison with the previous reporting figures, this indicates a decrease at dust levels measured at site 1 and 2. Levels are below the cumulative annual average predicted in the EIS of 4g/m ² /mth.
Noise	See Table 1 of the EIS report.	Noise monitoring was last undertaken in September 2025. Noise monitoring indicates compliance with the values predicted in the EIS.
Water Quality	Stormwater Discharge Quality TSS <50mg/L pH 6.5-8.5 Oil and Grease <5mg/L	There were no controlled or uncontrolled discharges from the site during the current reporting period.
Traffic and Transport	Based on 750,000 tpa and 343 days operation. *Light Vehicle 2-way total: 40 *Trucks 2-way total: 451	Light vehicle movements average 48movements per day. Truck movements average 524 movements per day. A truck movement tracking register has been implemented.



Building something great

Impact	EIS Prediction	Performance November 2024 - November 2025
Flora and Fauna	No runoff flowing into southern stand of Swamp She-oak Forest.	All onsite water is diverted into the stormwater detention basins to the SW of the site.
Visual Impact	Visibility of the site is limited, stockpiles may be up to 20m high. The existing vegetation along southern boundary provides an effective visual screen	Transit-way vegetation, natural growth in Prospect Creek and trees within Boral land screens the operation. Earth bund is erected along the SE boundary. Planting screening trees is ongoing, as required.
Resource Consumption	Water Supply: Anticipated that stormwater reuse will provide the site water demand for wet and medium years. *During drought years, anticipated off-site water requirements to be only 500m ³ or 14 days site water usage.	The primary water use on site for dust suppression comes from the surface water detention pits and 10 x 30 kL recycled water storage tanks on site. Town water is used on occasion.
Waste Management	Impurities from crushing process taken to recycling centres where possible.	Domestic garbage, plastics etc. to landfill. Less than 0.5% taken to landfill. Reinforcing materials (metals) and paper are recycled.
Potential Hazards	Above ground diesel storage tank to be bunded to AS1940-1993 requirements.	Bund can contain >110% of volume. Further, a roof over the self-bunded tank & bund has been installed; a rollover bund was installed around the fill point; and the workshop is bunded.
Social and Economic	Benefits community, consistent with NSW Government aims to reduce amount of C&D waste going into landfill.	Yes. A large volume of C&D waste received, processed and recycled over the last 12 months, diverting waste away from landfill.



**Building
something
great**

7. Details when performance goals not achieved

For this reporting period, all comparisons between impacts and performance goals against predictions made in the EIS were compliant.

8. Monitoring data trends

The monitoring data trends available for the life of the project are limited to gravimetric dust deposition at monitoring Site 1 and water quality results for controlled discharge from the sediment basin at EPL point 2 (prior to the 2017 period when EPL 11815 was revised to insert a cessation of discharge condition (condition U1) and following the removal of cessation EPL variation from 2023). The water quality results are presented in the pollution of monitoring data uploaded to the Boral website and are reproduced below for reference (refer to Table 19). EPL11815 has been amended to include controlled and uncontrolled discharges as of October 2023. No controlled discharges occurred at the site during the reporting period.

Figure 12 provides a graphical representation of Site 1 gravimetric dust monitoring results for the life of the project. It is evident that the monitoring results were elevated during the 1st year (2003) of operation and monthly spikes are not uncommon during the summer months. Higher levels during summer are not unusual for any operation considering the potential offsite impacts.

Figure 12 also illustrates that the trends, for all parameters measured, have decreased over the life of the project. The Ash trend line is shown on the graph. This decrease is a result of improvements to the facility's processing, handling and dust management over



Building something great

Water Discharge	Lab samples - Site 1 (EPL ID # 2)					
	pH	Turbidity	O & G	TSS	KL discharged	5 day Prior Rainfall
	pH	NTU	mg/L	mg/L	KL	mm
Date Sampled	6.5 - 8.5	50	10	150.0	100	>45
2/04/2015	7.9	6.4	1.4	6.4	94.0	59.4
4/04/2015	8.1	6.5	1.5	6.4	6	81.9
21/04/2015	7.8	90.0	1.7	88.0	93	119.7
22/04/2015	8.1	34.0	2.2	63.0	97	207.1
23/04/2015	8.2	42.0	2.9	67.0	93	250.3
24/04/2015	8.1	29.0	3	55.0	86	245.6
19/06/2015	7.9	25.0	1.5	17.0	52	56.9
5/01/2016	7.2	20.0	0.8	33.0	95	74.7
6/01/2016	7.5	45.0	0.6	82.0	99	134.5
7/01/2016	7.5	40.0	0.7	101.0	98	153.5
8/01/2016	7.5	23.0	1.1	32.0	93	153.5
9/01/2016	7.5	24.0	0.8	47.0	90	110.8
18/01/2016	7.7	35.0	1.3	54.0	35	42.5
31/01/2016	7.2	13.0	0.8	12.0	100	66.3
1/02/2016	7.3	17.0	0.5	15.0	813	66.3
2/02/2016	7.3	14.0	0.4	6.4	100	66.6
3/02/2016	7.4	27.0	0.9	10.0	100	64.4
6/06/2016	7.7	20.0	0.8	21.0	97	256.6
7/06/2016	7.0	27.0	1	24.0	99	255.2
8/06/2016	6.9	7.1	0.7	11.0	99	255.2
9/06/2016	7.1	5.7	0.7	14.0	99	245.2

Table 19 – Historical water quality results obtained from EPL discharge point 2



Building something great




Figure 9 - Gravimetric dust monitoring (Site 1) July 2003 – November 2024



**Building
something
great**

9. Environmental management targets and strategies for the following 12 months

Arising from the commencement of expanded operations, a number of conditions of consent have been triggered. In response, a review of the OEMP and its sub-plans will be undertaken to confirm they are appropriate for the increased operations. A summary of the review requirements is described below.

Table 20 2026 Proposed Actions

Action	
1	Review and update OEMP and sub-plans, as required.
2	Undertake Surface Water Audit if adequate data available
3	Develop Water Management Plan
4	Appoint independent auditor to undertake Independent Environmental Audit
5	As part of the site's continual improvement program, the site will monitor the current control methods relating to dust, noise, waste management and traffic management and where necessary update and modify existing controls.
6	Undertaken annual ground water monitoring at least three-months before the end of the Annual Environmental Management Report (AEMR) period at least nine-months after the previous annual monitoring event.