



Building
something
great

Environmental Monitoring Report

Water Monitoring

Dunmore Quarry

July 2026

This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of request, any monitoring data that relates to pollution under an Environment Protection Licence.

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 77 (EPL 77 – Boral Dunmore Quarry)

This report provides environmental monitoring data for Dunmore Quarry for the period June 2024 to June 2026.

Dunmore Quarry Information	
Premise Details	Boral – Dunmore Quarry
Address	Princes Highway, Dunmore NSW, 2529
Licensee	Boral Resources (NSW) PTY LTD
EPL N°	77
EPL Location	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=77&id=77&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued

Monitoring data in this report relates to the monitoring undertaken in the reporting period for the following environmental pollutants:

- Water Quality



**Building
something
great**

Water Monitoring

Water Quality Monitoring is conducted as per condition M2.3 of EPL 77. The water quality results for the reporting period are tabled below.

Sample Period: June 2026
Licensee: Dunmore Quarry
Licensee Address: Princes Hwy, Dunmore NSW 2529
EPL No.: 77

Qualifications related to Water

* Sampling only required at Monitoring points #6, #7, #9 and #10 during discharge from site. ND denotes no discharge. NV denotes not visible.

Location	Date Received	Monitoring Frequency	Pollutant	Measurement	Unit	Comment
Jun-26						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 9			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge



**Building
something
great**

Historical Monitoring Data

Location	Date Received	Monitoring Frequency	Pollutant	Measurement	Unit	Comment
May-26						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 9			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Apr-26						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 9			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Mar-26						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 9			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	



**Building
something
great**

			Turbidity	ND	NTU		
			Oil & Grease	ND	mg/L		
Monitoring Point 10			n/a	ND	n/a	No Discharge	
Feb-26							
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge	
Monitoring Point 7			pH	ND	pH	No Discharge	
			Conductivity	ND	µs/cm		
			TSS	ND	mg/L		
			Turbidity	ND	NTU		
Monitoring Point 9			Oil & Grease	ND	mg/L	No Discharge	
			pH	ND	pH		
			Conductivity	ND	µs/cm		
			TSS	ND	mg/L		
Monitoring Point 10			Turbidity	ND	NTU		
			Oil & Grease	ND	mg/L		
Monitoring Point 10				n/a	ND	n/a	No Discharge
Jan-26							
Monitoring Point 6			Daily during discharge	n/a	ND	n/a	
Monitoring Point 7	23/01/2026	pH		7.64	pH		
		Conductivity		331	µs/cm		
		TSS		10	mg/L		
		Turbidity		7.9	NTU		
Monitoring Point 9	23/01/2026	Oil & Grease		<5	mg/L		
		pH		7.61	pH		
		Conductivity		365	µs/cm		
		TSS		<5	mg/L		
Monitoring Point 10		Turbidity		2.8	NTU		
		Oil & Grease		<5	mg/L		
Monitoring Point 10				n/a	ND	n/a	
Monitoring Point 6		Daily during discharge		n/a	ND	n/a	
Monitoring Point 7	22/01/2026			pH	7.59	pH	
			Conductivity	325	µs/cm		
			TSS	5	mg/L		
			Turbidity	3.9	NTU		
Monitoring Point 9	22/01/2026		Oil & Grease	<5	mg/L		
			pH	7.60	pH		
			Conductivity	355	µs/cm		
			TSS	<5	mg/L		
Monitoring Point 10			Turbidity	3.2	NTU		
			Oil & Grease	<5	mg/L		
Monitoring Point 10				n/a	ND	n/a	
Monitoring Point 6			Daily during discharge	n/a	ND	n/a	
Monitoring Point 7	21/01/2026			pH	7.64	pH	
		Conductivity		331	µs/cm		



**Building
something
great**

			TSS	17	mg/L	
			Turbidity	22.4	NTU	
			Oil & Grease	<5	mg/L	
			pH	7.17	pH	
			Conductivity	336	µs/cm	
Monitoring Point 9	21/01/2026		TSS	7	mg/L	
			Turbidity	4.6	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
			pH	7.53	pH	
			Conductivity	327	µs/cm	
Monitoring Point 7	20/01/2026	Daily during discharge	TSS	164	mg/L	
			Turbidity	270	NTU	
			Oil & Grease	<5	mg/L	
			pH	7.03	pH	
			Conductivity	321	µs/cm	
Monitoring Point 9	20/01/2026		TSS	8	mg/L	
			Turbidity	11.1	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
			pH	8.12	pH	
			Conductivity	308	µs/cm	
Monitoring Point 7	19/01/2026	Daily during discharge	TSS	246	mg/L	
			Turbidity	492	NTU	
			Oil & Grease	<5	mg/L	
			pH	7.32	pH	
			Conductivity	303	µs/cm	
Monitoring Point 9	19/01/2026		TSS	9	mg/L	
			Turbidity	16.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	
Monitoring Point 6			n/a	ND	n/a	
			pH	7.98	pH	Oil & Grease sample jar broken during handling – no data available
			Conductivity	290	µs/cm	
Monitoring Point 7	18/01/2026	Daily during discharge	TSS	346	mg/L	
			Turbidity	245	NTU	
			Oil & Grease	-	mg/L	
			pH	7.15	pH	
			Conductivity	380	µs/cm	
Monitoring Point 9	18/01/2026		TSS	33	mg/L	
			Turbidity	48.5	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	



**Building
something
great**

Dec-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			n/a	ND	n/a	No Discharge
Monitoring Point 9			n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Nov-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			n/a	ND	n/a	No Discharge
Monitoring Point 9			n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Oct-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 9			pH	ND	pH	No Discharge
			Conductivity	ND	µs/cm	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
			Oil & Grease	ND	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Sep-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		pH	7.96	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	417	µs/cm	
			TSS	109	mg/L	
			Turbidity	211	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.26	pH	Uncontrolled discharge following
			Conductivity	262	µs/cm	
			TSS	30	mg/L	



**Building
something
great**

			Turbidity	32	NTU	121mm rainfall event
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		pH	8.04	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	372	µs/cm	
			TSS	173	mg/L	
			Turbidity	278	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.39	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	236	µs/cm	
			TSS	29	mg/L	
			Turbidity	37.5	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10				n/a	ND	n/a
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	14/09/2025		pH	7.95	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	314	µs/cm	
			TSS	150	mg/L	
			Turbidity	280	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.27	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	217	µs/cm	
			TSS	30	mg/L	
			Turbidity	37.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10				n/a	ND	n/a
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		pH	7.45	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	218	µs/cm	
			TSS	23	mg/L	
			Turbidity	51.4	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.47	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	215	µs/cm	
			TSS	14	mg/L	
			Turbidity	34.1	NTU	



**Building
something
great**

			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.08	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	196	µs/cm	
			TSS	54	mg/L	
			Turbidity	89.3	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.09	pH	Uncontrolled discharge following 121mm rainfall event
			Conductivity	174	µs/cm	
			TSS	20	mg/L	
			Turbidity	45.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Aug-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.22	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	316	µs/cm	
			TSS	17	mg/L	
			Turbidity	86.6	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.21	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	246	µs/cm	
			TSS	10	mg/L	
			Turbidity	24.9	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.08	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	340	µs/cm	
			TSS	86	mg/L	
			Turbidity	130	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	6.47	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	223	µs/cm	
			TSS	7	mg/L	
			Turbidity	28.2	NTU	



**Building
something
great**

			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	23/08/2025	Daily during discharge	pH	7.51	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	240	µs/cm	
			TSS	62	mg/L	
			Turbidity	152	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.22	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	182	µs/cm	
			TSS	12	mg/L	
			Turbidity	39.7	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.91	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	275	µs/cm	
			TSS	304	mg/L	
			Turbidity	571	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	7.2	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	145	µs/cm	
			TSS	16	mg/L	
			Turbidity	48.2	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	pH	7.9	pH	Uncontrolled discharge following 154mm rainfall event
			Conductivity	305	µs/cm	
			TSS	145	mg/L	
			Turbidity	475	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	#####		pH	-	pH	Site unreachable due to flooding
			Conductivity	-	µs/cm	
			TSS	-	mg/L	
			Turbidity	-	NTU	
			Oil & Grease	-	mg/L	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	7/08/2025	Daily during discharge	pH	7.98	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	393	µs/cm	
			TSS	106	mg/L	
			Turbidity	182	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	7/08/2025		pH	7.62	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	262	µs/cm	
			TSS	<5	mg/L	
			Turbidity	15.6	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	6/08/2025	Daily during discharge	pH	7.94	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	373	µs/cm	
			TSS	109	mg/L	
			Turbidity	283	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	6/08/2025		pH	7.34	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	266	µs/cm	
			TSS	7	mg/L	
			Turbidity	21.3	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	5/08/2025	Daily during discharge	pH	7.71	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	357	µs/cm	
			TSS	120	mg/L	
			Turbidity	319	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	5/08/2025		pH	7.4	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	243	µs/cm	
			TSS	8	mg/L	
			Turbidity	26.7	NTU	
			Oil & Grease	<5	mg/L	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	4/08/2025	Daily during discharge	pH	7.97	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	345	µs/cm	
			TSS	164	mg/L	
			Turbidity	425	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	4/08/2025	Daily during discharge	pH	7.19	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	221	µs/cm	
			TSS	10	mg/L	
			Turbidity	37.4	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/08/2025	Daily during discharge	pH	7.95	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	341	µs/cm	
			TSS	299	mg/L	
			Turbidity	580	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 9	3/08/2025	Daily during discharge	pH	7.21	pH	Uncontrolled discharge following 97mm rainfall event
			Conductivity	199	µs/cm	
			TSS	31	mg/L	
			Turbidity	53.1	NTU	
			Oil & Grease	<5	mg/L	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jul-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	2/07/2025	Daily during discharge	Conductivity	265	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.94	pH	
			TSS	407	mg/L	
			Turbidity	926	NTU	
Monitoring Point 9	2/07/2025	Daily during discharge	Conductivity		µs/cm	Sampling site was unreachable due to flooding
			Oil & Grease		mg/L	
			pH		pH	
			TSS		mg/L	
			Turbidity		NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/07/2025	Daily during discharge	Conductivity	273	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.6	pH	
			TSS	231	mg/L	
			Turbidity	543	NTU	
Monitoring Point 9	3/07/2025		Conductivity	167	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.4	pH	
			TSS	10	mg/L	
			Turbidity	37.1	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	4/07/2025		Conductivity	300	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	6	mg/L	
			pH	7.69	pH	
			TSS	166	mg/L	
			Turbidity	375	NTU	
Monitoring Point 9	4/07/2025		Conductivity	198	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.18	pH	
			TSS	8	mg/L	
			Turbidity	26.3	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	5/07/2025		Conductivity	311	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.26	pH	
			TSS	153	mg/L	
			Turbidity	368	NTU	
Monitoring Point 9	5/07/2025		Conductivity	217	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	6.8	pH	
			TSS	13	mg/L	
			Turbidity	22	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	6/07/2024	Daily during discharge	Conductivity	338	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.65	pH	
			TSS	140	mg/L	
			Turbidity	311	NTU	
Monitoring Point 9	6/07/2024		Conductivity	239	µs/cm	Uncontrolled discharge following 124mm rainfall event
			Oil & Grease	<5	mg/L	
			pH	7.14	pH	
			TSS	10	mg/L	
			Turbidity	19.1	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jun-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	5/06/2025	Daily during discharge	Conductivity	469	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.02	pH	
			TSS	64	mg/L	
			Turbidity	74.6	NTU	
Monitoring Point 9	5/06/2025		Conductivity	516	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.7	pH	
			TSS	9	mg/L	
			Turbidity	11.7	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
May-25						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	407	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.03	pH	
			TSS	71	mg/L	
			Turbidity	136	NTU	
Monitoring Point 9	#####		Conductivity	283	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.62	pH	
			TSS	<5	mg/L	



**Building
something
great**

			Turbidity	11.2	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	388	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.03	pH	
			TSS	122	mg/L	
			Turbidity	214	NTU	
Monitoring Point 9	#####		Conductivity	281	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.61	pH	
			TSS	19	mg/L	
			Turbidity	20.4	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	365	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.13	pH	
			TSS	137	mg/L	
			Turbidity	270	NTU	
Monitoring Point 9	#####		Conductivity	256	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.4	pH	
			TSS	15	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	340	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.01	pH	
			TSS	148	mg/L	
			Turbidity	340	NTU	
Monitoring Point 9	#####		Conductivity	234	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.28	pH	
			TSS	6	mg/L	
			Turbidity	20.5	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Apr-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	497	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	6.66	pH	
			TSS	139	mg/L	
			Turbidity	275	NTU	
Monitoring Point 9	#####		Conductivity	491	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.18	pH	
			TSS	20	mg/L	
			Turbidity	27.2	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	495	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.64	pH	
			TSS	144	mg/L	
			Turbidity	310	NTU	
Monitoring Point 9	#####		Conductivity	488	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	6.83	pH	
			TSS	17	mg/L	
			Turbidity	21.8	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	366	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.09	pH	
			TSS	10	mg/L	
			Turbidity	2.3	NTU	
Monitoring Point 9	#####		Conductivity	526	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.35	pH	
			TSS	24	mg/L	
			Turbidity	27	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	4/04/2025	Daily during discharge	Conductivity	415	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.14	pH	
			TSS	109	mg/L	
			Turbidity	275	NTU	
Monitoring Point 9	4/04/2025		Conductivity	409	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.58	pH	
			TSS	15	mg/L	
			Turbidity	11.5	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/04/2025	Daily during discharge	Conductivity	373	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.47	pH	
			TSS	68	mg/L	
			Turbidity	139	NTU	
Monitoring Point 9	3/04/2025		Conductivity	372	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.16	pH	
			TSS	<5	mg/L	
			Turbidity	8	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	2/04/2025	Daily during discharge	Conductivity	356	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.06	pH	
			TSS	154	mg/L	
			Turbidity	330	NTU	
Monitoring Point 9	2/04/2025		Conductivity	360	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	6.97	pH	
			TSS	23	mg/L	
			Turbidity	24.8	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge



**Building
something
great**

Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	1/04/2025		Conductivity	327	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.95	pH	
			TSS	186	mg/L	
			Turbidity	335	NTU	
Monitoring Point 9	1/04/2025		Conductivity	340	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.31	pH	
			TSS	6	mg/L	
			Turbidity	20.2	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Mar-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	298	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.84	pH	
			TSS	487	mg/L	
			Turbidity	565	NTU	
Monitoring Point 9	#####		Conductivity	340	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.07	pH	
			TSS	18	mg/L	
			Turbidity	40.1	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Feb-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	550	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.16	pH	
			TSS	52	mg/L	
			Turbidity	25	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge



**Building
something
great**

Jan-25						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	571	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	8.11	pH	
			TSS	14	mg/L	
			Turbidity	12.9	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Dec-24						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	516	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.5	pH	
			TSS	17	mg/L	
			Turbidity	20.2	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Nov-24						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	725	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.3	pH	
			TSS	153	mg/L	
			Turbidity	102	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Oct-24						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	511	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.94	pH	
			TSS	<5	mg/L	
			Turbidity	170	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Sep-24						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7			Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9			Conductivity		µs/cm	
			Oil & Grease		mg/L	
			pH		pH	
			TSS		mg/L	
			Turbidity		NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Aug-24						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	470	µs/cm	
			Oil & Grease	<5	mg/L	
			pH	7.27	pH	
			TSS	26	mg/L	



**Building
something
great**

			Turbidity	55.3	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jul-24						
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	420	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	25	mg/L	
			Turbidity	29	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	471	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	46	mg/L	
			Turbidity	70	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a		n/a	No Discharge
Monitoring Point 7	#####		Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	469	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	302	mg/L	
			Turbidity	200	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	417	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	24	mg/L	
			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	402	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	50	mg/L	
			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	ND	µs/cm	
			Oil & Grease	ND	mg/L	
			pH	ND	pH	
			TSS	ND	mg/L	
			Turbidity	ND	NTU	
Monitoring Point 9	#####		Conductivity	438	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	26	mg/L	
			Turbidity	40	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge



**Building
something
great**

Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	475	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	60	mg/L	
			Turbidity	80	NTU	
Monitoring Point 9	#####		Conductivity	441	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	22	mg/L	
			Turbidity	42	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	490	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	1604	mg/L	
			Turbidity	1600	NTU	
Monitoring Point 9	#####		Conductivity	417	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	53	mg/L	
			Turbidity	45	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	471	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	149	mg/L	
			Turbidity	130	NTU	
Monitoring Point 9	#####		Conductivity	390	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	26	mg/L	
			Turbidity	27	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge



**Building
something
great**

Monitoring Point 7	#####		Conductivity	459	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	88	mg/L	
			Turbidity	95	NTU	
Monitoring Point 9	#####		Conductivity	393	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	29	mg/L	
			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	356	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	24	mg/L	
			Turbidity	22	NTU	
Monitoring Point 9	#####		Conductivity	392	µs/cm	
			Oil & Grease	<0.01	mg/L	
			pH	7.3	pH	
			TSS	70	mg/L	
			Turbidity	65	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	439	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	167	mg/L	
			Turbidity	130	NTU	
Monitoring Point 9	#####		Conductivity	391	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	28	mg/L	
			Turbidity	31	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	444	µs/cm	
			Oil & Grease	<0.1	mg/L	



**Building
something
great**

			pH	7.5	pH	
			TSS	153	mg/L	
			Turbidity	100	NTU	
			Conductivity	384	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 9	#####		pH	7.3	pH	
			TSS	12	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
		Daily during discharge	Conductivity	466	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 7	#####		pH	7.6	pH	
			TSS	57	mg/L	
			Turbidity	110	NTU	
			Conductivity	414	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 9	#####		pH	7.7	pH	
			TSS	16	mg/L	
			Turbidity	47	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
		Daily during discharge	Conductivity	467	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 7	#####		pH	7.5	pH	
			TSS	57	mg/L	
			Turbidity	78	NTU	
			Conductivity	372	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 9	#####		pH	7.7	pH	
			TSS	16	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
		Daily during discharge	Conductivity	469	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 7	#####		pH	7.5	pH	
			TSS	61	mg/L	



**Building
something
great**

			Turbidity	75	NTU	
			Conductivity	395	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	18	mg/L	
			Turbidity	21	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	462	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	111	mg/L	
			Turbidity	100	NTU	
			Conductivity	375	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	15	mg/L	
			Turbidity	21	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	449	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	1511	mg/L	
			Turbidity	1700	NTU	
			Conductivity	356	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	50	mg/L	
			Turbidity	24	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	448	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	87	mg/L	
			Turbidity	110	NTU	
			Conductivity	352	µs/cm	
	#####					



**Building
something
great**

Monitoring Point 9			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	21	mg/L	
			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	442	µs/cm	
			Oil & Grease	<0.01	mg/L	
			pH	7.6	pH	
			TSS	100	mg/L	
			Turbidity	130	NTU	
			Conductivity	341	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	12	mg/L	
			Turbidity	20	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	432	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	95	mg/L	
			Turbidity	160	NTU	
			Conductivity	320	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	19	mg/L	
			Turbidity	20	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	9/07/2024	Daily during discharge	Conductivity	425	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	107	mg/L	
			Turbidity	150	NTU	
			Conductivity	297	µs/cm	
Monitoring Point 9	9/07/2024		Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	



**Building
something
great**

			TSS	15	mg/L	
			Turbidity	21	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	8/07/2024	Daily during discharge	Conductivity	410	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	80	mg/L	
			Turbidity	110	NTU	
Monitoring Point 9	8/07/2024		Conductivity	281	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	13	mg/L	
			Turbidity	20	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	7/07/2024	Daily during discharge	Conductivity	388	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	294	mg/L	
			Turbidity	260	NTU	
Monitoring Point 9	7/07/2024		Conductivity	266	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	18	mg/L	
			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	6/07/2024	Daily during discharge	Conductivity	359	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	132	mg/L	
			Turbidity	170	NTU	
Monitoring Point 9	6/07/2024		Conductivity	244	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	23	mg/L	



**Building
something
great**

			Turbidity	34	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	5/07/2024	Daily during discharge	Conductivity	362	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	210	mg/L	
			Turbidity	230	NTU	
Monitoring Point 9	5/07/2024		Conductivity	234	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	26	mg/L	
			Turbidity	45	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	4/07/2024	Daily during discharge	Conductivity	442	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	140	mg/L	
			Turbidity	103	NTU	
Monitoring Point 9	4/07/2024		Conductivity	352	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	25	mg/L	
			Turbidity	28	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/07/2024	Daily during discharge	Conductivity	465	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	82	mg/L	
			Turbidity	110	NTU	
Monitoring Point 9	3/07/2024		Conductivity	397	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	14	mg/L	
			Turbidity	19	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	2/07/2024	Daily during discharge	Conductivity	447	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	73	mg/L	
			Turbidity	76	NTU	
Monitoring Point 9	2/07/2024		Conductivity	381	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	16	mg/L	
			Turbidity	18	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	1/07/2024	Daily during discharge	Conductivity	459	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	66	mg/L	
			Turbidity	70	NTU	
Monitoring Point 9	1/07/2024		Conductivity	396	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.8	pH	
			TSS	29	mg/L	
			Turbidity	25	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Jun-24						
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	418	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.9	pH	
			TSS	52	mg/L	
			Turbidity	55	NTU	
Monitoring Point 9	#####		Conductivity	395	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.8	pH	
			TSS	22	mg/L	
			Turbidity	24	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	463	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.6	pH	
			TSS	38	mg/L	
			Turbidity	50	NTU	
Monitoring Point 9	#####		Conductivity	372	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	8.2	pH	
			TSS	19	mg/L	
			Turbidity	31	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	477	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	55	mg/L	
			Turbidity	65	NTU	
Monitoring Point 9	#####		Conductivity	368	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	10	mg/L	
			Turbidity	19	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	488	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	29	mg/L	
			Turbidity	65	NTU	
Monitoring Point 9	#####		Conductivity	357	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	11	mg/L	
			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge



**Building
something
great**

Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	483	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	66	mg/L	
			Turbidity	60	NTU	
Monitoring Point 9	#####		Conductivity	369	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	30	mg/L	
			Turbidity	5	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	469	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	41	mg/L	
			Turbidity	55	NTU	
Monitoring Point 9	#####		Conductivity	390	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	30	mg/L	
			Turbidity	23	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	476	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	55	mg/L	
			Turbidity	60	NTU	
Monitoring Point 9	#####		Conductivity	361	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	31	mg/L	
			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge



**Building
something
great**

Monitoring Point 7	#####		Conductivity	475	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	59	mg/L	
			Turbidity	65	NTU	
Monitoring Point 9	#####		Conductivity	342	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	14	mg/L	
			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	483	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.1	pH	
			TSS	50	mg/L	
			Turbidity	70	NTU	
Monitoring Point 9	#####		Conductivity	335	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	9	mg/L	
			Turbidity	17	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	429	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.7	pH	
			TSS	53	mg/L	
			Turbidity	55	NTU	
Monitoring Point 9	#####		Conductivity	336	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.1	pH	
			TSS	3	mg/L	
			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6		Daily during discharge	n/a	ND	n/a	No Discharge
Monitoring Point 7	#####		Conductivity	324	µs/cm	
			Oil & Grease	<0.1	mg/L	



**Building
something
great**

			pH	7.7	pH	
			TSS	37	mg/L	
			Turbidity	34	NTU	
			Conductivity	319	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 9	#####		pH	6.9	pH	
			TSS	17	mg/L	
			Turbidity	31	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
		Daily during discharge	Conductivity	484	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 7	#####		pH	8.1	pH	
			TSS	68	mg/L	
			Turbidity	80	NTU	
			Conductivity	323	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 9	#####		pH	8.1	pH	
			TSS	2	mg/L	
			Turbidity	10	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
		Daily during discharge	Conductivity	437	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 7	#####		pH	8.1	pH	
			TSS	39	mg/L	
			Turbidity	60	NTU	
			Conductivity	316	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 9	#####		pH	7.4	pH	
			TSS	8	mg/L	
			Turbidity	14	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
		Daily during discharge	Conductivity	456	µs/cm	
			Oil & Grease	<0.1	mg/L	
Monitoring Point 7	#####		pH	7.1	pH	
			TSS	73	mg/L	



**Building
something
great**

			Turbidity	95	NTU	
			Conductivity	296	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7	pH	
			TSS	2	mg/L	
			Turbidity	15	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
			Conductivity	439	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
			TSS	63	mg/L	
			Turbidity	95	NTU	
Monitoring Point 7	#####	Daily during discharge	Conductivity	289	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
			TSS	5	mg/L	
			Turbidity	23	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
			Conductivity	452	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	89	mg/L	
			Turbidity	100	NTU	
Monitoring Point 7	#####	Daily during discharge	Conductivity	288	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	2	mg/L	
			Turbidity	15	NTU	
Monitoring Point 9	#####		n/a	ND	n/a	No Discharge
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
			Conductivity	452	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	268	mg/L	
			Turbidity	190	NTU	
Monitoring Point 7	#####	Daily during discharge	Conductivity	267	µs/cm	



**Building
something
great**

Monitoring Point 9			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	6	mg/L	
			Turbidity	16	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	444	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	117	mg/L	
			Turbidity	110	NTU	
			Conductivity	262	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
Monitoring Point 9	#####		TSS	12	mg/L	
			Turbidity	20	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	#####	Daily during discharge	Conductivity	331	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	35	mg/L	
			Turbidity	55	NTU	
			Conductivity	245	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
Monitoring Point 9	#####		TSS	10	mg/L	
			Turbidity	21	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	6/06/2024	Daily during discharge	Conductivity	430	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	563	mg/L	
			Turbidity	850	NTU	
Monitoring Point 9	6/06/2024		Conductivity	297	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	



**Building
something
great**

			TSS	56	mg/L	
			Turbidity	60	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	5/06/2024	Daily during discharge	Conductivity	494	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	77	mg/L	
			Turbidity	100	NTU	
			Conductivity	378	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.3	pH	
Monitoring Point 9	5/06/2024		TSS	23	mg/L	
			Turbidity	26	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	4/06/2024	Daily during discharge	Conductivity	495	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	69	mg/L	
			Turbidity	85	NTU	
			Conductivity	375	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.2	pH	
Monitoring Point 9	4/06/2024		TSS	402	mg/L	
			Turbidity	240	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	3/06/2024	Daily during discharge	Conductivity	460	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	161	mg/L	
			Turbidity	150	NTU	
			Conductivity	399	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
Monitoring Point 9	3/06/2024		TSS	19	mg/L	
			Turbidity	25	NTU	



**Building
something
great**

Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	2/06/2024	Daily during discharge	Conductivity	488	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.6	pH	
			TSS	143	mg/L	
			Turbidity	170	NTU	
Monitoring Point 9	2/06/2024		Conductivity	395	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	12	mg/L	
			Turbidity	20	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge
Monitoring Point 6			n/a	ND	n/a	No Discharge
Monitoring Point 7	1/06/2024	Daily during discharge	Conductivity	477	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.5	pH	
			TSS	59	mg/L	
			Turbidity	80	NTU	
Monitoring Point 9	1/06/2024		Conductivity	385	µs/cm	
			Oil & Grease	<0.1	mg/L	
			pH	7.4	pH	
			TSS	28	mg/L	
			Turbidity	36	NTU	
Monitoring Point 10			n/a	ND	n/a	No Discharge

Dunmore Quarry Monitoring Locations.



LEGEND

- | | | | |
|---|--|---|---|
| — Site Boundary | ● Water Discharge Monitoring Point | ● Deposited Dust Monitoring Point | ● Weather Analysis Monitoring Point |
| ● Blast Monitoring Point | ● High Volume Air Sampling Point | | |