



# Environmental Monitoring Report

---

## Dunmore Lakes Sand Project April 2024

Date Published: June 2024



## Dunmore Lakes Sand Project Environmental Monitoring Report

This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of request, any monitoring data that relates to pollution under an Environment Protection Licence.

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 11147 (EPL 11147 – Boral Dunmore Lakes Sand Project)

This report provides environmental monitoring data for Dunmore Lakes Sand Project for the period of February 2020 to February 2024.

Dunmore Lakes Sand Project Information	
Premise Details	Boral – Dunmore Lakes Sand Project
Address	Princes Highway, Dunmore NSW, 2529
Licensee	Boral Resources (NSW) PTY LTD
EPL N°	11147
EPL Location	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33270&amp;SYSUID=1&amp;LICID=11147">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33270&amp;SYSUID=1&amp;LICID=11147</a>

Monitoring data in this report relates to the monitoring undertaken for Water Quality.

## Dunmore Lakes Sand Project Environmental Monitoring Report

### Water Monitoring

Water Quality Monitoring is conducted as per condition M2.3 of EPL 11147. The water quality results for the reporting period are tabled below.

Sample Period: April 2024  
 Licensee: Dunmore Lakes Sand Project  
 Address: Princes Hwy, Dunmore NSW 2529  
 EPL No: 11147

Location	Monitoring Frequency	Results received	Pollutant	Measurement	Unit	Comments
Monitoring Point 9 DW16	12/04/2024	10/05/2024	pH Total Suspended Solids Turbidity	7.1 15 17	pH mg/L NTU	One large ongoing uncontrolled discharge event after heavy rainfall.
	11/04/2024	10/05/2024	pH Total Suspended Solids Turbidity	7.1 109 34	pH mg/L NTU	
	10/04/2024	10/05/2024	pH Total Suspended Solids Turbidity	7.1 24 32	pH mg/L NTU	
	09/04/2024	10/05/2024	pH Total Suspended Solids Turbidity	7.1 37 29	pH mg/L NTU	
	08/04/2024	01/05/2024	pH Total Suspended Solids Turbidity	7.1 19 16	pH mg/L NTU	
Monitoring Point 9 DW16	19/03/2024	07/05/2024	pH Total Suspended Solids Turbidity	7 14 6.5	pH mg/L NTU	One large ongoing uncontrolled discharge event after heavy rainfall.
Monitoring Point 9 DW16	09/02/2024		pH Total Suspended Solids Turbidity	7.9 18 6.2	pH mg/L NTU	Uncontrolled discharge ended on 04/02/2024 and controlled discharge initiated on 06/02/2024.
	08/02/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.8 30 9.7	pH mg/L NTU	
	07/02/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.6 28 8	pH mg/L NTU	
	06/02/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.7 29 6.8	pH mg/L NTU	
Monitoring Point 9 DW16	04/02/2024	22/3/2024	pH Total Suspended Solids Turbidity	8 27 4.9	pH mg/L NTU	One large ongoing uncontrolled discharge event after heavy rainfall.
	03/02/2024	22/3/2024	pH Total Suspended Solids Turbidity	8 28 4.4	pH mg/L NTU	
	02/02/2024	22/3/2024	pH Total Suspended Solids Turbidity	ND ND ND	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

01/02/2024	22/3/2024	pH Total Suspended Solids Turbidity	8 19 5	pH mg/L NTU
30/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.8 11 6.7	pH mg/L NTU
29/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	8 5 6	pH mg/L NTU
28/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.8 11 5.7	pH mg/L NTU
27/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.7 5 3.8	pH mg/L NTU
26/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.9 6 3.9	pH mg/L NTU
25/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	8 5 4.9	pH mg/L NTU
24/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.9 14 4	pH mg/L NTU
23/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.9 14 7.2	pH mg/L NTU
22/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.7 28 5.8	pH mg/L NTU

Monitoring Point 9 DW16

20/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	8.1 15 6.4	pH mg/L NTU
19/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.5 14 3.4	pH mg/L NTU
18/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	8 11 1.2	pH mg/L NTU
17/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.6 11 5.2	pH mg/L NTU
16/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.6 18 7.2	pH mg/L NTU
15/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.5 14 5	pH mg/L NTU
14/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.5 8 3.5	pH mg/L NTU
13/01/2024	22/3/2024	pH Total Suspended Solids Turbidity	7.7 15 4.2	pH mg/L NTU
12/01/2024	22/3/2024	pH	7.5	pH

One large ongoing uncontrolled discharge event after heavy rainfall.

## Dunmore Lakes Sand Project Environmental Monitoring Report

		Total Suspended Solids	9	mg/L
		Turbidity	3.3	NTU
11/01/2024	22/3/2024	pH	7.5	pH
		Total Suspended Solids	7	mg/L
		Turbidity	3.4	NTU
10/01/2024	22/3/2024	pH	7.8	pH
		Total Suspended Solids	17	mg/L
		Turbidity	3.3	NTU
09/01/2024	22/3/2024	pH	7.5	pH
		Total Suspended Solids	13	mg/L
		Turbidity	2.5	NTU
08/01/2024	22/3/2024	pH	7.4	pH
		Total Suspended Solids	18	mg/L
		Turbidity	4.9	NTU
07/01/2024	22/3/2024	pH	7.3	pH
		Total Suspended Solids	14	mg/L
		Turbidity	3	NTU
06/01/2024	22/3/2024	pH	7.4	pH
		Total Suspended Solids	17	mg/L
		Turbidity	7.4	NTU
05/01/2024	22/3/2024	pH	7.3	pH
		Total Suspended Solids	16	mg/L
		Turbidity	4.5	NTU
04/01/2024	22/3/2024	pH	7.1	pH
		Total Suspended Solids	6	mg/L
		Turbidity	2.2	NTU
03/01/2024	22/3/2024	pH	7.2	pH
		Total Suspended Solids	8	mg/L
		Turbidity	3.8	NTU
02/01/2024	22/3/2024	pH	7.5	pH
		Total Suspended Solids	7	mg/L
		Turbidity	4.9	NTU
01/01/2024	22/3/2024	pH	7.2	pH
		Total Suspended Solids	11	mg/L
		Turbidity	6.5	NTU

\*Awaiting laboratory results

ND: No discharge from sampling site

NA: Not yet activated by operations

**Dunmore Lakes Sand Project Environmental Monitoring Report**  
**Historical Water Monitoring Data**

Location	Monitoring Frequency	Results received	Pollutant	Measurement	Unit	Comments
Monitoring Point 9 DW16	29/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.3 6 3.3	pH mg/L NTU	One large ongoing uncontrolled discharge event after heavy rainfall.
	27/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.5 11 12	pH mg/L NTU	
	25/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.8 18 12	pH mg/L NTU	
	24/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.8 5 5.7	pH mg/L NTU	
	23/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.7 11 9.1	pH mg/L NTU	
	22/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.7 4 11	pH mg/L NTU	
	21/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.7 18 15	pH mg/L NTU	
	20/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.7 17 12	pH mg/L NTU	
	Monitoring Point 9 DW16	18/12/2023	04/03/2024	pH Total Suspended Solids Turbidity	7.8 14 4.1	
15/12/2023		01/02/2024	pH Total Suspended Solids Turbidity	7.9 15 22	pH mg/L NTU	
Monitoring Point 9 DW16	05/12/2023	01/02/2024	pH Total Suspended Solids Turbidity	8.3 1.0 3.4	pH mg/L NTU	Associated with an uncontrolled discharge event followed by a controlled discharge event.
	04/12/2023	01/02/2024	pH Total Suspended Solids Turbidity	8.3 3.0 7.4	pH mg/L NTU	
	03/12/2023	01/02/2024	pH Total Suspended Solids Turbidity	8.1 6.0 7.8	pH mg/L NTU	
	02/12/2023	01/02/2024	pH Total Suspended Solids Turbidity	8.2 4.0 10	pH mg/L NTU	
	01/12/2023	01/02/2024	pH Total Suspended Solids Turbidity	8.1 21 19	pH mg/L NTU	
	30/11/2023	01/02/2024	pH Total Suspended Solids Turbidity	8.2 20 25	pH mg/L NTU	
	29/11/2023	01/02/2024	pH Total Suspended Solids	8.3 13	pH mg/L	

## Dunmore Lakes Sand Project Environmental Monitoring Report

			Turbidity	16	NTU	
Monitoring Point 9 DW16	16/09/2023	16/10/2023	pH Total Suspended Solids Turbidity	8 17 9.5	pH mg/L NTU	Associated with one ongoing controlled discharge event
	15/09/2023	16/10/2023	pH Total Suspended Solids Turbidity	8 9 6.7	pH mg/L NTU	
	14/09/2023	16/10/2023	pH Total Suspended Solids Turbidity	8.3 19 15	pH mg/L NTU	
	13/09/2023	16/10/2023	pH Total Suspended Solids Turbidity	8.2 7 16	pH mg/L NTU	
	12/09/2023	16/10/2023	pH Total Suspended Solids Turbidity	8.1 11 16	pH mg/L NTU	
	11/09/2023	16/10/2023	pH Total Suspended Solids Turbidity	8.0 10 20	pH mg/L NTU	
Monitoring Point 9 DW20b	22/06/2023	30/06/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in June
Monitoring Point 10 DW21a	22/06/2023	30/06/2023	pH Total suspended solids Turbidity	7.0 22 19	pH mg/L NTU	
Monitoring Point 11 EPL12	22/06/2023	30/06/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 12 EPL11	22/06/2023	30/06/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 18 EPL13	22/06/2023	30/06/2023	pH Total suspended solids Turbidity	6.7 34 45	pH mg/L NTU	
Monitoring Point 9 DW20b	23/05/2023	05/06/2023	pH Total suspended solids Turbidity	7.7 331 45	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in May
Monitoring Point 10 DW21a	23/05/2023	05/06/2023	pH Total suspended solids Turbidity	6.9 10 17	pH mg/L NTU	
Monitoring Point 11 EPL12	23/05/2023	05/06/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 12 EPL11	23/05/2023	05/06/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 18 EPL13	23/05/2023	05/06/2023	pH Total suspended solids Turbidity	6.6 221 60	pH mg/L NTU	
Monitoring Point 9 DW20b	20/04/2023	03/05/2023	pH Total suspended solids Turbidity	7.5 17 15	pH mg/L NTU	There was no instance where 50 mm of rainfall

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 10 DW21a	20/04/2023	03/05/2023	pH Total suspended solids Turbidity	6.9 14 7.7	pH mg/L NTU	was received at the premises within a 48 hour period in April
Monitoring Point 11 EPL12	20/04/2023	03/05/2023	pH Total suspended solids Turbidity	7.7 10 1.2	pH mg/L NTU	
Monitoring Point 12 EPL11	20/04/2023	03/05/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 18 EPL13	20/04/2023	03/05/2023	pH Total suspended solids Turbidity	6.9 32 19	pH mg/L NTU	
Monitoring Point 9 DW20b	23/03/2023	03/04/2023	pH Total suspended solids Turbidity	7.6 22 12	pH mg/L NTU	
Monitoring Point 10 DW21a	23/03/2023	03/04/2023	pH Total suspended solids Turbidity	6.9 24 6.8	pH mg/L NTU	
Monitoring Point 11 EPL12	23/03/2023	03/04/2023	pH Total suspended solids Turbidity	7.5 70 29	pH mg/L NTU	
Monitoring Point 12 EPL11	23/03/2023	03/04/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 18 EPL13	23/03/2023	03/04/2023	pH Total suspended solids Turbidity	6.8 21 7.5	pH mg/L NTU	
Monitoring Point 9 DW20b	15/03/2023	03/04/2023	pH Total suspended solids Turbidity	7.4 31 45	pH mg/L NTU	
Monitoring Point 10 DW21a	15/03/2023	03/04/2023	pH Total suspended solids Turbidity	6.8 27 37	pH mg/L NTU	
Monitoring Point 11 EPL12	15/03/2023	03/04/2023	pH Total suspended solids Turbidity	7.5 24 18	pH mg/L NTU	
Monitoring Point 12 EPL11	15/03/2023	03/04/2023	pH Total suspended solids Turbidity	6.5 5 23	pH mg/L NTU	
Monitoring Point 18 EPL13	15/03/2023	03/04/2023	pH Total suspended solids Turbidity	6.7 33 40	pH mg/L NTU	
Monitoring Point 9 DW20b	23/02/2023	03/04/2023	pH Total suspended solids Turbidity	7.7 13 23	pH mg/L NTU	
Monitoring Point 10 DW21a	23/02/2023	03/04/2023	pH Total suspended solids Turbidity	7.2 13 9.6	pH mg/L NTU	
Monitoring Point 11 EPL12	23/02/2023	03/04/2023	pH Total suspended solids Turbidity	7.5 5 1.6	pH mg/L NTU	
Monitoring Point 12 EPL11	23/02/2023	03/04/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	



## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 18 EPL13	23/02/2023	03/04/2023	pH Total suspended solids Turbidity	7.2 10 9.4	pH mg/L NTU	
Monitoring Point 9 DW20b	09/02/2023	06/03/2023	pH Total suspended solids Turbidity	7.3 346 400	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	09/02/2023	06/03/2023	pH Total suspended solids Turbidity	7.2 79 90	pH mg/L NTU	
Monitoring Point 11 EPL12	09/02/2023	06/03/2023	pH Total suspended solids Turbidity	7 69 110	pH mg/L NTU	
Monitoring Point 12 EPL11	09/02/2023	06/03/2023	pH Total suspended solids Turbidity	6.6 36 70	pH mg/L NTU	
Monitoring Point 18 EPL13	09/02/2023	06/03/2023	pH Total suspended solids Turbidity	6.9 12 9.7	pH mg/L NTU	
Monitoring Point 9 DW20b	19/01/2023	06/03/2023	pH Total suspended solids Turbidity	7.2 7 4.4	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in January
Monitoring Point 10 DW21a	19/01/2023	06/03/2023	pH Total suspended solids Turbidity	7.0 22 4.8	pH mg/L NTU	
Monitoring Point 11 EPL12	19/01/2023	06/03/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 12 EPL11	19/01/2023	06/03/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 18 EPL13	19/01/2023	06/03/2023	pH Total suspended solids Turbidity	6.4 37 17	pH mg/L NTU	
Monitoring Point 9 DW20b	15/12/2023	06/02/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in December
Monitoring Point 10 DW21a	15/12/2023	06/02/2023	pH Total suspended solids Turbidity	7.1 42 2.5	pH mg/L NTU	
Monitoring Point 11 EPL12	15/12/2023	06/02/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 12 EPL11	15/12/2023	06/02/2023	pH Total suspended solids Turbidity	ND	pH mg/L NTU	
Monitoring Point 18 EPL13	15/12/2023	06/02/2023	pH Total suspended solids Turbidity	7.4 39 12	pH mg/L NTU	
Monitoring Point 9 DW20b	23/11/2023	06/02/2023	pH Total suspended solids Turbidity	7.7 13 50	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises
Monitoring Point 10 DW21a	23/11/2023	06/02/2023	pH Total suspended solids	7.5 17	pH mg/L	

## Dunmore Lakes Sand Project Environmental Monitoring Report

			Turbidity	20	NTU	within a 48 hour period in November	
Monitoring Point 11 EPL12	23/11/2023	06/02/2023	pH	7.8	pH		
			Total suspended solids	39	mg/L		
			Turbidity	16	NTU		
Monitoring Point 12 EPL11	23/11/2023	06/02/2023	pH	ND	pH		
			Total suspended solids		mg/L		
			Turbidity		NTU		
Monitoring Point 18 EPL13	23/11/2023	06/02/2023	pH	7.5	pH		
			Total suspended solids	73	mg/L		
			Turbidity	50	NTU		
Monitoring Point 9 DW20b	25/10/2022	8/12/2022	pH	7.4	pH		Monitoring within 24 hours of 50mm rainfall in 48 hour period
			Total suspended solids	17	mg/L		
			Turbidity	21	NTU		
Monitoring Point 10 DW21a	25/10/2022	8/12/2022	pH	7.2	pH		
			Total suspended solids	18	mg/L		
			Turbidity	24	NTU		
Monitoring Point 11 EPL12	25/10/2022	8/12/2022	pH	7.0	pH		
			Total suspended solids	22	mg/L		
			Turbidity	27	NTU		
Monitoring Point 12 EPL11	25/10/2022	8/12/2022	pH	7.7	pH		
			Total suspended solids	45	mg/L		
			Turbidity	60	NTU		
Monitoring Point 18 EPL13	25/10/2022	8/12/2022	pH	7.1	pH		
			Total suspended solids	31	mg/L		
			Turbidity	26	NTU		
Monitoring Point 9 DW20b	22/10/2022	8/12/2022	pH	7.3	pH		Monitoring within 24 hours of 50mm rainfall in 48 hour period
			Total suspended solids	50	mg/L		
			Turbidity	27	NTU		
Monitoring Point 10 DW21a	22/10/2022	8/12/2022	pH	6.8	pH		
			Total suspended solids	34	mg/L		
			Turbidity	18	NTU		
Monitoring Point 11 EPL12	22/10/2022	8/12/2022	pH	7.6	pH		
			Total suspended solids	12	mg/L		
			Turbidity	11	NTU		
Monitoring Point 12 EPL11	22/10/2022	8/12/2022	pH	7.5	pH		
			Total suspended solids	5	mg/L		
			Turbidity	15	NTU		
Monitoring Point 18 EPL13	22/10/2022	8/12/2022	pH	6.9	pH		
			Total suspended solids	54	mg/L		
			Turbidity	19	NTU		
Monitoring Point 9 DW20b	10/10/2022	8/12/2022	pH	7.7	pH		Monitoring within 24 hours of 50mm rainfall in 48 hour period
			Total suspended solids	36	mg/L		
			Turbidity	40	NTU		
Monitoring Point 10 DW21a	10/10/2022	8/12/2022	pH	6.9	pH		
			Total suspended solids	27	mg/L		
			Turbidity	36	NTU		
Monitoring Point 11 EPL12	10/10/2022	8/12/2022	pH	7.8	pH		
			Total suspended solids	96	mg/L		
			Turbidity	90	NTU		
Monitoring Point 12 EPL11	10/10/2022	8/12/2022	pH	6.6	pH		
			Total suspended solids	19	mg/L		
			Turbidity	17	NTU		
Monitoring Point 18 EPL13	10/10/2022	8/12/2022	pH	7.3	pH		
			Total suspended solids	17	mg/L		

## Dunmore Lakes Sand Project Environmental Monitoring Report

			Turbidity	29	NTU	
Monitoring Point 9 DW20b	7/10/2022	8/12/2022	pH Total suspended solids Turbidity	7.8 44 24	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	7/10/2022	8/12/2022	pH Total suspended solids Turbidity	7.2 54 65	pH mg/L NTU	
Monitoring Point 11 EPL12	7/10/2022	8/12/2022	pH Total suspended solids Turbidity	7.6 17 17	pH mg/L NTU	
Monitoring Point 12 EPL11	7/10/2022	8/12/2022	pH Total suspended solids Turbidity	6.8 26 22	pH mg/L NTU	
Monitoring Point 18 EPL13	7/10/2022	8/12/2022	pH Total suspended solids Turbidity	7.5 33 40	pH mg/L NTU	
Monitoring Point 9 DW20b	30/09/2022	8/11/2022	pH Total suspended solids Turbidity	7.9 30 24	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	30/09/2022	8/11/2022	pH Total suspended solids Turbidity	7.2 28 38	pH mg/L NTU	
Monitoring Point 11 EPL12	30/09/2022	8/11/2022	pH Total suspended solids Turbidity	8.1 24 13	pH mg/L NTU	
Monitoring Point 12 EPL11	30/09/2022	8/11/2022	pH Total suspended solids Turbidity	6.8 10 11	pH mg/L NTU	
Monitoring Point 18 EPL13	30/09/2022	8/11/2022	pH Total suspended solids Turbidity	7.1 29 37	pH mg/L NTU	
Monitoring Point 9 DW20b	25/08/2022	5/10/2022	pH Total suspended solids Turbidity	7.7 21 55	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in August
Monitoring Point 10 DW21a	25/08/2022	5/10/2022	pH Total suspended solids Turbidity	7.9 24 23	pH mg/L NTU	
Monitoring Point 11 EPL12	25/08/2022	5/10/2022	pH Total suspended solids Turbidity	7.3 13 2.4	pH mg/L NTU	
Monitoring Point 12 EPL11	25/08/2022	5/10/2022	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	25/08/2022	5/10/2022	pH Total suspended solids Turbidity	7.3 105 75	pH mg/L NTU	
Monitoring Point 9 DW20b	6/07/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	7.2 20 50	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	6/07/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	6.9 5.5 22	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 11 EPL12	6/07/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	6.9 22 28	pH mg/L NTU	
Monitoring Point 12 EPL11	6/07/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	7.4 4 5.9	pH mg/L NTU	
Monitoring Point 18 EPL13	6/07/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	6.8 5.5 19	pH mg/L NTU	
Monitoring Point 9 DW20b	23/06/2022	10/08/2022	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in June
Monitoring Point 10 DW21a	23/06/2022	10/08/2022	pH Total suspended solids Turbidity	7.1 16 29	pH mg/L NTU	
Monitoring Point 11 EPL12	23/06/2022	10/08/2022	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	23/06/2022	10/08/2022	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	23/06/2022	10/08/2022	pH Total suspended solids Turbidity	6.9 104 95	pH mg/L NTU	
Monitoring Point 9 DW20b	23/05/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	7.5 23 30	pH mg/L NTU	
Monitoring Point 10 DW21a	23/05/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	7.0 26 36	pH mg/L NTU	
Monitoring Point 11 EPL12	23/05/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	6.8 9 18	pH mg/L NTU	
Monitoring Point 12 EPL11	23/05/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	7.5 13 12	pH mg/L NTU	
Monitoring Point 18 EPL13	23/05/2022 (50mm rainfall)	28/07/2022	pH Total suspended solids Turbidity	7.0 33 34	pH mg/L NTU	
Monitoring Point 9 DW20b	12/05/2022 (50mm rainfall)	3/06/2022	pH Total suspended solids Turbidity	6.9 42 70	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	12/05/2022 (50mm rainfall)	3/06/2022	pH Total suspended solids Turbidity	7.8 2.5 21	pH mg/L NTU	
Monitoring Point 11 EPL12	12/05/2022 (50mm rainfall)	3/06/2022	pH Total suspended solids Turbidity	7.6 26 50	pH mg/L NTU	
Monitoring Point 12 EPL11	12/05/2022 (50mm rainfall)	3/06/2022	pH Total suspended solids Turbidity	6.9 10 34	pH mg/L NTU	
Monitoring Point 18 EPL13	12/05/2022 (50mm rainfall)	3/06/2022	pH Total suspended solids Turbidity	7.7 24 32	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 9 DW20b	8/04/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	7.3 11 33	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	8/04/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	8/04/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	7.3 19 45	pH mg/L NTU	
Monitoring Point 12 EPL11	8/04/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	6.7 2 25	pH mg/L NTU	
Monitoring Point 18 EPL13	8/04/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity		pH mg/L NTU	
Monitoring Point 9 DW20b	31/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	7.1 21 34.1	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	31/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	6.9 14 16.8	pH mg/L NTU	
Monitoring Point 11 EPL12	31/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	7.3 92 80.2	pH mg/L NTU	
Monitoring Point 12 EPL11	31/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	6.8 16 18.9	pH mg/L NTU	
Monitoring Point 18 EPL13	31/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	6.9 18 20.1	pH mg/L NTU	
Monitoring Point 9 DW20b	29/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	7.1 12 16.2	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21a	29/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	6.8 16 18.9	pH mg/L NTU	
Monitoring Point 11 EPL12	29/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	7.1 179 143	pH mg/L NTU	
Monitoring Point 12 EPL11	29/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	7.2 207 141	pH mg/L NTU	
Monitoring Point 18 EPL13	29/03/2022 (50mm rainfall)	27/04/2022	pH Total suspended solids Turbidity	6.9 25 15.7	pH mg/L NTU	
Monitoring Point 9 DW20b	10/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	7.2 18 27.3	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21b	10/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	10/03/2022	31/03/2022	pH Total suspended solids	7.6 16	pH mg/L	

## Dunmore Lakes Sand Project Environmental Monitoring Report

	(50mm rainfall)		Turbidity	38.6	NTU	
Monitoring Point 12 EPL11	10/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	6.8 6.0 7.63	pH mg/L NTU	
Monitoring Point 18 EPL13	10/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	7.0 15 7.63	pH mg/L NTU	
Monitoring Point 9 DW20b	1/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	7.3 10 16.6	pH mg/L NTU	Monitoring within 24 hours of 50mm rainfall in 48 hour period
Monitoring Point 10 DW21b	1/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	1/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	7.3 25 16.9	pH mg/L NTU	
Monitoring Point 12 EPL11	1/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	6.8 5 6.26	pH mg/L NTU	
Monitoring Point 18 EPL13	1/03/2022 (50mm rainfall)	31/03/2022	pH Total suspended solids Turbidity	6.9 18 9.76	pH mg/L NTU	
Monitoring Point 9 DW20b	24/02/22 (50mm rainfall)	22/04/22	pH Total suspended solids Turbidity	7.5 41	pH mg/L NTU	
Monitoring Point 10 DW21b	24/02/22 (50mm rainfall)	22/04/22	pH Total suspended solids Turbidity	6.9 20	pH mg/L NTU	
Monitoring Point 11 EPL12	24/02/22 (50mm rainfall)	22/04/22	pH Total suspended solids Turbidity	7.4 31	pH mg/L NTU	
Monitoring Point 12 EPL11	24/02/22 (50mm rainfall)	22/04/22	pH Total suspended solids Turbidity	6.6 62	pH mg/L NTU	
Monitoring Point 18 EPL13	24/02/22 (50mm rainfall)	22/04/22	pH Total suspended solids Turbidity	6.7 26	pH mg/L NTU	
Monitoring Point 9 DW20b	20/01/22	31/03/22	pH Total suspended solids Turbidity	7.7 9.0 4.45	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in January
Monitoring Point 10 DW21b	20/01/22	31/03/22	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	20/01/22	31/03/22	pH Total suspended solids Turbidity	8.1 7.0 4.15	pH mg/L NTU	
Monitoring Point 12 EPL11	20/01/22	31/03/22	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	20/01/22	31/03/22	pH Total suspended solids Turbidity	7.3 10 6.24	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 9 DW20b	10/12/21	8/2/22	pH Total suspended solids Turbidity	8.0 20 15	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in December
Monitoring Point 10 DW21b	10/12/21	8/2/22	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	10/12/21	8/2/22	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	10/12/21	8/2/22	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	10/12/21	8/2/22	pH Total suspended solids Turbidity	7.3 21 9.9	pH mg/L NTU	
Monitoring Point 9 DW20b	23/11/21	17/01/22	pH Total suspended solids Turbidity	8.5 7.0 9.5	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in November
Monitoring Point 10 DW21b	23/11/21	17/01/22	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	23/11/21	17/01/22	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	23/11/21	17/01/22	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	23/11/21	17/01/22	pH Total suspended solids Turbidity	7.4 6 6.2	pH mg/L NTU	
Monitoring Point 9 DW20b	26/10/21	2/12/21	pH Total suspended solids Turbidity	7.17 41 17	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in October
Monitoring Point 10 DW21b	26/10/21	2/12/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	26/10/21	2/12/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	26/10/21	2/12/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	26/10/21	2/12/21	pH Total suspended solids Turbidity	7.3 23 24	pH mg/L NTU	
Monitoring Point 9 DW20b	22/09/21 (monthly)	9/11/21	pH Total suspended solids Turbidity	7.60 38 22	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in September
Monitoring Point 10 DW21b	22/09/21 (monthly)	9/11/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	22/09/21 (monthly)	9/11/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	22/09/21 (monthly)	9/11/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 18 EPL13	22/09/21 (monthly)	9/11/21	pH Total suspended solids Turbidity	6.5 25 28	pH mg/L NTU	There was one instance where 50 mm of rainfall was received at the premises within a 48 hour period in August. Monitoring for the monthly and 50mm sampling was combined.
Monitoring Point 9 DW20b	25/08/21 (monthly+50mm)	28/09/21	pH Total suspended solids Turbidity	7.9 30 38	pH mg/L NTU	
Monitoring Point 10 DW21b	25/08/21 (monthly+50mm)	28/09/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	25/08/21 (monthly+50mm)	28/09/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	25/08/21 (monthly+50mm)	28/09/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	25/08/21 (monthly+50mm)	28/09/21	pH Total suspended solids Turbidity	6.5 25 28	pH mg/L NTU	
Monitoring Point 9 DW20b	30/07/21 (monthly)	16/09/21	pH Total suspended solids Turbidity	8.6 7 21	pH mg/L NTU	There was no instance where 50 mm of rainfall was received at the premises within a 48 hour period in July
Monitoring Point 10 DW21b	30/07/21 (monthly)	16/09/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	30/07/21 (monthly)	16/09/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	30/07/21 (monthly)	16/09/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	30/07/21 (monthly)	16/09/21	pH Total suspended solids Turbidity	6.8 38 40	pH mg/L NTU	
Monitoring Point 9 DW20b	29/06/21 (monthly)	28/07/21	pH Total suspended solids Turbidity	8.6 7 21	pH mg/L NTU	
Monitoring Point 10 DW21b	29/06/21 (monthly)	28/07/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	29/06/21 (monthly)	28/07/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	29/06/21 (monthly)	28/07/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	29/06/21 (monthly)	28/07/21	pH Total suspended solids Turbidity	6.8 38 40	pH mg/L NTU	
Monitoring Point 9 DW20b	31/05/21 (monthly)	04/06/21	pH Total suspended solids Turbidity	7.7 15 13	pH mg/L NTU	There was one instance where 50 mm of rainfall was received at the premises within a 48 hour period in May.
Monitoring Point 10 DW21b	31/05/21 (monthly)	04/06/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	31/05/21 (monthly)	04/06/21	pH Total suspended solids Turbidity	7.8 11 4.1	pH mg/L NTU	



## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 12 EPL11	31/05/21 (monthly)	04/06/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	31/05/21 (monthly)	04/06/21	pH Total suspended solids Turbidity	7.2 10 7.7	pH mg/L NTU	
Monitoring Point 9 DW20b	06/05/21 (50mm)	11/05/21	pH Total suspended solids Turbidity	7.1 8.0 14	pH mg/L NTU	
Monitoring Point 10 DW21b	06/05/21 (50mm)	11/05/21	pH Total suspended solids Turbidity	6.2 9.0 11	pH mg/L NTU	
Monitoring Point 11 EPL12	06/05/21 (50mm)	11/05/21	pH Total suspended solids Turbidity	7.4 14 16	pH mg/L NTU	
Monitoring Point 12 EPL11	06/05/21 (50mm)	11/05/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	06/05/21 (50mm)	11/05/21	pH Total suspended solids Turbidity	7.1 22 20	pH mg/L NTU	
Monitoring Point 9 DW20b	28/04/21 (monthly)	25/05/21	pH Total suspended solids Turbidity	8.0 29 20	pH mg/L NTU	There was no instance where 50 mm or more of rainfall was received at the premises within a 48 hour period in April
Monitoring Point 10 DW21b	28/04/21 (monthly)	25/05/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	28/04/21 (monthly)	25/05/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	28/04/21 (monthly)	25/05/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 9 DW20b	20/03/21 (monthly + 50mm)	28/04/21	pH Total suspended solids Turbidity	7.7 3.0 7.8	pH mg/L NTU	There was two instances where 50 mm or more of rainfall was received at the premises within a 48 hour period in February (20/03/21 and 22/03/21). Monthly water quality and wet weather monitoring was combined and undertaken on 20/03/20.
Monitoring Point 10 DW21b	20/03/21 (monthly + 50mm)	28/04/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	20/03/21 (monthly + 50mm)	28/04/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	20/03/21 (monthly + 50mm)	28/04/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	20/03/21 (monthly + 50mm)	28/04/21	pH Total suspended solids Turbidity	7.1 5.0 13	pH mg/L NTU	
Monitoring Point 9 DW20b	24/03/21 (50mm)	07/04/21	pH Total suspended solids Turbidity	7.8 6.0 16	pH mg/L NTU	
Monitoring Point 10 DW21b	24/03/21 (50mm)	07/04/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	24/03/21 (50mm)	07/04/21	pH Total suspended solids Turbidity	8.0 13 19	pH mg/L NTU	Wet weather monitoring was delayed on 22/03/21 due to local flooding and site closure on 22/03/21 and

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 12 EPL11	24/03/21 (50mm)	07/04/21	pH Total suspended solids Turbidity	7.5 12 18	pH mg/L NTU	23/3/21. As per M2.4 note from EPL 11147, the EPA were informed that monitoring would be undertaken when floodwater receded and monitoring sites could be safely accessed. This was undertaken on 24/3/21
Monitoring Point 18 EPL13	24/03/21 (50mm)	07/04/21	pH Total suspended solids Turbidity	6.8 3.0 12	pH mg/L NTU	
Monitoring Point 9 DW20b	17/02/21 (monthly)	24/3/21	pH Total suspended solids Turbidity	7.8 16 7.8	pH mg/L NTU	There was no instance where 50 mm or more of rainfall was received at the premises within a 48 hour period in February
Monitoring Point 10 DW21b	17/02/21 (monthly)	24/3/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	17/02/21 (monthly)	24/3/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	17/02/21 (monthly)	24/3/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	17/02/21 (monthly)	24/3/21	pH Total suspended solids Turbidity	7.2 27 8.6	pH mg/L NTU	
Monitoring Point 9 DW20b	04/01/21 (50mm)	21/1/21	pH Total suspended solids Turbidity	7.5 47 12	pH mg/L NTU	
Monitoring Point 10 DW21b	04/01/21 (50mm)	21/1/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	04/01/21 (50mm)	21/1/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	04/01/21 (50mm)	21/1/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	04/01/21 (50mm)	21/1/21	pH Total suspended solids Turbidity	7.1 28 20	pH mg/L NTU	
Monitoring Point 9 DW20b	28/01/21 (monthly)	23/2/21	pH Total suspended solids Turbidity	8.0 13 6.2	pH mg/L NTU	
Monitoring Point 10 DW21b	28/01/21 (monthly)	23/2/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	28/01/21 (monthly)	23/2/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	28/01/21 (monthly)	23/2/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	28/01/21 (monthly)	23/2/21	pH Total suspended solids Turbidity	7.0 76 34	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 9 DW20b	17/12/20 (monthly)	27/01/21	pH Total suspended solids Turbidity	7.9 20 16	pH mg/L NTU	There was no instance where 50 mm or more of rainfall was received at the premises within a 48 hour period in December
Monitoring Point 10 DW21b	17/12/20 (monthly)	27/01/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 11 EPL12	17/12/20 (monthly)	27/01/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	17/12/20 (monthly)	27/01/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	17/12/20 (monthly)	27/01/21	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 9 DW20b	22/11/20 (monthly)	16/12/20	pH Total suspended solids Turbidity	8.1 7 8.0	pH mg/L NTU	There was no instance where 50 mm or more of rainfall was received at the premises within a 48 hour period in November
Monitoring Point 10 DW21b	22/11/20 (monthly)	16/12/20	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	22/11/20 (monthly)	16/12/20	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	22/11/20 (monthly)	16/12/20	pH Total suspended solids Turbidity	7.8 35 9.8	pH mg/L NTU	
Monitoring Point 18 EPL13	22/11/20 (monthly)	16/12/20	pH Total suspended solids Turbidity	7.3 20 7.3	pH mg/L NTU	
Monitoring Point 9 DW20b	22/10/20 (monthly)	20/11/20	pH Total suspended solids Turbidity	7.4 12 13	pH mg/L NTU	There was no instance where 50 mm or more of rainfall was received at the premises within a 48 hour period in October
Monitoring Point 10 DW21b	22/10/20 (monthly)	20/11/20	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	22/09/20 (monthly)	20/11/20	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	22/10/20 (monthly)	20/11/20	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	22/10/20 (monthly)	20/11/20	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 9 DW20b	21/09/20 (monthly)	23/10/20	pH Total suspended solids Turbidity	7.8 41 14	pH mg/L NTU	There was no instance where 50 mm or more of rainfall was received at the premises within a 48 hour period in September
Monitoring Point 10 DW21b	21/09/20 (monthly)	23/10/20	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	21/09/20 (monthly)	23/10/20	pH Total suspended solids Turbidity	7.9 11 5.3	pH mg/L NTU	
Monitoring Point 12 EPL11	21/09/20 (monthly)	23/10/20	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 18 EPL13	21/09/20 (monthly)	23/10/20	pH Total suspended solids Turbidity	7.6 18 7.8	pH mg/L NTU	<p>There was one instance where 50 mm or more of rainfall was received at the premises within a 48 hour period in August (09/10/20 and 10/08/20).</p> <p>The site was unable to be accessed on the 9th and 10th of August 2020 due to safety concerns and flash flooding which caused site closure.</p> <p>As per note 2 within condition M2.3 the site notified the EPA that sampling would be delayed. DSS undertook sampling as soon as it was safe to do so on 11th of August, 2020.</p>
Monitoring Point 9 DW20b	11/08/20 (50mm)	13/08/20	pH Total suspended solids Turbidity	7.70 8 18.5	pH mg/L NTU	
Monitoring Point 10 DW21b	11/08/20 (50mm)	13/08/20	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	11/08/20 (50mm)	13/08/20	pH Total suspended solids Turbidity	7.98 6 11.2	pH mg/L NTU	
Monitoring Point 12 EPL11	11/08/20 (50mm)	13/08/20	pH Total suspended solids Turbidity	7.82 <5 10.2	pH mg/L NTU	
Monitoring Point 18 EPL13	11/08/20 (50mm)	13/08/20	pH Total suspended solids Turbidity	7.54 <5 11.8	pH mg/L NTU	
Monitoring Point 9 DW20b	31/08/20 (monthly)	29/09/20	pH Total suspended solids Turbidity	7.8 25 15	pH mg/L NTU	
Monitoring Point 10 DW21b	31/08/20 (monthly)	29/09/20	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	31/08/20 (monthly)	29/09/20	pH Total suspended solids Turbidity	8.6 9 3	pH mg/L NTU	
Monitoring Point 12 EPL11	31/08/20 (monthly)	29/09/20	pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	31/08/20 (monthly)	29/09/20	pH Total suspended solids Turbidity	8.0 10 3.4	pH mg/L NTU	
Monitoring Point 9 DW20b	15 July 2020 (monthly)	18 August 2020	pH Total suspended solids Turbidity	7.8 12 10	pH mg/L NTU	<p>There were two instances where 50 mm or more of rainfall was received at the premises within a 48 hour period in July (27/7/2020 and 28/7/2020).</p> <p>The site was unable to be accessed on the 28th of July, 2020 due to safety concerns and flash flooding. As per note 2 within condition M2.3 the site notified the EPA and undertook sampling as soon as it was safe to do so on 29th of July, 2020</p>
Monitoring Point 10 DW21b	15 July 2020 (monthly)	18 August 2020	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	15 July 2020 (monthly)	18 August 2020	pH Total suspended solids Turbidity	7.2 3 12	pH mg/L NTU	
Monitoring Point 12 EPL11	15 July 2020 (monthly)	18 August 2020	pH Total suspended solids Turbidity	6.4 52 100	pH mg/L NTU	
Monitoring Point 18 EPL13	15 July 2020 (monthly)	18 August 2020	pH Total suspended solids Turbidity	7.1 6.0 5.9	pH mg/L NTU	
Monitoring Point 9 DW20b	27 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	8.1 14 15	pH mg/L NTU	
Monitoring Point 10 DW21b	27 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	27 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	7.2 3 12	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 12 EPL11	27 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	6.4 52 100	pH mg/L NTU	
Monitoring Point 18 EPL13	27 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	8.1 33 35	pH mg/L NTU	
Monitoring Point 9 DW20b	29 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	7.6 10 30	pH mg/L NTU	
Monitoring Point 10 DW21b	29 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	29 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	7.5 4 9	pH mg/L NTU	
Monitoring Point 12 EPL11	29 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	6.5 10 26	pH mg/L NTU	
Monitoring Point 18 EPL13	29 July 2020 (50mm)	24 August 2020	pH Total suspended solids Turbidity	6.7 6 11	pH mg/L NTU	
Monitoring Point 9 DW20b	26 June 20 (monthly)		pH Total suspended solids Turbidity	8.0 8.0 6.8	pH mg/L NTU	There was no instance in June where 50 mm or more of rainfall was received at the premises within a 48 hour period.
Monitoring Point 10 DW21b	26 June 20 (monthly)		pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	26 June 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	26 June 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL 13	26 June 20 (monthly)		pH Total suspended solids Turbidity	7.0 149 4.1	pH mg/L NTU	
Monitoring Point 9 DW20b	22 May 20 (monthly)		pH Total suspended solids Turbidity	7.9 14 8.3	pH mg/L NTU	There was no instance in May where 50 mm or more of rainfall was received at the premises within a 48 hour period.
Monitoring Point 10 DW21b	22 May 20 (monthly)		pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	
Monitoring Point 11 EPL12	22 May 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 12 EPL11	22 May 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	
Monitoring Point 18 EPL13	22 May 20 (monthly)		pH Total suspended solids Turbidity	7.2 5.0 5.8	pH mg/L NTU	
Monitoring Point 9 DW20b	30 April 20 (monthly)		pH Total suspended solids Turbidity	7.5 12 5.4	pH mg/L NTU	There was no instance in April where 50 mm or more of rainfall was received at the
Monitoring Point 10 DW21b	30 April 20 (monthly)		pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU	

## Dunmore Lakes Sand Project Environmental Monitoring Report

Monitoring Point 11 EPL12	30 April 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU	premises within a 48 hour period.	
Monitoring Point 12 EPL11	30 April 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU		
Monitoring Point 18 EPL13	30 April 20 (monthly)		pH Total suspended solids Turbidity	7.8 21 14	pH mg/L NTU		
Monitoring Point 9 DW20b	23 Mar 20 (monthly)		pH Total suspended solids Turbidity	7.6 4 4	pH mg/L NTU	There was no instance in March where 50 mm or more of rainfall was received at the premises within a 48 hour period.	
Monitoring Point 10 DW21b	23 Mar 20 (monthly)		pH Total suspended solids Turbidity	NA NA NA	pH mg/L NTU		
Monitoring Point 11 EPL12	23 Mar 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU		
Monitoring Point 12 EPL11	23 Mar 20 (monthly)		pH Total suspended solids Turbidity	ND ND ND	pH mg/L NTU		
Monitoring Point 18 EPL13	23 Mar 20 (monthly)		pH Total suspended solids Turbidity	6.8 44 12	pH mg/L NTU		
Further historical monitoring data relating to water quality can be found in the associated Annual Reviews for each year. Location of the Dunmore Lakes Sand Project Annual Reviews can be found at <a href="https://www.boral.com.au/locations/boral-dunmore-operations">https://www.boral.com.au/locations/boral-dunmore-operations</a>							

Dunmore Lakes Sand Project Monitoring Locations.

Water Quality Monitoring Locations

