

Build something great™



Boral Australia
Southern Region

251 Salmon Street
Port Melbourne
VIC 3207

T: +6 (03) 9981 2800
www.boral.com.au

Boral Limited

Boral Resources(Vic) Pty Ltd
ABN 87 004 620 731



Boral Construction Materials – Victoria Country

Service Fees Sheet: General

Effective 1st April 2020 - All prices are subject to change without notice.

Item	Description																
Extra Cartage	An additional charge of \$2.50 + GST per m ³ per km applies for loads delivered more than 20kms from the nearest Boral plant that batches the product. A minimum of 3 m ³ per km applies.																
Minimum Load	A fee of \$60.00 per m ³ + GST applies for loads delivered less than 3 m ³ . Calculated as: Shortfall x per m ³ rate.																
Out of hours	<p>The following service fees apply for deliveries out of hours. A minimum of 3 m³ applies*:</p> <ul style="list-style-type: none"> - Monday – Friday 4.00 pm to 6.00 am: \$45.00 per m³ + GST - Saturdays 12.00 pm to 12.00 am: \$60.00 per m³ + GST - Sundays & Public holidays: \$90.00 per m³ + GST <p><i>Note: Fee applies at the concrete batch time, not delivered time.</i> <i>* Saturday mornings prior to 6.00 am calculated at \$45.00 per m³ + GST, Monday mornings prior to 6.00 am calculated at \$90.00 per m³ + GST.</i></p>																
Plant Opening	<p>In addition to the out of hour's service fee, a plant opening fee of \$2,500.00 + GST will be applied to open the plant outside normal operating hours.</p> <p><i>Note: This is subject to availability and 48 hours' notice is required.</i></p>																
Cancellation	A fee of \$1,500.00 + GST applies when a pour is cancelled after 3.00 pm the day prior.																
Waiting Time	<p>Calculated as unloading time per minute > 30 minutes x rate.</p> <ul style="list-style-type: none"> - Normal hours: \$3.00 per minute + GST - Out of hours: \$5.50 per minute + GST 																
Credit Card and Debit Card	A 0.8% surcharge applies to all MasterCard and Visa credit and debit card transactions. A 2.7% surcharge applies to all AMEX credit card transactions. A 3.0% surcharge applies to all Diners credit card transactions.																
Disposal	<p>Over ordered or surplus concrete can be returned in the delivery vehicle for environmentally responsible disposal if no facility is provided on site. Returned concrete will be charged at \$150.00 per m³ (or part thereof) as per the following schedule:</p> <table style="margin-left: auto; margin-right: auto;"> <tbody> <tr> <td>0.1-1.0m³</td> <td>\$150.00 + GST</td> </tr> <tr> <td>1.1-2.0m³</td> <td>\$300.00 + GST</td> </tr> <tr> <td>2.1-3.0m³</td> <td>\$450.00 + GST</td> </tr> <tr> <td>3.1-4.0m³</td> <td>\$600.00 + GST</td> </tr> <tr> <td>4.1-5.0m³</td> <td>\$750.00 + GST</td> </tr> <tr> <td>5.1-6.0m³</td> <td>\$900.00 + GST</td> </tr> <tr> <td>6.1-7.0m³</td> <td>\$1,050.00 + GST</td> </tr> <tr> <td>7.1-8.0m³</td> <td>\$1,200.00 + GST</td> </tr> </tbody> </table>	0.1-1.0m ³	\$150.00 + GST	1.1-2.0m ³	\$300.00 + GST	2.1-3.0m ³	\$450.00 + GST	3.1-4.0m ³	\$600.00 + GST	4.1-5.0m ³	\$750.00 + GST	5.1-6.0m ³	\$900.00 + GST	6.1-7.0m ³	\$1,050.00 + GST	7.1-8.0m ³	\$1,200.00 + GST
0.1-1.0m ³	\$150.00 + GST																
1.1-2.0m ³	\$300.00 + GST																
2.1-3.0m ³	\$450.00 + GST																
3.1-4.0m ³	\$600.00 + GST																
4.1-5.0m ³	\$750.00 + GST																
5.1-6.0m ³	\$900.00 + GST																
6.1-7.0m ³	\$1,050.00 + GST																
7.1-8.0m ³	\$1,200.00 + GST																
Pump Blowback	<p>A service fee of \$500.00 per load + GST in addition to the disposal fee will be charged for all pump blowbacks.</p> <p><i>Note: Pump blowback will only be undertaken if safe to do so.</i></p>																
Plant Mixing	A service fee of \$100.00 per load + GST applies where concrete is mixed in a Boral plant and taken away in the customer's vehicle.																

Quote conditions and Conditions of Quotation & Supply apply in addition to the above.

Boral Construction Materials – Victoria Country

Service Fees Sheet: Testing

Effective 1st April 2020 - All prices are subject to change without notice.

The following rates are applicable to concrete sampled, collected and tested during normal hours.



Test Description	Test Method	Price Excl. GST																		
Compression Strength Test	Compression testing includes cast, cure and crush report and slump test. <i>Minimum of 3, 100 x 200 cylinders per test.</i> AS1012 parts 1, 8.1, 9 & 12.1	\$75.00 per cylinder																		
Slump Test	Slump tests are provided where no compressive strength cylinders are taken from a sample. <i>Minimum of 6 slump tests per site visit unless combined with a compressive strength test.</i> AS1012 parts 1 & 3.1.	\$30.00 per test + Tester hourly rate																		
Drying Shrinkage Test	Cast, cure & measure prisms (up to 56 days). Set of 3 prisms. AS1012 parts 1 & 13.	\$409.09 per set																		
Other Tests	Boral Concrete has laboratories located throughout Australia and offer a wide range of testing services, including: <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Spread/Flow</td> <td>Maturity Meter</td> </tr> <tr> <td>Flexural Strength</td> <td>Schmidt Hammer</td> </tr> <tr> <td>Grout Cube Compressive Test</td> <td>Slump Flow Test + J Ring</td> </tr> <tr> <td>Air Content</td> <td>Spread Flow Test + T500</td> </tr> <tr> <td>Field Yield</td> <td>Water Permeability</td> </tr> <tr> <td>Bleeding</td> <td>Fibre Count</td> </tr> <tr> <td>Chloride Diffusion</td> <td>Combined Grading</td> </tr> <tr> <td>Rapid Chloride Permeability</td> <td>Apparent Volume of Permeable Voids</td> </tr> <tr> <td>Thermal Resistivity</td> <td></td> </tr> </table>	Spread/Flow	Maturity Meter	Flexural Strength	Schmidt Hammer	Grout Cube Compressive Test	Slump Flow Test + J Ring	Air Content	Spread Flow Test + T500	Field Yield	Water Permeability	Bleeding	Fibre Count	Chloride Diffusion	Combined Grading	Rapid Chloride Permeability	Apparent Volume of Permeable Voids	Thermal Resistivity		Price and availability on Application
Spread/Flow	Maturity Meter																			
Flexural Strength	Schmidt Hammer																			
Grout Cube Compressive Test	Slump Flow Test + J Ring																			
Air Content	Spread Flow Test + T500																			
Field Yield	Water Permeability																			
Bleeding	Fibre Count																			
Chloride Diffusion	Combined Grading																			
Rapid Chloride Permeability	Apparent Volume of Permeable Voids																			
Thermal Resistivity																				

Testing Fees:

Tester Hourly Rate: A fee of \$100.00 per hour + GST (or part thereof) will be charged when:

- Tester is on site and not undertaking compressive strength cylinder testing activities
- Testers are required to attend a site induction prior to carrying out testing
- Travelling time exceeds 0.5 hours

Cancellation Fee: A fee of \$1,500.00 +GST will be charged when testing is cancelled by the customer within one (1) hour of the scheduled start time.

On-Site Curing: A fee of \$50.00 per cylinder + GST will be charged where the Customer requests cylinders be left on site in contradiction to Australian Standards.

Note: Boral does not charge extra for testing cylinders that are collected the next working day and air cured at Boral's laboratory.

Product & Mix Design: A fee of \$1,000.00 + GST will be charged for developing new concrete product and mix designs requested by the customer.

Test Report Reissue: A fee of \$50.00 per report + GST will be charged when a customer requests a report be re-issued.

Out of Hours Testing Fee: The following fees will apply where concrete is collected and tested between the following hours:

- | | |
|---------------------------------------|---------------------|
| - Monday – Friday 5.00 pm to 6.00 am: | Standard rate x 2 |
| - Saturdays 12.00 pm to 12.00 am: | Standard rate x 2 |
| - Sundays & Public holidays: | Standard rate x 2.5 |

Laboratory Opening Fee: An opening fee of \$318.18 + GST will be charged for opening the laboratory outside of normal hours. Fees are payable regardless of, and in addition to, other testing charges and if cancelled within 24 hours of an agreed opening.

Boral reserves the right to use appropriately qualified sub-contractors to sample concrete and perform relevant tests in accordance with the testing rates above.