FINAL REPORT

CERTIFICATE No.: 23507



Boral Cement Limited ABN 62 008 528 523 Taylor Avenue New Berrima NSW 2577 Locked Bag 4 New Berrima NSW 2577

> T +61 2 4860 2222 F +61 2 4860 2257

TEST CERTIFICATE OF: Maldon Daily Despatch General Purpose Bagged Cement

PRODUCED AT: Boral Cement Limited Maldon
TESTED AT: Berrima Works Laboratory

SAMPLE IDENTIFICATION: MBGGP2200925

DATE DESPATCHED: 4/04/2022

PROPERTY		REQUIREME	ENTS OF AS 3972		RESULT
SO ₃ (AS 2350.2)		Maximum	3.5 %		2.8 %
CI (AS 2350.2)		Maximum	0.10 %		0.02 %
OTHER REPORTABLE	PROPERTIES				
OTHER REPORTABLE	PROPERTIES		PHYSICAL		
	PROPERTIES 0.48 %		PHYSICAL Fineness Index	(AS 2350.8)	375 m²/kį
CHEMICAL				(AS 2350.8)	375 m²/kṛ

REMARKS

Sampling not carried out by laboratory. Samples tested as received.

This cement is a Type GP cement with up to 7.5% mineral addition.

IN!

Marc Smith
Technical Services Manager

Date of Issue: 19/05/2022



Page 1 of 1

Report Template - Rev. (4) Jul 2021 Authorised by M.A.

Boral Construction Materials Materials Technical Services

Unit 4, 3-5 Gibbon Road Baulkham Hills NSW 2153 Australia

PO Box 400, Winston Hills NSW 2153

T +61 (02) 9624 9900

TEST REPORT

boral.com.au

CLIENT:

BORAL CEMENT - (TECHNICAL)

FILE NO: 50/22

ADDRESS:

39 Delhi Road, North Ryde, NSW 2113

REQUEST NO:

99018

TEST METHOD: AS/NZS 2350: Method of Testing Portland and Blended Cements

CEMENT IDENTIFICATION:

MBGGP2200925

LAB. SAMPLE NO:

265981

SAMPLE SOURCE:

Maldon

DATE SAMPLED:

04/04/2022

DATE RECEIVED:

11/04/2022

Results

Date of cast: 27/04/2022

PROPERTY	DATE TESTED	TEST METHOD	RESULT
Compressive strength - 3 days Compressive strength - 7 days Compressive strength - 28 days Normal Consistency Setting Time Initial Set Final Set Soundness	30/04/2022	AS/NZS 2350.11	32.3 MPa
	04/05/2022	AS/NZS 2350.11	41.7 MPa
	25/05/2022	AS/NZS 2350.11	58.2 MPa
	24/05/2022	AS/NZS 2350.3	28.2%
	24/05/2022	AS/NZS 2350.4	135 Minutes
	24/05/2022	AS/NZS 2350.4	240 Minutes
	25/05/2022	AS/NZS 2350.5	1 mm

Note:

Cement was provided by the client and tested as received.

Marc Smith, Parisa Sowti, Violeta Paicu, Mat. File, File

ucudulius Alvaro Approved Signator CEM99018.JA.6 28/05 Serial No. Date:

