



Building something great™

# Boral Maldon Cement Works POELA Act 2011 Monitoring Data

## Boral Cement Maldon, NSW

### Environmental Protection Licence No. 212

Explanation of units of measure:

mg/m<sup>3</sup> = milligrams per cubic metre

g/m<sup>2</sup>/month = grams per square metre per month

µg/m<sup>3</sup> = micrograms per cubic metre

mg/L = milligrams per litre

NTU = Nephelometric Turbidity Unit

### Record updated on 14 August 2023

*Maldon Cement Plant's webpage became live in July 2014. The monitoring data has been uploaded to the internet for public use since that time.*

## 1. Ambient air/dust monitoring

### 1.1 Dust Deposition Gauges

The measurement is expressed as Total Insoluble Matter (g/m<sup>2</sup>-month) (grams/square metre/month).

This test measures the levels of the coarse dust (generated mostly from unsealed roads, raw material handling, open stockpiles, etc.). It is a measure of dust **nuisance** (dust on cars, washings, window panes) in the immediate vicinity of the source, as the heavy dust settles quickly and doesn't travel far. It is not an indication of potential health problems as it doesn't penetrate into the respiratory system due to the large size of dust particles.

**License limit:** Not specified.

The NSW State guideline of 4 g/m<sup>2</sup>/month (gram/square metre/month) (presented as 12-month rolling average) was adopted.

	Dust Deposition Gauges (grams per square meter per month as 12-month rolling average)					
	1	2	4	5	6	7
<b>Oct 2020</b> Report received 27/11/2020 Date Published 04/12/2020	-	2.42	3.57	3.05	2.86	2.87
<b>Nov 2020</b> Report received 21/12/2020 Date Published 08/02/2021	-	2.17	3.22	2.79	2.65	2.61
<b>Dec 2020</b> Report received 05/02/2021 Date Published 08/02/2021	-	2.08	3.23	2.70	2.54	2.77
<b>Jan 2021</b> Report received 05/03/2021 Date Published 21/06/2021	-	2.49	3.78	3.21	3.05	2.88
<b>Feb 2021</b> Report received 07/04/2021 Date Published 21/06/2021	-	2.42	3.57	3.05	2.86	2.87



Building something great™

	Dust Deposition Gauges (grams per square meter per month as 12-month rolling average)					
	1	2	4	5	6	7
<b>Mar 2021</b> Report received 26/04/2021 Date Published 21/06/2021	-	2.17	3.22	2.79	2.65	2.61
<b>Apr 2021</b> Report received 13/05/2021 Date Published 21/06/2021	-	2.08	3.23	2.70	2.54	2.77
<b>May 2021</b> Report received 16/06/2021 Date Published 14/07/2021	-	2.08	3.23	2.70	2.54	2.77
<b>June 2021</b> Report received 03/08/2021 Date Published 08/11/2021	-	1.35	2.27	1.55	1.67	2.06
<b>July 2021</b> Report received 17/08/2021 Date Published 08/11/2021	-	1.59	2.37	1.55	1.60	1.99
<b>August 2021</b> Report received 22/09/2021 Date Published 08/11/2021	-	1.58	2.45	1.57	1.54	1.90
<b>September 2021</b> Report received 19/10/2021 Date Published 08/11/2021	-	1.54	2.44	1.57	1.51	1.65
<b>October 2021</b> Report received 25/11/2021 Date Published 12/08/2022	-	1.53	2.66	1.69	1.44	1.64
<b>November 2021</b> Report received 13/12/21 Date Published 12/08/2022	-	1.51	2.64	1.64	1.53	1.60
<b>December 2021</b> Report received Date Published 12/08/2022		1.51	2.74	1.68	1.64	1.69
<b>January 2022</b> Report received 14/12/2022 Date Published 12/08/2022	-	1.49	2.75	2.29	1.59	1.64
<b>February 2022</b> Report received 07/04/2021 Date Published 12/08/2022	-	1.68	2.87	2.41	1.73	1.81
<b>March 2022</b> Report received 26/04/2022 Date Published 12/08/2022	-	1.63	2.79	2.35	1.70	1.72
<b>April 2022</b> Report received Date Published 12/08/2022	-	1.59	2.71	2.24	1.66	1.66
<b>May 2022</b> Report received 01/07/2022 Date Published 12/08/2022	-	1.61	2.71	2.22	1.63	1.67
<b>June 2022</b> Report received Date Published 12/08/2022		1.68	2.97	3.04	1.57	1.53
<b>July 2022</b> Report received 17/08/2022 Date Published 16/09/2022		1.64	3.09	2.85	1.50	1.55
<b>August 2022</b> Report received 06/09/2022 Date Published 16/09/2022		1.57	2.86	2.67	1.40	1.57
<b>September 2022</b> Report received 01/11/2022		1.64	2.83	2.67	1.40	1.62



Building something great™

	Dust Deposition Gauges (grams per square meter per month as 12-month rolling average)					
	1	2	4	5	6	7
Date Published 14/12/2022						
<b>October 2022</b> Report received 01/12/2022 Date Published 14/12/2022		1.65	2.74	2.77	1.44	1.84
<b>November 2022</b> Report received 14/08/2023 Date Published 14/08/2023		1.68	2.44	2.84	1.38	2.06
<b>December 2022</b> Report received 14/08/2023 Date Published 14/08/2023		1.76	2.20	2.77	1.19	1.92
<b>January 2023</b> Report received 14/08/2023 Date Published 14/08/2023		1.80	2.13	2.04	1.20	1.91
<b>February 2023</b> Report received 14/08/2023 Date Published 14/08/2023		1.47	1.79	1.75	0.91	1.63
<b>March 2023</b> Report received 14/08/2023 Date Published 14/08/2023		1.79	2.02	1.97	1.09	1.83
<b>April 2023</b> Report received 14/08/2023 Date Published 14/08/2023		1.81	2.17	2.05	1.13	1.79
<b>May 2023</b> Report received 14/08/2023 Date Published 14/08/2023		1.70	2.01	2.08	1.06	1.69
<b>June 2023</b> Report received 14/08/2023 Date Published 14/08/2023		1.64	2.05	2.02	1.14	1.71

**Compliance Summary:** Currently all the dust gauges are compliant with state guidelines. A continuous dust mitigation process is in place by water browser, truck tire wash, and on-site water sprayer. Dust gauge no. 1 is under consideration with EPA as the land has been sold to another private entity.

Reported Month	Dust Deposition Gauges (4 Years Data) (grams per square meter per month as at actual tested)					
	1	2	4	5	6	7
November 2018	4.18	4.71	4.6	3.48	4.5	6.67
Dec18-Jan19	6.76	5.71	8.12	4.51	5.08	4.93
February 2019	3.84	5.14	6.21	4.13	4.18	3.23
March 2019		7.70	2.75	3.4	4.19	2.42
April 2019		1.55	2.58	1.22	1.36	0.41
May 2019		1.85	4.67	1.31	1.19	0.88
June 2019		2.89	6.07	2.17	1.56	2.03
July 2019		1.87	4.36	1.45	1.01	0.92
August 2019		2.72	3.59	2.18	1.77	1.63
September 2019		1.92	4.56	1.56	0.39	1.40
October 2019		1.98	4.12	2.82	3.92	1.45
November 2020		4.43	6.2	4.44	4.51	4.85
December 2020		2.11	3.9	3.81	3.95	3.26



Building something great™

Reported Month	Dust Deposition Gauges (4 Years Data) (grams per square meter per month as at actual tested)					
	1	2	4	5	6	7
January 2020		6.21	7.93	9.04	7.99	6.90
February 2020		5.25	6.76	7.85	5.36	4.07
March 2020		2.21	2.18	2.22	3.29	2.47
April 2020		0.97	1.15	0.86	0.99	1.04
May 2020		0.95	2.06	1.03	1.39	1.37
June 2020		0.70	1.37	0.49	0.6	1.33
July 2020		1.78	2.69	1.24	1.79	1.88
August 2020		1.55	3.79	1.51	1.53	2.17
September 2020		1.72	3.20	NA	1.29	3.81
October 2020		1.12	1.66	1.04	1.65	1.27
November 2020		1.41	1.99	1.58	1.97	1.77
December 2020		1.09	3.99	2.79	2.58	5.17
January 2021		1.03	0.95	1.32	NA	NA
February 2021		0.77	1.15	1.23	1.16	1.17
March 2021		1.24	1.40	0.99	1.56	1.35
April 2021		1.30	1.28	1.77	1.99	1.58
May 2021		1.76	3.28	1.91	2.09	1.69
June 2021		1.39	1.84	1.63	0.78	0.83
July 2021		4.65	3.92	1.23	1.01	1.06
August 2021		1.46	4.79	1.81	0.85	1.24
September 2021		1.25	3.04	1.58	0.94	1.05
October 2021		1.48	5.35	3.07	0.70	1.54
November 2021		1.14	2.32	1.01	2.66	1.08
December 2021		1.57	4.14	2.18	2.96	2.85
January 2022		1.22	2.96	11.57	0.94	1.00
February 2022		4.69	4.75	4.30	3.90	4.32
March 2022		0.83	1.40	1.36	1.18	0.35
April 2022		0.86	1.22	0.16	0.90	0.56
May 2022		1.84	2.77	1.85	1.17	1.89
June 2022		1.87	1.75	3.35	0.36	0.64
July 2022		1.25	4.30	0.91	0.77	1.80
August 2022		0.88	0.26	0.66	0.3	1.71
September 2022		2.41	2.49	2.76	1.48	2.30
October 2022		1.86	1.67	4.02	1.89	4.66
November 2022		0.82	1.52	0.97	0.69	2.57
December 2022		2.55	1.32	1.37	0.67	1.19
January 2023		1.79	2.12	2.82	1.04	0.85
February 2023		0.69	0.64	0.82	0.48	1.04
March 2023		4.61	4.18	3.99	3.34	2.77
April 2023		1.14	2.98	1.06	1.31	0.00
May 2023		0.56	0.93	2.17	0.4	0.77
June 2023		1.12	2.16	2.73	1.32	0.89



## 2. Water monitoring

Runoff water from the cement works and surrounding agricultural land is captured in various storage dams on-site and used as process water. In heavy rain, excess stormwater from the dam called “West Dam A” is allowed to overflow into the Nepean River. The quality of that water is required by the license to be monitored once per overflow event.

### Licence limits:

Biological Oxygen Demand: 20 mg/L (milligram/litre)

pH: 6.5-8.5

Turbidity: 150 NTU (Nephelometric Turbidity Unit)

Total Suspended Solids: 30 mg/L (milligram/litre)

Sampling Date	Report received	Date published	Biological Oxygen Demand (mg/L)	Oil and Grease (mg/L)	pH	Turbidity (NTU)	Total Suspended Solids (mg/L)
03.03.17	21.03.17	04.04.17	<5	0.5	7.7	9.7	13
15.03.17	24.04.17	03.05.17	<5	1.2	8	13	19
10.06.17	10.07.17	02.08.17	<5	<0.1	7.7	11	12
11.08.20	31.08.20	02.09.20	<5	0.4	7.8	6.6	12
15.08.20	02.09.20	12.10.20	<5	0.3	7.8	6.4	7
31.10.20	18.11.20	04.12.20	<5	0.3	8.0	6.4	6
05.11.20	23.11.20	04.12.20	<5	0.4	8.2	3.2	3
29.12.20	29.01.21	08.02.21	<5	<0.1	8.4	3.1	9
05.01.21	29.01.21	08.02.21	<5	0.2	7.9	1.4	10
19.03.21	26.03.21	21.06.21	<5	<0.1	7.5	5.2	1
25.08.21	16.09.21	08.11.21	<5	0.4	7.6	18	23
12.05.21	19.05.21	12.08.22	<5	<0.1	8.2	18	38
02.07.22	12.07.22	12.08.22	<5	<0.1	7.4	30	83
05.07.22	03.08.22	12.08.22	<5	<0.1	7.5	10	8
27.09.22		14.12.22	< 5	< 0.1	8.4	2.9	8
28.09.22		14.12.22	< 5	< 0.1	8.4	9.7	20
05.10.22		14.12.22	< 5	< 0.1	8	12	7
06.10.22		14.12.22	< 5	< 0.1	8	12	7
07.10.22		14.12.22	< 5	< 0.1	7.9	6.1	5
08.10.22		14.12.22	< 5	< 0.1	8.5	2.6	4
09.10.22		14.12.22	< 5	< 0.1	7.7	4.3	6
10.10.22		14.12.22	< 5	< 0.1	7.7	1.4	4
1.11.22		14.12.22	< 5	< 0.1	7.5	6.1	20
2.11.22		14.12.22	< 5	< 0.1	8.4	0.9	5
3.11.22		14.12.22	< 5	< 0.1	8.7	1.4	7
14.11.22		14.12.22	< 5	< 0.1	8.3	10	18





### 3. Stack emission monitoring

2018-19: Report Date: 11/11/2019  
2019-20: Report Date: 23/11/2020  
2021-21: Report Date: 11/11/2021  
2022-22: Report Date: 27/10/2022

Assessable Parameter (mg/m <sup>3</sup> ) (milligram/cubic metre)	License Limit	2018-19	2019-20	2020-21	2021-22
<b>Emission Source: Cement Mill No 2 Stack</b>					
Solid Particles	100	19	3.5	4.1	27
<b>Emission Source: Cement Mill No 3 Stack</b>					
Solid Particles	100	26	78.5	80	46
<b>Emission Source: Dry Mix Plant Dryer</b>					
Solid Particles	30	10.55	10.3	2.3	9.2

**Compliance Summary:** The cement plant is compliant with the Licence limits.

**REPORT ENDS**