

# Peppertree Quarry

# **Environmental Monitoring Report**

December 2019

Date Published: February 2020



This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of request, any monitoring data that relates to pollution under an Environment Protection Licence.

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 13088 (EPL 13088 – Boral Peppertree Quarry)

This report provides environmental monitoring data for Peppertree Quarry for the period 1<sup>st</sup> to 30th November 2019 and the period 1st to 31st December 2019.

Peppertree Quarry Information						
Premise Details	Boral – Peppertree Quarry					
Address	843 Marulan South Road, Marulan					
Licensee	Boral Resources (NSW) PTY LTD					
EPL N°	13088					
EPL Location	http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.asp x?DOCID=33060&SYSUID=1&LICID=13088					

Monitoring data in this report relates to the monitoring undertaken in November and December 2019 for the following environmental pollutants:

- Deposited Dust
- Dust PM10
- Dust TSP
- Noise
- Blasting

### 1. Air Quality

Air Quality Monitoring is conducted as per condition M2 of EPL 13088. The air quality results for the reporting period are tabled below.

#### 1.1 Deposited Dust

#### <u>Deposited Dust (g/m²/month) results for November and December 2019.</u>

Sample Period: November and December 2019

Date received: 29/1/2020 & 20/12/2019 Licensee: Peppertree Quarry

Licensee Address: 843 Marulan South Road, Marulan, NSW 2579

EPL No: 13088

#### **Qualifications related to Dust**

Monitoring Point 3 (D3)

Frequency of monitoring - Monthly

Air Emissions Monitoring - Dust Deposition Gauge

Results					
November 2019					
<u>Location</u>	Ash g/m²/month	Insoluble solids g/m²/month	Soluble Solids g/m²/month	Running Annual Average - ASH g/m²/month	Running Annual Average Insoluble Solids g/m²/month
Monitoring Point 1 (D1)	1.94	2.57	0.67	2.33	4.02
Monitoring Point 2 (D2)	1.42	1.86	0.37	1.75	2.55
Monitoring Point 3 (D3)	2.09	3.05	1.15	1.61	3.05
December 2019					
<u>Location</u>	Ash g/m²/month	Insoluble solids g/m²/month	Soluble Solids g/m²/month	Running Annual Average - ASH g/m²/month	Running Annual Average Insoluble Solids g/m²/month
Monitoring Point 1 (D1)	2.91	4.05	0.03	1.87	2.94
Monitoring Point 2 (D2)	2.91	3.2	0.05	1.57	2.30

1.16

The deposited dust data for the reporting period indicates that the deposited dust results range from 1.86 g/m<sup>2</sup>/month of insoluble solids at Monitoring Point 2 to 5.75 g/m<sup>2</sup>/month of insoluble solids at Monitoring Point 3. Levels were higher due to Bushfire smoke and environmental dust brought in from the west.

5.75

3.93

The running annual average for insoluble solids is slightly above the criteria for monitoring point 1 (4.02 g/m2/month) when measured at the gauge location; however it is below the criteria when extrapolated to the boundary as required by the EPL. Todoroski Air Sciences provide a monthly review of interpolated insoluble solid dust levels at and beyond the boundary. These levels are now included in the Historical Tables, from January 2019.

3.04

1.65

#### **Historical results**

<u>Location</u>	Ash g/m²/month	Insoluble solids g/m²/month	Soluble Solids g/m²/month	Running Annual Average - ASH g/m²/month	Running Annual Average Insoluble Solids g/m²/month	Interpolate d annual average insoluble solids At the nearest boundary g/m²/month
October 2019						
Monitoring Point 1 (D1)	1.52	2.17	1.12	2.41	4.18	1
Monitoring Point 2 (D2)	1.52	1.78	0.85	1.91	2.77	1.6
Monitoring Point 3 (D3)	1.29	1.88	1.29	1.65	3.45	2.0
September 2019				•		
Monitoring Point 1 (D1)	1.69	2.24	1.02	2.7	4.27	1
Monitoring Point 2 (D2)	0.44	0.97	1.14	2.08	2.95	2
Monitoring Point 3 (D3)	1.15	1.66	2.49	1.97	3.56	2.4
August 2019						
Monitoring Point 1 (D1)	2.08	4.19	2.67	2.88	4.68	1
Monitoring Point 2 (D2)	0.98	1.26	0.58	2.16	3.19	1.8
Monitoring Point 3 (D3)	0.81	1.38	1.62	2.02	3.72	2.3
July 2019						
Monitoring Point 1 (D1)	0.53	1.05	0.05	2.69	4.57	1.1
Monitoring Point 2 (D2)	0.6	0.64	0.28	2.28	3.29	2.1
Monitoring Point 3 (D3)	0.98	1.54	0.19	2.03	4.03	2.5
June 2019						
Monitoring Point 1 (D1)	0.98	1.26	0.49	2.84	4.73	1.1
Monitoring Point 2 (D2)	1.82	3.94	0.52	2.41	3.47	2.2
Monitoring Point 3 (D3)	0.76	2.66	0.74	2.2	4.19	2.7
May 2019				•	•	•
Monitoring Point 1 (D1)	1.19	1.2	0.89	3.16	5.35	1.2
Monitoring Point 2 (D2)	0.96	0.97	1.14	2.45	3.41	2.2
Monitoring Point 3 (D3)	0.39	0.46	2.26	2.32	4.27	2.8
April 2019				•	•	

1.12	1.82	0.26	3.45	5.95	1.3
0.82	1.13	0.54	2.52	3.55	2.3
0.56	0.77	0.19	2.45	4.51	3.0
				•	
1.24	1.41	11.11		7.43	1.5
			4.11		
0.88	1.17	9.80			2.4
			2.71	3.86	
1.87	3.63	4.93			3.1
			2.59	4.77	
		•	1	1	
2.03	3.66	1.52		7.75	1.8
			4.27		
3.22	4.68	2.02			2.6
			2.90	4.14	
2.53	4.56	1.86			3.1
			2.61	4.79	
		<u> </u>	1	1	
5.15	9.68	5.09	4.40	8.01	1.9
3.97	5.95	1.35	1.35	4.04	2.6
3.49	9.14	3.21	3.21	4.93	3.1
	0.82 0.56 1.24 0.88 1.87 2.03 3.22 2.53 5.15 3.97	0.82       1.13         0.56       0.77         1.24       1.41         0.88       1.17         1.87       3.63         2.03       3.66         3.22       4.68         2.53       4.56         5.15       9.68         3.97       5.95	0.82       1.13       0.54         0.56       0.77       0.19         1.24       1.41       11.11         0.88       1.17       9.80         1.87       3.63       4.93         2.03       3.66       1.52         3.22       4.68       2.02         2.53       4.56       1.86         5.15       9.68       5.09         3.97       5.95       1.35	0.82       1.13       0.54       2.52         0.56       0.77       0.19       2.45         1.24       1.41       11.11       4.11         0.88       1.17       9.80       2.71         1.87       3.63       4.93       2.59         2.03       3.66       1.52       4.27         3.22       4.68       2.02       2.90         2.53       4.56       1.86       2.61         5.15       9.68       5.09       4.40         3.97       5.95       1.35       1.35	0.82       1.13       0.54       2.52       3.55         0.56       0.77       0.19       2.45       4.51         1.24       1.41       11.11       7.43         0.88       1.17       9.80       2.71       3.86         1.87       3.63       4.93       2.59       4.77         2.03       3.66       1.52       7.75         3.22       4.68       2.02       2.90       4.14         2.53       4.56       1.86       2.61       4.79         5.15       9.68       5.09       4.40       8.01         3.97       5.95       1.35       1.35       4.04

	Ash	<u>Insoluble</u>	Calubla Calida	Running Annual	Running Annual
<u>Location</u>	Ash g/m²/month	solids g/m²/month	Soluble Solids g/m²/month	Average - ASH g/m²/month	Average Insoluble Solids
Danauch au 2010		Bi			g/m²/month
December 2018	0.45	17.02	F 42	4.24	7.04
Monitoring Point 1 (D1)	8.45	17.03	5.42	4.31	7.81
Monitoring Point 2 (D2)	4.33	6.25	0.93	0.93	3.89
Monitoring Point 3 (D3)	3.42	5.84	2.37	2.37	4.54
November 2018					
Monitoring Point 1	2.88	4.49	1.77	3.96	6.91
(D1)					
Monitoring Point 2 (D2)	3.35	4.47	0.72	0.72	3.57
Monitoring Point 3 (D3)	2.56	7.82	2.16	2.16	4.53
October 2018					
Monitoring Point 1 (D1)	2.31	3.22	2.15	4.44	8.88
Monitoring Point 2 (D2)	2.84	3.98	2.27	2.51	3.51
Monitoring Point 3 (D3)	1.74	3.26	2.70	2.34	4.12
September 2018					
Monitoring Point 1					9.11
(D1)	4.32	7.13	4.07	4.51	0.22
Monitoring Point 2 (D2)	2.62	1.15	3.82	2.21	3.52
Monitoring Point 3					
(D3)	1.99	3.52	2.2	2.05	4.10
August 2018			T	T T	
Monitoring Point 1 (D1)	2.03	2.9	1.38	4.30	9.11
Monitoring Point 2 (D2)	1.89	2.46	0.62	2.19	3.43
Monitoring Point 3 (D3)	4.04	5.19	2.77	2.05	4.09
July 2018					
Monitoring Point 1 (D1)	2.35	2.98	2.01	4.27	8.68
Monitoring Point 2 (D2)	2.19	2.77	1.31	2.30	3.38
Monitoring Point 3 (D3)	2.99	3.43	0.98	2.16	3.82
June 2018			•		
Monitoring Point 1 (D1)	4.90	8.63	9.57	4.27	8.77
Monitoring Point 2 (D2)	2.37	3.21	0.36	2.31	3.33
Monitoring Point 3 (D3)	2.24	3.61	2.21	2.09	3.89
May 2018	1	<u> </u>			
Monitoring Point 1 (D1)	4.58	8.41	4.57	4.11	8.39
(51)	7.50	0.71	7.57	7.11	

Monitoring Point 2					
(D2)	1.73	2.7	1.2	2.34	3.4
Monitoring Point 3	1.73	2.7	1.2	2.54	JT
(D3)	1.94	3.35	2.59	2.07	3.88
April 2018				,	0.00
Monitoring Point 1					7.88
(D1)	9.07	19.58	8.93	3.86	7.00
Monitoring Point 2					
(D2)	3.18	4.81	0.88	2.35	3.39
Monitoring Point 3					
(D3)	2.28	3.92	2.28	1.99	3.75
March 2018		1	1	1	
Monitoring Point 1					6.51
(D1)	3.22	5.24	5.13	3.29	
Monitoring Point 2					
(D2)	3.12	4.54	3.29	2.29	3.27
Monitoring Point 3					
(D3)	2.11	3.82	2.95	1.96	3.80
February 2018				<u></u>	
Monitoring Point 1					6.24
(D1)	3.59	6.83	2.72	3.17	
Monitoring Point 2					2.99
(D2)	2.51	3.52	0.53	2.13	
Monitoring Point 3					3.84
(D3)	2.35	6.3	3.42	1.94	
January 2018					
Monitoring Point 1					6.06
(D1)	4.07	7.27	5.74	3.09	
Monitoring Point 2					3.05
(D2)	3.28	4.09	2.20	2.15	
Monitoring Point 3					3.92
(D3)	2.36	4.36	3.45	1.93	
December 2017					
Monitoring Point 1					5.88
(D1)	4.2	6.21	4.1	3.00	
Monitoring Point 2					3.21
(D2)	1.95	2.47	1.01	2.19	
Monitoring Point 3					4.82
(D3)	2.42	5.77	3.88	2.13	
November 2017		1		1	
Monitoring Point 1(D1)	8.59	28.18	97.33	2.88	5.65
Monitoring Point 2					3.33
(D2)	2.46	3.71	1.49	2.18	
Monitoring Point 3	4.56	2.00	4.35	244	5.06
(D3)	1.56	2.89	1.25	2.14	
October 2017	_	Ι _	_		
Monitoring Point 1	3.2	5.94	4.32	2.02	3.19
Monitoring Point 2	2.73	4.18	2.09	2.05	3.42
Monitoring Point 3	1.78	3.01	2.35	2.10	4.95
September 2017		T	T		
Monitoring Point 1	1.82	2.76	0.65	1.88	2.91
Monitoring Point 2	1.64	2.69	1.38	1.91	3.25
Monitoring Point 3	1.97	3.37	2.23	2.05	4.94
August 2017				<u></u>	
Monitoring Point 1	1.62	2.17	0.85	1.83	2.85
		•	•		

	1	1		1	
Monitoring Point 2	1.16	1.82	0.80	1.87	3.21
Monitoring Point 3	1.35	2.05	1.5	1.97	4.84
July 2017				<u> </u>	
Monitoring Point 1	2.36	3.99	1.65	1.86	2.88
Monitoring Point 2	1.61	2.23	0.54	1.87	3.24
Monitoring Point 3	2.72	4.21	1.1	1.95	4.85
June 2017					
Monitoring Point 1	3.01	4.09	0.9	1.88	3
Monitoring Point 2	2.73	4.02	0.72	1.85	3.26
Monitoring Point 3	2.04	3.53	2.35	1.84	4.74
May 2017					
Monitoring Point 1	1.6	2.28	0.58	1.81	2.97
Monitoring Point 2	1.83	2.62	0.96	1.73	3.1
Monitoring Point 3	0.9	1.81	1.49	1.74	4.56
April 2017	-	•		<del>-1</del>	
Monitoring Point 1	2.14	3.11	1.76	1.79	2.91
Monitoring Point 2	2.46	3.30	1.33	1.62	2.94
Monitoring Point 3	1.9	4.42	2.14	1.75	4.55
March 2017					= = =
Monitoring Point 1	1.79	2.09	2.77	1.78	2.85
Monitoring Point 2	1.20	1.28	1.80	1.57	2.86
Monitoring Point 3	1.88	4.38	3.24	1.69	4.36
February 2017	1.00	4.50	3.24	1.03	
Monitoring Point 1	2.62	4.61	4.14	1.73	2.82
Monitoring Point 2	2.70	4.17	0.83	1.59	2.94
Monitoring Point 3	2.22	7.21	4.17	1.63	4.33
January 2017	2.22	7.21	4.17	1.03	4.55
Monitoring Point 1	1.33	2.79	2.33	1.64	2.58
Monitoring Point 2	2.33	4.89	2.80	1.49	2.77
Monitoring Point 3	4.34	14.17	5.45	1.59	4.2
December 2016	4.54	14.17	5.45	1.59	4.2
	1 27	2.40	1 22	1.50	2.43
Monitoring Point 1	1.27	2.49	1.33	1.58	2.43
Monitoring Point 2	2.04	4.98	1.91	1.41	
Monitoring Point 3	2.29	8.36	4.41	1.35	3.5
November 2016	1				2.40
Monitoring Point 1	1.46	1.98	1.56	1.64	2.49
Monitoring Point 2	2.20	4.81	3.05	1.45	2.41
Monitoring Point 3	1.78	2.88	2.37	1.37	4.02
October 2016	1	T	1		
Monitoring Point 1	1.56	2.56		1.61	2.57
Monitoring Point 2	1.00	2.21	0.80	1.38	2.21
Monitoring Point 3	1.18	2.94	1.21	1.30	4.13
September 2016		1	ı		
Monitoring Point 1	1.24	2.06	0.4	2.32	4.24
Monitoring Point 2	1.13	2.24	1.01	1.49	2.33
Monitoring Point 3	1.03	2.06	1.32	1.33	4.13
August 2016		_			
Monitoring Point 1	1.94	2.5	0.12	2.33	4.19
Monitoring Point 2	1.21	2.11	1.26	1.47	2.23
Monitoring Point 3	1.13	2.23	1.34	1.27	4.01
July 2016					
Monitoring Point 1	2.56	5.41	4.2	2.27	4.14
Monitoring Point 2	1.31	2.49	0.50	1.43	2.12

Monitoring Point 3	1.38	2.88	0.47	1.30	4.05
June 2016					
Monitoring Point 1	2.23	3.81	1.41	3.07	5.22
Monitoring Point 2	1.37	2.05	0.95	1.42	2.07
Monitoring Point 3	0.9	1.37	1.27	1.31	4.04
May 2016				•	
Monitoring Point 1	1.37	1.46	0.49	3.02	5.08
Monitoring Point 2	0.43	0.69	0.28	1.52	2.25
Monitoring Point 3	0.93	1.7	0.61	1.32	4.10
April 2016				I	
Monitoring Point 1	2.03	2.41	0.45	3.86	6.94
Monitoring Point 2	1.86	2.35	0.85	1.63	2.43
Monitoring Point 3	1.16	2.14	1.44	1.34	4.14
March 2016					
Monitoring Point 1	1.09	1.72	0.18	3.82	6.97
Monitoring Point 2	1.51	2.26	0.15	1.57	2.44
Monitoring Point 3	1.16	4.06	2.57	1.33	4.25
February 2016	1.10	7.00	2.37	1.55	
Monitoring Point 1	1.56	1.77	3.53	3.97	7.17
Monitoring Point 2	1.54	2.15	3.32	1.62	2.53
Monitoring Point 3	1.8	5.66	5.45	1.36	4.21
January 2016	1.0	3.00	3.43	1.50	
Monitoring Point 1	0.61	1.01	0.5	4.01	7.3
Monitoring Point 2	1.36	1.98	0.55	1.63	2.53
Monitoring Point 3	1.49	5.71	3.29	1.34	4.03
December 2015	1.43	5.71	3.23	1.54	4.03
Monitoring Point 1	2.04	3.17	3.95	4.14	7.62
Monitoring Point 2	2.52	3.56	1.75	1.65	2.57
Monitoring Point 3	2.44	14.58	11.38	1.32	3.94
November 2015	2.44	14.36	11.36	1.52	3.54
Monitoring Point 1	1.14	2.94	0.46	4.21	7.72
Monitoring Point 2	1.14	2.41	0.59	1.60	2.44
Monitoring Point 3	1.05	4.21	1.29	1.27	3.02
October 2015	1.05	4.21	1.29	1.27	3.02
Monitoring Point 1	10.06	22.62	0.01	1 20	7.68
•		22.62	9.01	4.28	2.29
Monitoring Point 2	2.33	3.62	0.94	1.51	3.07
Monitoring Point 3	1.48	2.96	2.03	1.27	3.07
September 2015	4.30	4.5	0.35	2.57	6.00
Monitoring Point 1	1.38	1.5	9.25	3.57	6.08
Monitoring Point 2	0.87	1.04	2.61	1.45	2.2
Monitoring Point 3	0.26	0.59	3.72	1.27	3.13
August 2015	1.15	1.0	4.00	1 2	6.40
Monitoring Point 1	1.16	1.9	1.02	3.55	6.10
Monitoring Point 2	0.80	0.84	0.74	1.45	2.2
Monitoring Point 3	1.51	2.75	0.32	1.33	3.21
July 2015	T	1		T	T
Monitoring Point 1	12.2	18.27	5.41	3.61	6.18
Monitoring Point 2	1.15	1.88	0.54	1.47	2.26
Monitoring Point 3	1.48	2.72	0.8	1.29	3.15
June 2015	T	<del></del>		T	T
Monitoring Point 1	1.57	2.16	2.28	2.70	4.77
Monitoring Point 2	2.57	4.22	4.55	1.46	2.23
Monitoring Point 3	1.03	2.12	4.28	1.31	3.12

May 2015					
Monitoring Point 1	11.52	23.81	8.13	2.65	4.74
Monitoring Point 2	1.70	2.87	0.93	1.32	1.96
Monitoring Point 3	1.25	2.15	1.31	1.28	3.02
April 2015					
Monitoring Point 1	1.49	2.76	1.05	1.77	2.98
Monitoring Point 2	1.17	2.43	1.95	1.25	1.83
Monitoring Point 3	1	3.53	1.78	1.28	3.06
March 2015					
Monitoring Point 1	2.96	4.17	2.73	1.84	3.26
Monitoring Point 2	2.13	3.36	0.44	1.25	1.81
Monitoring Point 3	1.56	3.56	2.33	1.26	2.99
February 2015					
Monitoring Point 1	2.01	3.29	3.67	1.86	3.73
Monitoring Point 2	1.71	2.12	1.81	1.15	1.61
Monitoring Point 3	1.52	3.42	4.05	1.22	3.03
January 2015					
Monitoring Point 1	2.13	4.88	3.99	1.93	4.24
Monitoring Point 2	1.57	2.54	0.23	1.18	1.72
Monitoring Point 3	1.27	4.65	3.32	1.20	2.99

#### 1.2 PM10

#### PM10 (μg/m³) results for the month of November and December 2019

Sample Period: November and December 2019

Date Received: 18/12/19 &15/1/2020

Peppertree

Licensee: Quarry

Licensee

Address: 843 Marulan south Road, Marulan NSW 2579

EPL No: 13088

#### **Qualifications related to Dust:**

\* Air Emissions Monitoring - High Volume Air Sampler Sampling Frequency is collection of samples over a 24hr period, every 6 days. Protocols are contained in the Air Quality Man  $\mu g/m^3$ agement Plan found on this website.

Twenty Four (24) hour criteria is  $50 \mu g/m^3$ .

Annual average criteria is 30

Results						
Location	<u>Date</u>	<u>Pollutant</u>	Measurement	Rolling Annual Average	<u>Limit</u> <u>annual</u> <u>average</u>	<u>Unit</u>
Monitoring Point 2	1/1/2020	PM10	331.13	29.38	30	μg/m³
Monitoring Point 2	26/12/2019	PM10	115.38	24.64	30	μg/m³
Monitoring Point 2	20/12/2019	PM10	124.15	23.04	30	μg/m³
Monitoring Point 2	14/12/2019	PM10	62.69	21.34	30	μg/m³
Monitoring Point 2	8/12/2019	PM10	25.80	20.55	30	μg/m³
Monitoring Point 2	2/12/2019	PM10	11.45	20.74	30	μg/m³
Monitoring Point 2	26/11/2019	PM10	81.48	20.8	30	μg/m³
Monitoring Point 2	20/11/2019	PM10	30.78	19.61	30	μg/m³
Monitoring Point 2	14/11/2019	PM10	11.23	19.69	30	μg/m³

The PM10 data indicates that during the sampling period the rolling annual average data range was between 19.69  $\mu g/m^3$  and 29.38 $\mu g/m^3$ . Twenty four hour results ranged from 11.23 and 331.13  $\mu g/m^3$ . The majority of the samples were dark brown in colour and impacted by bush fire smoke and windblown dust from the west. The annual rolling average results continue to be below the long term criteria.

### **Historical results**

				Rolling	Limit	
Location	Date	Pollutant	Measurement	Annual	annual	Unit
				Average	average	
October 2019	, ,				T	T
Monitoring Point 2	8/11/2019	PM10	11.19	20.93	30	μg/m³
Monitoring Point 2	2/11/2019	PM10	9.95	21.38	30	μg/m³
Monitoring Point 2	27/10/2019	PM10	17.23	21.81	30	μg/m³
Monitoring Point 2	21/10/2019	M10	12.69	21.84	30	μg/m³
Monitoring Point 2	15/10/2019	PM10	40.13	21.93	30	μg/m³
August / September	2019					
Monitoring Point 2	9/10/2019	PM10	2.74	21.35	30	μg/m³
Monitoring Point 2	3/10/2019	PM10	31.96	21.52	30	μg/m³
Monitoring Point 2	27/9/2019	PM10	11.66	21.84	30	μg/m³
Monitoring Point 2	21/9/2019	PM10	53	21.8	30	μg/m³
Monitoring Point 2	15/9/2019	PM10	14.47	21.36	30	μg/m³
Monitoring Point 2	9/9/2019	PM10	2.16	21.43	30	μg/m³
Monitoring Point 2	3/9/2019	PM10	19.79	21.51	30	μg/m³
Monitoring Point 2	28/8/2019	PM10	4.38	21.72	30	μg/m³
Monitoring Point 2	22/8/2019	M10	2.67	22.04	30	μg/m³
Monitoring Point 2	16/8/2019	PM10	95.05	22.03	30	μg/m³
July 2019						1 0,
Monitoring Point 2	10/8/2019	PM10	3.25	20.50	30	μg/m³
Monitoring Point 2	4/8/2019	PM10	4.72	20.69	30	μg/m³
Monitoring Point 2	29/7/2019	PM10	2.18	21.26	30	μg/m³
Monitoring Point 2	23/7/2019	PM10	5.36	21.45	30	μg/m³
Monitoring Point 2	17/7/2019	PM10	0.46	21.42	30	μg/m³
Monitoring Point 2	11/7/2019	PM10	0.23	21.49	30	μg/m³
June 2019			0.20		, ,,	F-6/ · · ·
Monitoring Point 2	5/7/2019	PM10	4.08	21.5	30	μg/m³
Monitoring Point 2	29/6/2019	PM10	3.96	21.66	30	μg/m³
Monitoring Point 2	23/6/2019	PM10	3.46	21.78	30	μg/m³
Monitoring Point 2	17/6/2019	PM10	0.07	21.83	30	μg/m³
May 2019						1-0/
Monitoring Point 2	11/6/19	PM10	16.75	21.84	30	μg/m³
Monitoring Point 2	5/6/19	PM10	3.36	21.58	30	μg/m³
Monitoring Point 2	30/5/19	PM10	1.42	21.72	30	μg/m³
Monitoring Point 2	24/5/19	PM10	11.27	22.52	30	μg/m³
Monitoring Point 2	18/5/19	PM10	19.92	22.66	30	μg/m <sup>3</sup>
Monitoring Point 2	12/5/19	PM10	1.18	22.61	30	μg/m³
April 2019	12/3/13		1.10	22.01	30	μ6/ …
Monitoring Point 2	6/5/2019	PM10	6.74	22.62	30	μg/m³
Monitoring Point 2	30/4/2019	PM10	49.05	22.54	30	μg/m <sup>3</sup>
Monitoring Point 2	24/4/2019	PM10	24.74	21.92	30	μg/m <sup>3</sup>
Monitoring Point 2	18/5/2019	PM10	21.05	22.78	30	μg/m <sup>3</sup>
Monitoring Point 2	12/4/2019	PM10	33.58	23.27	30	μg/m³
March 2019	12/4/2013	1 14110	33.30	23.21	] 30	με/ !!!
Monitoring Point 2	6/4/2019	PM10	12.81	23.36	30	μg/m³
Monitoring Point 2		PM10	0.34	24.13	30	
Monitoring Point 2	31/3/2019	PM10	4.58	24.13		μg/m <sup>3</sup>
	25/3/2019	PM10 PM10	6.86		30 30	μg/m <sup>3</sup>
Monitoring Point 2	19/3/2019		+	25.15		μg/m <sup>3</sup>
Monitoring Point 2	13/3/2019	PM10	53.22	25.27	30	μg/m <sup>3</sup>
Monitoring Point 2	7/3/2019	PM10	56.73	24.67	30	μg/m³

February 2019						
Monitoring Point 2	1/3/19	PM10	18.3	24.13	30	μg/m³
Monitoring Point 2	23/2/19	PM10	76.2	24.03	30	μg/m³
Monitoring Point 2	17/2/19	PM10	32.06	23.38	30	μg/m³
Monitoring Point 2	13/2/19	PM10	20.23	23.12	30	μg/m³
Monitoring Point 2	11/2/19	PM10	9.6	23.45	30	μg/m³
Monitoring Point 2	7/2/19	PM10	no sample	23.71	30	μg/m³
Monitoring Point 2	5/2/19	PM10	27.77	23.71	30	μg/m³
January 2019	3/2/13	1 11120	27.77	23.71	30	P6/ ···
Monitoring Point 2	30/1/19	PM10	39.3	23.96	30	μg/m³
Monitoring Point 2	24/1/19	PM10	no sample	25.21	30	μg/m³
Monitoring Point 2	18/1/19	PM10	no sample	25.21	30	μg/m³
Monitoring Point 2	15/1/19	PM10	40.3	25.21	30	μg/m³
Monitoring Point 2	12/1/19	PM10	18.21	25.39	30	μg/m <sup>3</sup>
Monitoring Point 2	6/1/19	PM10	no sample	25.73	30	μg/m³
December 2018	0/1/13	1 14110	110 Sample	23.73	30	μ6/ 111
Monitoring Point 2	31/12/18	PM10	46.78	25.73	30	μg/m³
Monitoring Point 2	25/12/18	PM10	99.62	25.69	30	μg/m <sup>3</sup>
Monitoring Point 2	19/12/18	PM10	22.41	25.65	30	μg/m <sup>3</sup>
Monitoring Point 2	13/12/18	PM10	15.32	26.62	30	μg/m³
Monitoring Point 2	7/12/18	PM10	37.08	26.92	30	μg/m³
Monitoring Point 2	1/12/18	PM10	14.75	26.69	30	μg/m <sup>3</sup>
November 2018	1/12/10	1 14110	14.73	20.03	30	μ6/ 111
Monitoring Point 2	25/11/18	PM10	10.23	26.76	30	μg/m³
Monitoring Point 2	19/11/18	PM10	35.31	26.92	30	μg/m <sup>3</sup>
Monitoring Point 2	13/11/18	PM10	86.01	27.03	30	μg/m <sup>3</sup>
Monitoring Point 2	7/11/18	PM10	38.23	25.70	30	μg/m³
Monitoring Point 2	1/11/18	PM10	35.33	25.16	30	μg/m³
October 2018	1/11/10	1 10110	33.33	23.10	30	μ6/111
Monitoring Point 2	26/10/18	PM10	19.43	24.98	30	μg/m³
Monitoring Point 2	20/10/18	PM10	17.74	25.08	30	μg/m³
Monitoring Point 2	14/10/18	PM10	5.39	25.21	30	μg/m³
Monitoring Point 2	8/10/18	PM10	13.00	25.42	30	μg/m³
Monitoring Point 2	2/10/18	PM10	50.98	25.38	30	μg/m³
September 2018	2, 10, 10	20	30.00			F6/ ···
Monitoring Point 2	26/9/18	PM10	9.35	24.92	30	μg/m³
Monitoring Point 2	20/9/18	PM10	27.02	24.88	30	μg/m³
Monitoring Point 2	15/9/18	PM10	18.30	24.84	30	μg/m³
Monitoring Point 2	8/9/18	PM10	7.00	24.61	30	μg/m³
Monitoring Point 2	4/9/18	PM10	32.76	24.94	30	μg/m³
August 2018	., 5, 20	0	1 52	'		F-0/ · · ·
Monitoring Point 2	27/8/18	PM10	23.14	24.65	30	μg/m³
Monitoring Point 2	21/8/18	PM10	1.99	24.69	30	μg/m³
Monitoring Point 2	15/8/18	PM10	3.25	25.12	30	μg/m³
Monitoring Point 2	9/8/18	PM10	14.93	25.27	30	μg/m³
Monitoring Point 2	3/8/18	PM10	38.99	25.23	30	μg/m³
July 2018	0,0,10	0	1 22.23			F*O/ ***
Monitoring Point 2	28/07/18	PM10	13.38	24.97	30	μg/m³
Monitoring Point 2	25/07/18	PM10	3.36	24.83	30	μg/m³
Monitoring Point 2	16/07/18	PM10	4.77	25.3	30	μg/m³
Monitoring Point 2	10/07/18	PM10	7.09	25.32	30	μg/m³
Monitoring Point 2	4/7/18	PM10	13.79	25.62	30	μg/m³
June 2018	.,,,±0	. 11120	1 13.75	23.02		mo/ '''
Monitoring Point 2	28/6/18	PM10	10.81	25.44	30	μg/m³
	20,0,10		10.01	23.77		ro/'''

Monitoring Point 2	22/6/18	PM10	6.90	25.4	30	μg/m³
Monitoring Point 2	16/6/18	PM10	0.13	25.43	30	μg/m³
Monitoring Point 2	10/6/18	PM10	1.58	25.93	30	μg/m³
Monitoring Point 2	4/6/18	PM10	11.7	26.42	30	μg/m³
May 2018	, ,					1 10
Monitoring Point 2	29/5/18	PM10	49.09	26.21	30	μg/m³
Monitoring Point 2	23/5/18	PM10	19.87	25.74	30	μg/m³
Monitoring Point 2	22/5/18	PM10	17.18	25.41	30	μg/m³
Monitoring Point 2	11/5/18	PM10	1.53	25.23	30	μg/m³
April 2018	, -, -				1	10,
Monitoring Point 2	30/4/18	PM10	11.86	26.03	30	
Monitoring Point 2	24/4/18	PM10	76.31	25.93	30	μg/m³
Monitoring Point 2	17/4/18	PM10	50.83	24.44	30	μg/m³
Monitoring Point 2	12/4/18	PM10	38.61	23.76	30	μg/m³
Monitoring Point 2	9/4/18	PM10	59.28	23.54	30	μg/m³
March 2018	-, , -	-			1	1 1.0/
Monitoring Point 2	30/3/18	PM10	26.72	22.46	30	μg/m³
Monitoring Point 2	24/3/18	PM10	39.56	22.2	30	μg/m³
Monitoring Point 2	21/3/18	PM10	13.99	21.47	30	μg/m³
Monitoring Point 2	12/3/18	PM10	16.77	21.54	30	μg/m³
Monitoring Point 2	6/3/18	PM10	24.61	21.31	30	10,
February 2018	-,-,-					
Monitoring Point 2	28/2/18	PM10	12.18	20.96	30	μg/m³
Monitoring Point 2	22/2/18	PM10	37.31	20.89	30	μg/m³
Monitoring Point 2	19/2/18	PM10	16.64	21.11	30	μg/m³
Monitoring Point 2	10/2/18	PM10	40.06	21.18	30	μg/m³
Monitoring Point 2	4/2/18	PM10	24.79	20.47	30	μg/m³
January 2018					ı	1 10
Monitoring Point 2	29/1/18	PM10	43.09	20.39	30	μg/m³
Monitoring Point 2	23/1/18	PM10	114.45	19.77	30	μg/m³
Monitoring Point 2	17/1/18	PM10	51.02	17.53	30	μg/m³
Monitoring Point 2	11/1/18	PM10	38.41	16.53	30	μg/m³
Monitoring Point 2	5/1/18	PM10	44.1	16.14	30	μg/m³
December 2017				1		1
Monitoring Point 2	30/12/17	PM10	17.47	15.35	30	μg/m³
Monitoring Point 2	28/12/17	PM10	80.86	15.05	30	μg/m³
Monitoring Point 2	27/12/18	PM10	33.15	14.64	30	μg/m³
Monitoring Point 2	22/12/17	PM10	23.36	14.51	30	μg/m³
Monitoring Point 2	20/12/17	PM10	18.88	14.81	30	μg/m³
Monitoring Point 2	15/12/17	PM10	19.66	15.49	30	μg/m³
Monitoring Point 2	13/12/17	PM10	41.99	16.41	30	μg/m³
Monitoring Point 2	7/12/17	PM10	6.27	16.45	30	μg/m³
Monitoring Point 2	6/12/17	PM10	5.6	17	30	μg/m³
November 2017						
Monitoring Point 2	30/11/17	PM10	0	17	30	μg/m³
Monitoring Point 2	24/11/17	PM10	0	017	30	μg/m³
Monitoring Point 2	18/11/17	PM10	0	17	30	μg/m³
Monitoring Point 2	12/11/18	PM10	17.47	18.44	30	μg/m³
Monitoring Point 2	7/11/18	PM10	10.62	18.35	30	μg/m³
Manitaria - D-i-+ 2						
Monitoring Point 2	6/11/18	PM10	0	18.35	30	μg/m³
Monitoring Point 2  Monitoring Point 2	6/11/18 3/11/18	PM10 PM10	7.12	18.35 18.78	30	μg/m³ μg/m³
					ł	

Monitoring Point 2	26/10/17	PM10	5.48	19.05	30	μg/m³
Monitoring Point 2	25/10/17	PM10	0	19.05	30	μg/m³
Monitoring Point 2	19/10/17	PM10	17.2	19.97	30	μg/m³
Monitoring Point 2	16/10/17	PM10	25.4	19.99	30	μg/m³
Monitoring Point 2	13/10/17	PM10	0	19.99	30	μg/m³
Monitoring Point 2	7/10/17	PM10	11.18	20.02	30	μg/m³
Monitoring Point 2	3/10/17	PM10	13.15	20.12	30	μg/m³
Monitoring Point 2	1/10/17	PM10	0	20.15	30	μg/m³
September 2017	•		l	1	l .	1 0,
Monitoring Point 2	25/9/17	PM10	6.12	19.96	30	μg/m³
Monitoring Point 2	22/9/17	PM10	44.27	19.92	30	μg/m³
Monitoring Point 2	19/9/17	PM10	8.92	19.18	30	μg/m³
Monitoring Point 2	14/9/17	PM10	5.83	19.16	30	μg/m³
Monitoring Point 2	13/9/17	PM10	0	19.12	30	μg/m³
Monitoring Point 2	6/9/17	PM10	1.67	18.91	30	μg/m³
Monitoring Point 2	1/9/17	PM10	8.66	19.1	30	μg/m³
August 2017	, ,	L	L		I	1 0,
Monitoring Point 2	29/8/17	PM10	8.76	19.21	30	μg/m³
Monitoring Point 2	26/8/17	PM10	0	19.45	30	μg/m³
Monitoring Point 2	20/8/17	PM10	0	19.27	30	μg/m³
Monitoring Point 2	17/8/17	PM10	1.23	19.02	30	μg/m³
Monitoring Point 2	14/8/17	PM10	0	19.43	30	μg/m³
Monitoring Point 2	8/8/17	PM10	3.87	19.23	30	μg/m³
Monitoring Point 2	2/8/17	PM10	8.04	19.42	30	μg/m³
July 2017			<u> </u>	•	l.	
Monitoring Point 2	27/7/17	PM10	26.88	19.32	30	μg/m³
Monitoring Point 2	21/7/17	PM10	15.97	18.93	30	μg/m³
Monitoring Point 2	15/7/17	PM10	6.73	18.69	30	μg/m³
Monitoring Point 2	9/7/17	PM10	3.15	18.64	30	μg/m³
Monitoring Point 2	3/7/17	PM10	17.7	18.76	30	μg/m³
June 2017						
Monitoring Point 2	27/6/17	PM10	27.67	18.54	30	μg/m³
Monitoring Point 2	21/6/17	PM10	6.5	18.25	30	μg/m³
Monitoring Point 2	15/6/17	PM10	14.01	18.18	30	μg/m³
Monitoring Point 2	9/6/17	PM10	3.53	18.2	30	μg/m³
Monitoring Point 2	3/6/17	PM10	17.58	18.15	30	μg/m³
May 2017						
Monitoring Point 2	28/5/17	PM10	5.69	17.96	30	μg/m³
Monitoring Point 2	22/5/17	PM10	7.26	17.9	30	μg/m³
Monitoring Point 2	16/5/17	PM10	8.9	18.74	30	μg/m³
Monitoring Point 2	10/5/17	PM10	47.86	18.75	30	μg/m³
Monitoring Point 2	4/5/17	PM10	20.45	18.01	30	μg/m³
April 2017						
Monitoring Point 2	28/4/17	PM10	5.22	17.79	30	μg/m³
Monitoring Point 2	22/4/17	PM10	20.7	18.09	30	μg/m³
Monitoring Point 2	16/4/17	PM10	12.83	18.01	30	μg/m³
Monitoring Point 2	10/4/17	PM10	4.77	18.27	30	μg/m³
Monitoring Point 2	4/4/17	PM10	2.02	18.68	30	μg/m³
March 2017		T	1	1	T	
Monitoring Point 2	29/3/17	PM10	18.92	19	30	μg/m³
Monitoring Point 2	23/3/17	PM10	5.44	18.96	30	μg/m³
Monitoring Point 2	17/3/17	PM10	2.74	18.94	30	μg/m³
Monitoring Point 2	11/3/17	PM10	61.15	19.06	30	μg/m³

Monitoring Point 2	5/3/17	PM10	26.36	18.87	30	μg/m³
February 2017			1			•
Monitoring Point 2	27/2/17	PM10	38.37	19	30	μg/m³
Monitoring Point 2	21/2/17	PM10	52.19	18.53	30	μg/m³
Monitoring Point 2	15/2/17	PM10	64.66	17.95	30	μg/m³
Monitoring Point 2	9/2/17	PM10	43.81	17.52	30	μg/m³
Monitoring Point 2	3/2/17	PM10	33.17	17.37	30	μg/m³
January 2017						1 0,
Monitoring Point 2	28/1/17	PM10	32.54	17.24	30	μg/m³
Monitoring Point 2	22/1/17	PM10	27.25	17.04	30	μg/m³
Monitoring Point 2	16/1/17	PM10	51.24	16.91	30	μg/m³
Monitoring Point 2	10/1/17	PM10	20.87	16.17	30	μg/m³
Monitoring Point 2	4/1/17	PM10	12.44	16.43	30	μg/m³
December 2016	., _, _,					P0/ ···
Monitoring Point 2	29/12/16	PM10	17.81	16.78	30	μg/m³
Monitoring Point 2	23/12/16	PM10	34.22	17.22	30	μg/m <sup>3</sup>
Monitoring Point 2	17/12/16	PM10	13.18	17.39	30	μg/m <sup>3</sup>
Monitoring Point 2	11/12/16	PM10	27.27	18.22	30	μg/m <sup>3</sup>
Monitoring Point 2	5/12/16	PM10	50.68	19.02	30	μg/m <sup>3</sup>
November 2016	3, 12, 10	1 14110	30.08	15.02		<u>μ</u> δ/ ΙΙΙ
Monitoring Point 2	29/11/16	PM10	24.14	20.78	30	μg/m³
Monitoring Point 2	23/11/16	PM10	18.51	20.72	30	μg/m <sup>3</sup>
Monitoring Point 2	17/11/16	PM10	23.2	22.08	30	
Monitoring Point 2	11/11/16	PM10	23.98	22.08	30	μg/m <sup>3</sup>
Monitoring Point 2		PM10	16.36	22.22	30	μg/m <sup>3</sup>
October 2016	5/11/16	PIVITO	10.50	22.22	30	μg/m³
Monitoring Point 2	30/10/16	PM10	15.24	22.16	30	ug/m3
Monitoring Point 2	24/10/16	PM10	9.09	22.72	30	μg/m³ μg/m³
Monitoring Point 2	18/10/16	PM10	3.96	22.72	30	μg/m³
Monitoring Point 2	12/10/16	PM10	2.23	23.25	30	μg/m³
Monitoring Point 2	6/10/16	PM10	7.61	23.36	30	
September 2016	0/10/10	FIVITO	7.01	23.30	30	μg/m³
Monitoring Point 2	30/9/16	PM10	3.34	23.6	30	ug/m3
Monitoring Point 2	24/9/16	PM10	6.93	23.88	30	μg/m³ μg/m³
Monitoring Point 2	18/9/16	PM10	12.76	23.94	30	μg/m <sup>3</sup>
Monitoring Point 2	12/9/16	PM10	15.06	23.88	30	μg/m <sup>3</sup>
Monitoring Point 2	6/9/16		22.52	23.8	30	
August 2016	0/ 3/ 10	PM10	22.32	23.0		μg/m³
Monitoring Point 2	31/8/16	PM10	9.1	23.51	30	μg/m³
Monitoring Point 2	25/8/16	PM10	4.46	23.46	30	μg/m³
Monitoring Point 2	19/8/16	PM10	25.42	23.41	30	μg/m³
Monitoring Point 2	13/8/16	PM10	7.38	23.33	30	μg/m³
Monitoring Point 2	7/8/16	PM10	15.59	23.26	30	μg/m³
Monitoring Point 2	1/8/16	PM10	1.83	23.12	30	μg/m³
July 2016	1/0/10	LINITO	1.03	23.12	30	μg/III*
Monitoring Point 2	26/7/16	PM10	2.78	23.11	30	μg/m³
Monitoring Point 2	20/7/16	PM10	1.75	23.11	30	μg/m³
Monitoring Point 2	14/7/16	PM10	3.41	23.15	30	μg/m³
Monitoring Point 2			10.5	23.78	30	
Monitoring Point 2	8/7/16 2/7/16	PM10 PM10	4.61	26.11	30	μg/m³ μg/m³
June 2016	2///10	LINITO	4.01	20.11	30	μg/III*
Monitoring Point 2	26/6/16	PM10	10 OF	26.08	30	11g/m3
Monitoring Point 2	26/6/16 20/6/16		10.05	26.08	30	μg/m <sup>3</sup>
WOULD IN POINT 2	20/0/10	PM10	1.86		30	μg/m³

Monitoring Point 2	14/6/16	PM10	15.04	26.01	30	μg/m³
Monitoring Point 2	8/6/16	PM10	1.01	26.08	30	μg/m³
Monitoring Point 2	2/6/16	PM10	5.66	26.13	30	μg/m³
May 2016				•	I.	
Monitoring Point 2	27/5/16	PM10	2.28	26.11	30	μg/m³
Monitoring Point 2	21/5/16	PM10	58.18	26.26	30	μg/m³
Monitoring Point 2	15/5/16	PM10	9.68	25.35	30	μg/m³
Monitoring Point 2	9/5/16	PM10	2.96	25.36	30	μg/m³
Monitoring Point 2	3/5/16	PM10	6.69	25.38	30	μg/m³
April 2016				•	•	1
Monitoring Point 2	29/4/16	PM10	23.33	25.32	30	μg/m³
Monitoring Point 2	21/4/16	PM10	16.16	24.99	30	μg/m³
Monitoring Point 2	15/4/16	PM10	28.66	24.76	30	μg/m³
Monitoring Point 2	9/4/16	PM10	29.43	24.57	30	μg/m³
Monitoring Point 2	3/4/16	PM10	21.54	24.3	30	μg/m³
March 2016						
Monitoring Point 2	28/3/16	PM10	16.95	24.1	30	μg/m³
Monitoring Point 2	22/3/16	PM10	3.92	24.19	30	μg/m³
Monitoring Point 2	16/3/16	PM10	10.48	24.45	30	μg/m³
Monitoring Point 2	10/3/16	PM10	49.13	24.81	30	μg/m³
Monitoring Point 2	4/3/16	PM10	34.41	24.55	30	μg/m³
February 2016						
Monitoring Point 2	27/2/16	PM10	9.83	24.5	30	μg/m³
Monitoring Point 2	21/2/16	PM10	16.97	24.61	30	μg/m³
Monitoring Point 2	15/2/16	PM10	38.28	24.82	30	μg/m³
Monitoring Point 2	9/2/16	PM10	34.7	24.29	30	μg/m³
Monitoring Point 2	3/2/16	PM10	25.18	23.83	30	μg/m³
January 2016						
Monitoring Point 2	28/1/16	PM10	19.94	23.87	30	μg/m³
Monitoring Point 2	22/1/16	PM10	19.44	23.72	30	μg/m³
Monitoring Point 2	16/1/16	PM10	6.13	23.4	30	μg/m³
Monitoring Point 2	10/1/16	PM10	36.94	23.3	30	μg/m³
Monitoring Point 2	4/1/16	PM10	33.85	22.69	30	μg/m³
December 2015	T			1	ı	T
Monitoring Point 2	29/12/15	PM10	44.31	22.14	30	μg/m³
Monitoring Point 2	23/12/15	PM10	44.76	21.41	30	μg/m³
Monitoring Point 2	17/12/15	PM10	63.88	20.68	30	μg/m³
Monitoring Point 2	11/12/15	PM10	76.01	19.63	30	μg/m³
Monitoring Point 2	5/12/15	PM10	158.27	18.39	30	μg/m³
November 2015				1		, ,
Monitoring Point 2	29/11/15	PM10	20.35	15.79	30	μg/m³
Monitoring Point 2	23/11/15	PM10	101.65	15.46	30	μg/m³
Monitoring Point 2	17/11/15	PM10	20.00	13.79	30	μg/m³
Monitoring Point 2	11/11/15	PM10	35.78	13.46	30	μg/m³
Monitoring Point 2	5/11/15	PM10	12.33	13.22	30	μg/m³
October 2015	20/10/15	DN410	40.62	12.00	30	110 /203
Monitoring Point 2	30/10/15	PM10	49.62 23.79	13.85		μg/m³
Monitoring Point 2	24/10/15	PM10		13.21	30	μg/m³
Monitoring Point 2	18/10/15	PM10	21.32	13.34	30 30	μg/m³
Monitoring Point 2	12/10/15	PM10	8.98	13.2		μg/m³
Monitoring Point 2 September 2015	6/10/15	PM10	22.53	13.36	30	μg/m³
Monitoring Point 2	20/0/15	PM10	20.47	13.11	30	11g/m3
WICHILOTHIS POINT Z	30/9/15	LINITO	20.47	15.11	30	μg/m³

Monitoring Point 2   24/9/15   PM10   10.68   13.2   30   µg/m²   Monitoring Point 2   12/9/15   PM10   10.08   13.26   30   µg/m²   Monitoring Point 2   12/9/15   PM10   10.08   13.26   30   µg/m²   Monitoring Point 2   6/9/15   PM10   4.76   13.27   30   µg/m²   Monitoring Point 2   31/8/15   PM10   4.76   13.27   30   µg/m²   Monitoring Point 2   25/8/15   PM10   6.39   13.25   30   µg/m²   Monitoring Point 2   25/8/15   PM10   20.65   13.55   30   µg/m²   Monitoring Point 2   13/8/15   PM10   20.65   13.55   30   µg/m²   Monitoring Point 2   13/8/15   PM10   3.02   13.4   30   µg/m²   Monitoring Point 2   13/8/15   PM10   6.84   14.07   30   µg/m³   Monitoring Point 2   13/8/15   PM10   1.38   14.23   30   µg/m³   Monitoring Point 2   13/8/15   PM10   1.38   14.23   30   µg/m³   Monitoring Point 2   13/8/15   PM10   1.38   14.23   30   µg/m³   Monitoring Point 2   13/8/15   PM10   4.4   14.61   30   µg/m³   Monitoring Point 2   20/7/15   PM10   4.4   14.61   30   µg/m³   Monitoring Point 2   20/7/15   PM10   4.4   14.61   30   µg/m³   Monitoring Point 2   27/7/5   PM10   42.03   14.79   30   µg/m³   Monitoring Point 2   27/7/5   PM10   4.98   11.72   30   µg/m³   Monitoring Point 2   27/7/5   PM10   3.02   11.68   30   µg/m³   Monitoring Point 2   27/6/15   PM10   2.35   11.7   30   µg/m³   Monitoring Point 2   27/6/15   PM10   4.43   11.65   30   µg/m³   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   µg/m³   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   µg/m³   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   µg/m³   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   µg/m³   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   µg/m³   Monitoring Point 2   37/5/15   PM10   4.54   11.87   30   µg/m³   Monitoring Point 2   37/5/15   PM10   4.54   11.87   30   µg/m³   Monitoring Point 2   37/5/15   PM10   3.18   12.17   30   µg/m³   Monitoring Point 2   37/5/15   PM10   3.24   13.81   30   µg/m³   Monitoring Point 2   37/5/15   PM10   3.24   3.35   30   µg/m³   Mon							
Monitoring Point 2   12/9/15   PM10   10.08   13.26   30   µg/m³   Argust 2015	Monitoring Point 2	24/9/15	PM10	10.68	13.2	30	μg/m³
Monitoring Point 2   6/9/15   PM10   4.76   13.27   30   µg/m³	Monitoring Point 2	18/9/15	PM10	8.89	13.34	30	μg/m³
Nomitoring Point 2   31/8/15   PM10   6.39   13.25   30   µg/m³	Monitoring Point 2	12/9/15	PM10	10.08	13.26	30	μg/m³
Monitoring Point 2   31/8/15   PM10   6.39   13.25   30   μg/m²   Monitoring Point 2   25/8/15   PM10   1.37   13.33   30   μg/m²   Monitoring Point 2   13/8/15   PM10   3.02   13.4   30   μg/m²   Monitoring Point 2   13/8/15   PM10   3.02   13.4   30   μg/m²   Monitoring Point 2   7/8/15   PM10   6.84   14.07   30   μg/m²   Monitoring Point 2   7/8/15   PM10   6.84   14.07   30   μg/m²   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²   Monitoring Point 2   26/7/15   PM10   2.4   14.42   30   μg/m²   Monitoring Point 2   20/7/15   PM10   4.4   14.61   30   μg/m²   Monitoring Point 2   14/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   14/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   27/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   27/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   27/7/15   PM10   42.98   11.72   30   μg/m²   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   27/6/15   PM10   4.38   11.65   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.38   11.65   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.38   11.65   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.38   11.65   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.87   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   4.38   4.28   30   μg/m²   Monitoring Point 2   27/4/15   PM10   2.74   4.51   4	Monitoring Point 2	6/9/15	PM10	4.76	13.27	30	μg/m³
Monitoring Point 2   13/8/15   PM10   1.37   13.33   30   μg/m²   Monitoring Point 2   13/8/15   PM10   20.65   13.55   30   μg/m²   Monitoring Point 2   13/8/15   PM10   3.02   13.4   30   μg/m²   Monitoring Point 2   17/8/15   PM10   6.84   14.07   30   μg/m²   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²   Monitoring Point 2   26/7/15   PM10   2.4   14.42   30   μg/m²   Monitoring Point 2   14/7/15   PM10   4.4   14.61   30   μg/m²   Monitoring Point 2   8/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   8/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   27/7/15   PM10   3.02   11.68   30   μg/m²   Monitoring Point 2   27/15   PM10   3.02   11.68   30   μg/m²   Monitoring Point 2   27/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   3/6/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.54   11.87   30   μg/m²   Monitoring Point 2   3/5/15   PM10   3.18   12.17   30   μg/m²   Monitoring Point 2   15/4/15   PM10   3.18   12.17   30   μg/m²   Monitoring Point 2   15/4/15   PM10   3.18   12.17   30   μg/m²   Monitoring Point 2   27/4/15   PM10   2.34   12.57   30   μg/m²   Monitoring Point 2   27/4/15   PM10   2.964   13.24   30   μg/m²   Monitori	August 2015						
Monitoring Point 2   13/8/15   PM10   1.37   13.33   30   μg/m²   Monitoring Point 2   13/8/15   PM10   20.65   13.55   30   μg/m²   Monitoring Point 2   13/8/15   PM10   3.02   13.4   30   μg/m²   Monitoring Point 2   17/8/15   PM10   6.84   14.07   30   μg/m²   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²   Monitoring Point 2   26/7/15   PM10   2.4   14.42   30   μg/m²   Monitoring Point 2   14/7/15   PM10   4.4   14.61   30   μg/m²   Monitoring Point 2   8/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   8/7/15   PM10   42.03   14.79   30   μg/m²   Monitoring Point 2   27/7/15   PM10   3.02   11.68   30   μg/m²   Monitoring Point 2   27/15   PM10   3.02   11.68   30   μg/m²   Monitoring Point 2   27/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   3/6/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/6/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.54   11.87   30   μg/m²   Monitoring Point 2   3/5/15   PM10   3.18   12.17   30   μg/m²   Monitoring Point 2   15/4/15   PM10   3.18   12.17   30   μg/m²   Monitoring Point 2   15/4/15   PM10   3.18   12.17   30   μg/m²   Monitoring Point 2   27/4/15   PM10   2.34   12.57   30   μg/m²   Monitoring Point 2   27/4/15   PM10   2.964   13.24   30   μg/m²   Monitori	Monitoring Point 2	31/8/15	PM10	6.39	13.25	30	μg/m³
Monitoring Point 2   19/8/15   PM10   3.02   13.45   30   μg/m²   Monitoring Point 2   13/8/15   PM10   3.02   13.4   30   μg/m³   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m³   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m³   Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m³   Monitoring Point 2   26/7/15   PM10   2.4   14.42   30   μg/m³   Monitoring Point 2   20/7/15   PM10   4.4   14.61   30   μg/m³   Monitoring Point 2   14/7/15   PM10   4.4   14.61   30   μg/m³   Monitoring Point 2   14/7/15   PM10   42.03   14.79   30   μg/m³   Monitoring Point 2   2/7/15   PM10   152.41   14.1   30   μg/m³   Monitoring Point 2   2/7/15   PM10   3.02   11.68   30   μg/m³   Monitoring Point 2   2/7/15   PM10   3.02   11.68   30   μg/m³   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m³   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m³   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m³   Monitoring Point 2   20/6/15   PM10   4.98   11.72   30   μg/m³   Monitoring Point 2   20/6/15   PM10   4.38   11.65   30   μg/m³   Monitoring Point 2   27/5/15   PM10   4.38   11.65   30   μg/m³   Monitoring Point 2   27/5/15   PM10   4.38   11.65   30   μg/m³   Monitoring Point 2   27/5/15   PM10   4.5   11.53   30   μg/m³   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   27/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   13.3   30   μg/m³   Monitoring Point 2   27/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   3/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   3/4/15   PM10   3.49   13.49   13.44   30   μg/m³   Monitoring	Monitoring Point 2	25/8/15	PM10	1.37	13.33	30	
Monitoring Point 2   13/8/15   PM10   3.02   13.4   30   μg/m²   Monitoring Point 2   7/8/15   PM10   6.84   14.07   30   μg/m²   July 2015	Monitoring Point 2	19/8/15	PM10	20.65	13.55	30	
Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²	Monitoring Point 2	13/8/15	PM10	3.02	13.4	30	
Monitoring Point 2   1/8/15   PM10   1.38   14.23   30   μg/m²	Monitoring Point 2	7/8/15	PM10	6.84	14.07	30	μg/m³
July 2015   Monitoring Point 2   26/7/15   PM10   2.4   14.42   30   µg/m³   Monitoring Point 2   20/7/15   PM10   4.4   14.61   30   µg/m³   Monitoring Point 2   14/7/15   PM10   42.03   14.79   30   µg/m³   Monitoring Point 2   87/15   PM10   152.41   14.1   30   µg/m³   Monitoring Point 2   2/7/15   PM10   152.41   14.1   30   µg/m³   June 2015	Monitoring Point 2	1/8/15	PM10	1.38	14.23	30	
Monitoring Point 2   20/7/15   PM10   4.4   14.61   30   μg/m²   Monitoring Point 2   14/7/15   PM10   42.03   14.79   30   μg/m³   Monitoring Point 2   2/7/15   PM10   152.41   14.1   30   μg/m³   Monitoring Point 2   2/7/15   PM10   3.02   11.68   30   μg/m³   Monitoring Point 2   2/6/15   PM10   3.02   11.68   30   μg/m³   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m³   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m³   Monitoring Point 2   14/6/15   PM10   19.19   11.7   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.51   11.53   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.51   11.53   30   μg/m³   May 2015   Monitoring Point 2   27/5/15   PM10   4.51   11.72   30   μg/m³   Monitoring Point 2   27/5/15   PM10   11.42   11.72   30   μg/m³   Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   21/5/15   PM10   10.05   11.49   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   3/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   3/4/15   PM10   2.34   13.3   30   μg/m³   Monitoring Point 2   3/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   28/3/15   PM10   2.257   13.98   30   μg/m³   Monitoring Point 2   24/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   24/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   3.35   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   3.35   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   3.35   30   μg/m	July 2015						
Monitoring Point 2   20/7/15   PM10   4.4   14.61   30   μg/m²   Monitoring Point 2   14/7/15   PM10   42.03   14.79   30   μg/m³   Monitoring Point 2   2/7/15   PM10   152.41   14.1   30   μg/m³   Monitoring Point 2   2/7/15   PM10   3.02   11.68   30   μg/m³   Monitoring Point 2   2/6/15   PM10   3.02   11.68   30   μg/m³   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m³   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m³   Monitoring Point 2   14/6/15   PM10   19.19   11.7   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.51   11.53   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.51   11.53   30   μg/m³   May 2015   Monitoring Point 2   27/5/15   PM10   4.51   11.72   30   μg/m³   Monitoring Point 2   27/5/15   PM10   11.42   11.72   30   μg/m³   Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   21/5/15   PM10   10.05   11.49   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   27/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   3/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   3/4/15   PM10   2.34   13.3   30   μg/m³   Monitoring Point 2   3/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   28/3/15   PM10   2.257   13.98   30   μg/m³   Monitoring Point 2   24/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   24/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   3.35   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   3.35   30   μg/m³   Monitoring Point 2   4/3/15   PM10   3.241   3.35   30   μg/m	Monitoring Point 2	26/7/15	PM10	2.4	14.42	30	μg/m³
Monitoring Point 2				4.4	14.61	30	
Monitoring Point 2   8/7/15   PM10   152.41   14.1   30   μg/m²   Monitoring Point 2   2/7/15   PM10   3.02   11.68   30   μg/m²   June 2015   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m²   Monitoring Point 2   14/6/15   PM10   19.19   11.7   30   μg/m²   Monitoring Point 2   14/6/15   PM10   19.19   11.7   30   μg/m²   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m³   Monitoring Point 2   27/5/15   PM10   4.38   11.65   30   μg/m³   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   3/5/15   PM10   4.5   11.58   30   μg/m³   Monitoring Point 2   3/5/15   PM10   4.5   11.58   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   21/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   21/4/15   PM10   3.18   12.89   30   μg/m³   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   3/4/15   PM10   3.24   13.3   30   μg/m³   Monitoring Point 2   28/3/15   PM10   22.57   13.98   30   μg/m³   Monitoring Point 2   21/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   4/3/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   4/3/15   PM10   5.88   13.04   30   μg/m³	Monitoring Point 2	14/7/15	PM10	42.03	14.79	30	
Monitoring Point 2   2/7/15   PM10   3.02   11.68   30   μg/m³	Monitoring Point 2		PM10	152.41	14.1	30	
June 2015   Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m²   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m²   Monitoring Point 2   14/6/15   PM10   19.19   11.7   30   μg/m²   Monitoring Point 2   8/6/15   PM10   4.51   11.53   30   μg/m²   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m²   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m²   Monitoring Point 2   27/5/15   PM10   4.38   11.65   30   μg/m²   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m²   Monitoring Point 2   15/5/15   PM10   10.05   11.49   30   μg/m²   Monitoring Point 2   3/5/15   PM10   4.5   11.58   30   μg/m²   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m²   April 2015   Monitoring Point 2   27/4/15   PM10   3.18   12.17   30   μg/m²   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m²   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m²   Monitoring Point 2   3/4/15   PM10   12.84   13.3   30   μg/m²   Monitoring Point 2   3/4/15   PM10   12.84   13.3   30   μg/m²   Monitoring Point 2   3/4/15   PM10   32.84   13.3   30   μg/m²   Monitoring Point 2   3/4/15   PM10   32.41   13.81   30   μg/m²   Monitoring Point 2   22/3/15   PM10   32.41   13.81   30   μg/m²   Monitoring Point 2   22/3/15   PM10   32.41   13.81   30   μg/m²   Monitoring Point 2   22/3/15   PM10   32.41   13.81   30   μg/m²   Monitoring Point 2   22/3/15   PM10   32.41   13.81   30   μg/m²   Monitoring Point 2   26/2/15   PM10   32.41   13.81   30   μg/m²   Monitoring Point 2   26/2/15   PM10   32.41   33.8   30   μg/m²   Monitoring Point 2   26/2/15   PM10   32.41   33.43   30   μg/m²   Monitoring Point 2   26/2/15   PM10   32.41   33.5   30   μg/m²   Monitoring Point 2   4/3/15   PM10   32.41   33.5   30   μg/m²   Monitoring Point 2   4/3/15   PM10   32.41   33.5   30   μg/m²   Monitoring Point 2   4/3/15   PM10   32.41   33.5   30   μg/m²   Monitoring Point 2   4/3/15   PM10   5.88   33	Monitoring Point 2				11.68	30	
Monitoring Point 2   26/6/15   PM10   4.98   11.72   30   μg/m³   Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m³   Monitoring Point 2   14/6/15   PM10   19.19   11.7   30   μg/m³   Monitoring Point 2   14/6/15   PM10   4.51   11.53   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m³   May 2015   Monitoring Point 2   27/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   21/5/15   PM10   10.05   11.49   30   μg/m³   Monitoring Point 2   3/5/15   PM10   4.5   11.58   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   3/4/15   PM10   17.38   12.89   30   μg/m³   Monitoring Point 2   3/4/15   PM10   12.84   13.3   30   μg/m³   Monitoring Point 2   3/4/15   PM10   3.894   13.42   30   μg/m³   Monitoring Point 2   3/4/15   PM10   3.894   13.42   30   μg/m³   Monitoring Point 2   2/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   2/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   2/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   4/3/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   4/3/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   2/2/15   PM10   5.88   13.04   30   μg		- •					, . <i>u.</i>
Monitoring Point 2   20/6/15   PM10   2.35   11.7   30   μg/m³   Monitoring Point 2   14/6/15   PM10   19.19   11.7   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.51   11.53   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m³   May 2015		26/6/15	PM10	4.98	11.72	30	μg/m³
Monitoring Point 2							
Monitoring Point 2   8/6/15   PM10   4.51   11.53   30   μg/m³   Monitoring Point 2   2/6/15   PM10   4.38   11.65   30   μg/m³   May 2015	_					30	
Monitoring Point 2         2/6/15         PM10         4.38         11.65         30         μg/m³           May 2015         Monitoring Point 2         27/5/15         PM10         11.42         11.72         30         μg/m³           Monitoring Point 2         21/5/15         PM10         2.7         11.53         30         μg/m³           Monitoring Point 2         15/5/15         PM10         10.05         11.49         30         μg/m³           Monitoring Point 2         9/5/15         PM10         4.5         11.58         30         μg/m³           Monitoring Point 2         3/5/15         PM10         2.54         11.87         30         μg/m³           April 2015         Monitoring Point 2         27/4/15         PM10         3.18         12.17         30         μg/m³           Monitoring Point 2         21/4/15         PM10         2.34         12.57         30         μg/m³           Monitoring Point 2         15/4/15         PM10         17.38         12.89         30         μg/m³           Monitoring Point 2         9/4/15         PM10         12.84         13.3         30         μg/m³           Monitoring Point 2         28/3/15         PM10		8/6/15	PM10	4.51	11.53	30	
May 2015   Monitoring Point 2   27/5/15   PM10   11.42   11.72   30   μg/m³   Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   15/5/15   PM10   10.05   11.49   30   μg/m³   Monitoring Point 2   9/5/15   PM10   4.5   11.58   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   15/4/15   PM10   17.38   12.89   30   μg/m³   Monitoring Point 2   9/4/15   PM10   12.84   13.3   30   μg/m³   Monitoring Point 2   3/4/15   PM10   8.94   13.42   30   μg/m³   Monitoring Point 2   3/4/15   PM10   8.94   13.42   30   μg/m³   Monitoring Point 2   28/3/15   PM10   22.57   13.98   30   μg/m³   Monitoring Point 2   22/3/15   PM10   22.57   13.98   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   10/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   10/3/15   PM10   33.22   13.53   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   20/2/15   PM10   31.49   13.25   30   μg/m³   Monitoring Point 2   20/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   20/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   20/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   21/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   21/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   21/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   21/2/15   PM10   5.86   30   μg/m³   Monitoring Point 2   21/2/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   21/2/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   21/2/15   PM10   0   14.66   30   μg/m³   Mo	Monitoring Point 2	2/6/15	PM10	4.38	11.65	30	
Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   15/5/15   PM10   10.05   11.49   30   μg/m³   Monitoring Point 2   9/5/15   PM10   4.5   11.58   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   15/4/15   PM10   17.38   12.89   30   μg/m³   Monitoring Point 2   9/4/15   PM10   12.84   13.3   30   μg/m³   Monitoring Point 2   3/4/15   PM10   12.84   13.3   30   μg/m³   Monitoring Point 2   3/4/15   PM10   8.94   13.42   30   μg/m³   Monitoring Point 2   28/3/15   PM10   22.57   13.98   30   μg/m³   Monitoring Point 2   22/3/15   PM10   22.57   13.98   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   10/3/15   PM10   33.22   13.53   30   μg/m³   Monitoring Point 2   10/3/15   PM10   33.29   13.53   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   26/2/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   26/2/15   PM10   29.64   13.2   30   μg/m³   Monitoring Point 2   8/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   8/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   8/2/15   PM10   27.6   14.21   30   μg/m³   January 2015   Monitoring Point 2   27/1/15   PM10   0   14.42   30   μg/m³   Monitoring Point 2   27/1/15   PM10   0   14.42   30   μg/m³   Monitoring Point 2   27/1/15   PM10   0   14.42   30   μg/m³   Monitoring Point 2   27/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   27/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   9/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   9/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   9/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   9/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point	May 2015						
Monitoring Point 2   21/5/15   PM10   2.7   11.53   30   μg/m³   Monitoring Point 2   15/5/15   PM10   10.05   11.49   30   μg/m³   Monitoring Point 2   9/5/15   PM10   4.5   11.58   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³   Monitoring Point 2   27/4/15   PM10   3.18   12.17   30   μg/m³   Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³   Monitoring Point 2   15/4/15   PM10   17.38   12.89   30   μg/m³   Monitoring Point 2   9/4/15   PM10   12.84   13.3   30   μg/m³   Monitoring Point 2   3/4/15   PM10   8.94   13.42   30   μg/m³   Monitoring Point 2   3/4/15   PM10   8.94   13.42   30   μg/m³   Monitoring Point 2   22/3/15   PM10   22.57   13.98   30   μg/m³   Monitoring Point 2   22/3/15   PM10   20.06   13.8   30   μg/m³   Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³   Monitoring Point 2   10/3/15   PM10   33.22   13.53   30   μg/m³   Monitoring Point 2   10/3/15   PM10   33.29   13.53   30   μg/m³   Monitoring Point 2   4/3/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   26/2/15   PM10   31.49   13.24   30   μg/m³   Monitoring Point 2   26/2/15   PM10   29.64   13.2   30   μg/m³   Monitoring Point 2   8/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   8/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   8/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   2/2/15   PM10   5.88   13.04   30   μg/m³   Monitoring Point 2   2/2/15   PM10   27.6   14.21   30   μg/m³   Monitoring Point 2   27/1/15   PM10   0   14.42   30   μg/m³   Monitoring Point 2   27/1/15   PM10   0   14.42   30   μg/m³   Monitoring Point 2   27/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   3/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   3/1/15   PM10   0   14.66   30   μg/m³   Monitoring Point 2   3/1/15   PM10   0   3/1/166   30   μg/m³   Monitoring Point 2   3/1/15   PM10   0   3/1/166   30   μg/m³   Monitoring Point 2   3/1	Monitoring Point 2	27/5/15	PM10	11.42	11.72	30	μg/m³
Monitoring Point 2   9/5/15   PM10   4.5   11.58   30   μg/m³	Monitoring Point 2	21/5/15	PM10	2.7	11.53	30	
Monitoring Point 2   3/5/15   PM10   2.54   11.87   30   μg/m³	Monitoring Point 2	15/5/15	PM10	10.05	11.49	30	μg/m³
April 2015         Monitoring Point 2         27/4/15         PM10         3.18         12.17         30         μg/m³           Monitoring Point 2         21/4/15         PM10         2.34         12.57         30         μg/m³           Monitoring Point 2         15/4/15         PM10         17.38         12.89         30         μg/m³           Monitoring Point 2         9/4/15         PM10         12.84         13.3         30         μg/m³           Monitoring Point 2         3/4/15         PM10         8.94         13.42         30         μg/m³           Monitoring Point 2         28/3/15         PM10         22.57         13.98         30         μg/m³           Monitoring Point 2         22/3/15         PM10         20.06         13.8         30         μg/m³           Monitoring Point 2         16/3/15         PM10         32.41         13.81         30         μg/m³           Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           Monitoring Point 2         26/2/15         PM10         16.44 <td>Monitoring Point 2</td> <td>9/5/15</td> <td>PM10</td> <td>4.5</td> <td>11.58</td> <td>30</td> <td>μg/m³</td>	Monitoring Point 2	9/5/15	PM10	4.5	11.58	30	μg/m³
Monitoring Point 2         27/4/15         PM10         3.18         12.17         30         μg/m³           Monitoring Point 2         21/4/15         PM10         2.34         12.57         30         μg/m³           Monitoring Point 2         15/4/15         PM10         17.38         12.89         30         μg/m³           Monitoring Point 2         9/4/15         PM10         12.84         13.3         30         μg/m³           Monitoring Point 2         3/4/15         PM10         8.94         13.42         30         μg/m³           March 2015         Monitoring Point 2         28/3/15         PM10         22.57         13.98         30         μg/m³           Monitoring Point 2         22/3/15         PM10         20.06         13.8         30         μg/m³           Monitoring Point 2         16/3/15         PM10         32.41         13.81         30         μg/m³           Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           Monitoring Point 2         26/2/15         PM10         <	Monitoring Point 2	3/5/15	PM10	2.54	11.87	30	μg/m³
Monitoring Point 2   21/4/15   PM10   2.34   12.57   30   μg/m³	April 2015						
Monitoring Point 2   15/4/15   PM10   17.38   12.89   30   μg/m³	Monitoring Point 2	27/4/15	PM10	3.18	12.17	30	μg/m³
Monitoring Point 2         9/4/15         PM10         12.84         13.3         30         μg/m³           Monitoring Point 2         3/4/15         PM10         8.94         13.42         30         μg/m³           March 2015           Monitoring Point 2         28/3/15         PM10         22.57         13.98         30         μg/m³           Monitoring Point 2         22/3/15         PM10         20.06         13.8         30         μg/m³           Monitoring Point 2         16/3/15         PM10         32.41         13.81         30         μg/m³           Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           February 2015           Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         3/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2	Monitoring Point 2	21/4/15	PM10	2.34	12.57	30	μg/m³
Monitoring Point 2         3/4/15         PM10         8.94         13.42         30         μg/m³           March 2015           Monitoring Point 2         28/3/15         PM10         22.57         13.98         30         μg/m³           Monitoring Point 2         22/3/15         PM10         20.06         13.8         30         μg/m³           Monitoring Point 2         16/3/15         PM10         32.41         13.81         30         μg/m³           Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           February 2015         Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         27/1/1	Monitoring Point 2		PM10		12.89		
March 2015           Monitoring Point 2         28/3/15         PM10         22.57         13.98         30         μg/m³           Monitoring Point 2         22/3/15         PM10         20.06         13.8         30         μg/m³           Monitoring Point 2         16/3/15         PM10         32.41         13.81         30         μg/m³           Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           February 2015           Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           Monitoring	Monitoring Point 2	9/4/15	PM10	12.84	13.3	30	μg/m³
Monitoring Point 2         28/3/15         PM10         22.57         13.98         30         μg/m³           Monitoring Point 2         22/3/15         PM10         20.06         13.8         30         μg/m³           Monitoring Point 2         16/3/15         PM10         32.41         13.81         30         μg/m³           Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           February 2015         Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           Monitoring Point 2         27/1/15         PM10	Monitoring Point 2	3/4/15	PM10	8.94	13.42	30	μg/m³
Monitoring Point 2         22/3/15         PM10         20.06         13.8         30         μg/m³           Monitoring Point 2         16/3/15         PM10         32.41         13.81         30         μg/m³           Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           February 2015         Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           Monitoring Point 2         27/1/15         PM10         0         14.45         30         μg/m³           Monitoring Point 2         21/1/15         PM10         0							•
Monitoring Point 2   16/3/15   PM10   32.41   13.81   30   μg/m³	_		PM10	22.57	13.98	30	
Monitoring Point 2         10/3/15         PM10         33.22         13.53         30         μg/m³           Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           February 2015           Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           January 2015         Monitoring Point 2         27/1/15         PM10         10.62         14.45         30         μg/m³           Monitoring Point 2         21/1/15         PM10         0         14.42         30         μg/m³           Monitoring Point 2         15/1/15         PM10         0         14.66         30         μg/m³           Monitoring Point 2 <td< td=""><td></td><td></td><td>PM10</td><td>20.06</td><td>13.8</td><td>30</td><td>μg/m³</td></td<>			PM10	20.06	13.8	30	μg/m³
Monitoring Point 2         4/3/15         PM10         31.49         13.24         30         μg/m³           February 2015           Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           January 2015         Monitoring Point 2         27/1/15         PM10         10.62         14.45         30         μg/m³           Monitoring Point 2         21/1/15         PM10         0         14.42         30         μg/m³           Monitoring Point 2         15/1/15         PM10         0         14.66         30         μg/m³           Monitoring Point 2         9/1/15         PM10         0         15.14         30         μg/m³		16/3/15	PM10	32.41	13.81		μg/m³
February 2015           Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           January 2015         Monitoring Point 2         27/1/15         PM10         10.62         14.45         30         μg/m³           Monitoring Point 2         21/1/15         PM10         0         14.42         30         μg/m³           Monitoring Point 2         15/1/15         PM10         0         14.66         30         μg/m³           Monitoring Point 2         9/1/15         PM10         0         15.14         30         μg/m³	Monitoring Point 2	10/3/15	PM10	33.22	13.53	30	
Monitoring Point 2         26/2/15         PM10         16.44         13.05         30         μg/m³           Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           January 2015           Monitoring Point 2         27/1/15         PM10         10.62         14.45         30         μg/m³           Monitoring Point 2         21/1/15         PM10         0         14.42         30         μg/m³           Monitoring Point 2         15/1/15         PM10         0         14.66         30         μg/m³           Monitoring Point 2         9/1/15         PM10         0         15.14         30         μg/m³		4/3/15	PM10	31.49	13.24	30	μg/m³
Monitoring Point 2         20/2/15         PM10         29.64         13.2         30         μg/m³           Monitoring Point 2         14/2/15         PM10         5.88         13.04         30         μg/m³           Monitoring Point 2         8/2/15         PM10         6.92         13.55         30         μg/m³           Monitoring Point 2         2/2/15         PM10         27.6         14.21         30         μg/m³           January 2015         Monitoring Point 2         27/1/15         PM10         10.62         14.45         30         μg/m³           Monitoring Point 2         21/1/15         PM10         0         14.42         30         μg/m³           Monitoring Point 2         15/1/15         PM10         0         14.66         30         μg/m³           Monitoring Point 2         9/1/15         PM10         0         15.14         30         μg/m³	-						
Monitoring Point 2       14/2/15       PM10       5.88       13.04       30       μg/m³         Monitoring Point 2       8/2/15       PM10       6.92       13.55       30       μg/m³         Monitoring Point 2       2/2/15       PM10       27.6       14.21       30       μg/m³         January 2015         Monitoring Point 2       27/1/15       PM10       10.62       14.45       30       μg/m³         Monitoring Point 2       21/1/15       PM10       0       14.42       30       μg/m³         Monitoring Point 2       15/1/15       PM10       0       14.66       30       μg/m³         Monitoring Point 2       9/1/15       PM10       0       15.14       30       μg/m³		26/2/15	PM10	16.44	13.05	30	
Monitoring Point 2       8/2/15       PM10       6.92       13.55       30       μg/m³         Monitoring Point 2       2/2/15       PM10       27.6       14.21       30       μg/m³         January 2015         Monitoring Point 2       27/1/15       PM10       10.62       14.45       30       μg/m³         Monitoring Point 2       21/1/15       PM10       0       14.42       30       μg/m³         Monitoring Point 2       15/1/15       PM10       0       14.66       30       μg/m³         Monitoring Point 2       9/1/15       PM10       0       15.14       30       μg/m³		20/2/15	PM10	29.64	13.2	30	
Monitoring Point 2     2/2/15     PM10     27.6     14.21     30     μg/m³       January 2015       Monitoring Point 2     27/1/15     PM10     10.62     14.45     30     μg/m³       Monitoring Point 2     21/1/15     PM10     0     14.42     30     μg/m³       Monitoring Point 2     15/1/15     PM10     0     14.66     30     μg/m³       Monitoring Point 2     9/1/15     PM10     0     15.14     30     μg/m³						30	
January 2015       Monitoring Point 2     27/1/15     PM10     10.62     14.45     30     μg/m³       Monitoring Point 2     21/1/15     PM10     0     14.42     30     μg/m³       Monitoring Point 2     15/1/15     PM10     0     14.66     30     μg/m³       Monitoring Point 2     9/1/15     PM10     0     15.14     30     μg/m³			PM10		13.55	30	
Monitoring Point 2       27/1/15       PM10       10.62       14.45       30       μg/m³         Monitoring Point 2       21/1/15       PM10       0       14.42       30       μg/m³         Monitoring Point 2       15/1/15       PM10       0       14.66       30       μg/m³         Monitoring Point 2       9/1/15       PM10       0       15.14       30       μg/m³		2/2/15	PM10	27.6	14.21	30	μg/m³
Monitoring Point 2       21/1/15       PM10       0       14.42       30       μg/m³         Monitoring Point 2       15/1/15       PM10       0       14.66       30       μg/m³         Monitoring Point 2       9/1/15       PM10       0       15.14       30       μg/m³					1		
Monitoring Point 2       15/1/15       PM10       0       14.66       30       μg/m³         Monitoring Point 2       9/1/15       PM10       0       15.14       30       μg/m³							
Monitoring Point 2 9/1/15 PM10 0 15.14 30 μg/m³							
					+		
Monitoring Point 2   3/1/15   PM10   0   15.42   30   μg/m <sup>3</sup>							
	Monitoring Point 2	3/1/15	PM10	0	15.42	30	μg/m³

#### 1.3 TSP

#### TSP (µg/m<sup>3</sup>) results for the month of November and December 2019

Sample Period: November and December 2019

Date Received: 18/12/2019 & 15/1/2020

Peppertree

Licensee: Quarry

Licensee

Address: 843 Marulan south Road, Marulan NSW 2579

EPL No: 13088

#### **Qualifications related to Dust:**

\* Air Emissions Monitoring - High Volume Air Sampler Sampling Frequency is collection of samples over a 24hr period, every 6 days. Protocols are contained in the Air Quality Management Plan found on this website.

Results	Results								
Location	Date	Pollutant	Measurement	Rolling Annual Average	Limit	Unit			
Monitoring Point 1	1/1/2020	TSP	527.83	73.94	90	μg/m³			
Monitoring Point 1	26/12/2019	TSP	164.83	65.53	90	μg/m³			
Monitoring Point 1	20/12/2019	TSP	311.88	64.34	90	μg/m³			
Monitoring Point 1	14/12/2019	TSP	117.02	59.71	90	μg/m³			
Monitoring Point 1	8/12/2019	TSP	119.56	58.63	90	μg/m³			
Monitoring Point 1	2/12/2019	TSP	38.81	57.19	90	μg/m³			
Monitoring Point 1	26/11/2019	TSP	161.58	58.41	90	μg/m³			
Monitoring Point 1	20/11/2019	TSP	83.09	56.23	90	μg/m³			
Monitoring Point 1	14/11/2019	TSP	29.16	55.22	90	μg/m³			

The TSP data indicates that during the sampling period the data range was between  $29.16\mu g/m^3$  and  $527.83 \mu g/m^3$ .

The rolling annual average data range was between 55.22  $\mu g/m^3$  and 73.94  $\mu g/m^3$ , well below the long term criteria.

The majority of the samples were dark brown in colour and impacted by bush fire smoke and windblown dust from the west.

### **Historical results**

				Rolling	Limit	
Location	Date	Pollutant	Measurement	Annual	annual	Unit
				Average	average	
October 2019	0/44/0040	T05	1 25.25	F.C. 0.0	1 00	
Monitoring Point 1	8/11/2019	TSP	25.05	56.08	90	μg/m³
Monitoring Point 1	2/11/2019	TSP	21.44	57.34	90	μg/m³
Monitoring Point 1	27/10/2019	TSP	36.61	57.16	90	μg/m³
Monitoring Point 1	21/10/2019	TSP	89.37	57.81	90	μg/m³
Monitoring Point 1	15/10/2019	TSP	54.53	57.18	90	μg/m³
August / September	1		T		T	
Monitoring Point 1	9/10/2019	TSP	56	57.13	90	μg/m³
Monitoring Point 1	3/10/2019	TSP	59.18	56.41	90	μg/m³
Monitoring Point 1	27/9/2019	TSP	28.09	55.77	90	μg/m³
Monitoring Point 1	21/9/2019	TSP	53.41	57.11	90	μg/m³
Monitoring Point 1	15/9/2019	TSP	28.39	56.97	90	μg/m³
Monitoring Point 1	9/9/2019	TSP	21.88	57.61	90	μg/m³
Monitoring Point 1	3/9/2019	TSP	101.2	57.94	90	μg/m³
Monitoring Point 1	28/8/2019	TSP	25.93	56.58	90	μg/m³
Monitoring Point 1	22/8/2019	TSP	16.31	56.35	90	μg/m³
Monitoring Point 1	16/8/2019	TSP	173.57	57.32	90	μg/m³
July 2019						
Monitoring Point 1	10/8/2019	TSP	6.2	54.48	90	μg/m³
Monitoring Point 1	4/8/2019	TSP	31.9	54.64	90	μg/m³
Monitoring Point 1	29/7/2019	TSP	15.75	54.85	90	μg/m³
Monitoring Point 1	23/7/2019	TSP	31.4	55.91	90	μg/m³
Monitoring Point 1	17/7/2019	TSP	8.31	55.85	90	μg/m³
Monitoring Point 1	11/7/2019	TSP	16.46	55.77	90	μg/m³
June 2019						
Monitoring Point 1	5/7/2019	TSP	10.2	55.6	90	μg/m³
Monitoring Point 1	29/6/2019	TSP	14.68	55.69	90	μg/m³
Monitoring Point 1	23/6/2019	TSP	8.87	56.15	90	μg/m³
Monitoring Point 1	17/6/2019	TSP	7.01	56.62	90	μg/m³
May 2019					ı	
Monitoring Point 1	11/6/19	TSP	15.07	56.71	90	μg/m³
Monitoring Point 1	5/6/19	TSP	4.77	56.47	90	μg/m³
Monitoring Point 1	30/5/19	TSP	3.44	56.42	90	μg/m³
Monitoring Point 1	24/5/19	TSP	33.89	57.31	90	μg/m³
Monitoring Point 1	18/5/19	TSP	59.42	58.61	90	μg/m³
Monitoring Point 1	12/5/19	TSP	6.3	58.76	90	μg/m³
April 2019	, , ,		1		I	1 0,
Monitoring Point 1	6/5/2019	TSP	16.19	58.95	90	μg/m³
Monitoring Point 1	30/4/2019	TSP	146.91	58.73	90	μg/m³
Monitoring Point 1	24/4/2019	TSP	104.01	56.36	90	μg/m³
Monitoring Point 1	18/5/2019	TSP	66.56	55.04	90	μg/m³
Monitoring Point 1	12/4/2019	TSP	112.61	55.95	90	μg/m <sup>3</sup>
March 2019	,, -,					F-0/ ···
Monitoring Point 1	6/4/2019	TSP	38.14	56.49	90	μg/m³
Monitoring Point 1	31/3/2019	TSP	13.97	57.17	90	μg/m <sup>3</sup>
Monitoring Point 1	25/3/2019	TSP	39.09	59.05	90	μg/m <sup>3</sup>
Monitoring Point 1	19/3/2019	TSP	23.82	59.24	90	μg/m <sup>3</sup>
Monitoring Point 1	13/3/2019	TSP	183.14	59.86	90	μg/m <sup>3</sup>
Monitoring Point 1	7/3/2019	TSP	171.07	57.00	90	μg/m <sup>3</sup>
WOULDING FULL I	1/3/2013	131	1/1.0/	37.00	50	<u>μ</u> 8/ III

February 2019						
Monitoring Point 1	1/3/19	TSP	104.01	56.02	90	μg/m³
Monitoring Point 1	23/2/19	TSP	191.2	55.62	90	μg/m³
Monitoring Point 1	17/2/19	TSP	100.59	52.97	90	μg/m³
Monitoring Point 1	13/2/19	TSP	157.37	52.71	90	μg/m³
Monitoring Point 1	11/2/19	TSP	no sample	52.58	90	μg/m³
Monitoring Point 1	5/2/19	TSP	33.13	52.58	90	μg/m³
January 2019						•
Monitoring Point 1	30/1/19	TSP	98.95	52.08	90	μg/m³
Monitoring Point 1	24/1/19	TSP	69.03	51.34	90	μg/m³
Monitoring Point 1	18/1/19	TSP	118.61	51.53	90	μg/m³
Monitoring Point 1	12/1/19	TSP	29.9	52.42	90	μg/m³
Monitoring Point 1	6/1/19	TSP	23.02	53.68	90	μg/m³
December 2018						
Monitoring Point 1	31/12/18	TSP	93.28	54.42	90	μg/m³
Monitoring Point 1	25/12/18	TSP	34.31	53.89	90	μg/m³
Monitoring Point 1	19/12/18	TSP	51.86	53.94	90	μg/m³
Monitoring Point 1	13/12/18	TSP	33.06	53.64	90	μg/m³
Monitoring Point 1	7/12/18	TSP	112.35	54.26	90	μg/m³
Monitoring Point 1	1/12/18	TSP	30.51	53.61	90	μg/m³
November 2018						•
Monitoring Point 1	25/11/18	TSP	22.44	53.22	90	μg/m³
Monitoring Point 1	22/11/18	TSP	81	54.62	90	μg/m³
Monitoring Point 1	19/11/18	TSP	100.43	54.14	90	μg/m³
Monitoring Point 1	13/11/18	TSP	no sample	53.11	90	μg/m³
Monitoring Point 1	7/11/18	TSP	10.84	53.11	90	μg/m³
Monitoring Point 1	1/11/18	TSP	75.86	53.84	90	μg/m³
October 2018						
Monitoring Point 1	26/10/18	TSP	51.3	52.82	90	μg/m³
Monitoring Point 1	20/10/18	TSP	51.33	52.41	90	μg/m³
Monitoring Point 1	14/10/18	TSP	13.24	52.32	90	μg/m³
Monitoring Point 1	8/10/18	TSP	20.55	52.71	90	μg/m³
Monitoring Point 1	2/10/18	TSP	108.68	53.10	90	μg/m³
September 2018						
Monitoring Point 1	26/9/18	TSP	44.96	52.04	90	μg/m³
Monitoring Point 1	20/9/18	TSP	66.65	51.75	90	μg/m³
Monitoring Point 1	14/9/18	TSP	41.95	50.93	90	μg/m³
Monitoring Point 1	8/9/18	TSP	19.63	50.68	90	μg/m³
Monitoring Point 1	2/9/18	TSP	11.65	50.39	90	μg/m³
August 2018						
Monitoring Point 1	27/8/18	TSP	74.96	50.95	90	μg/m³
Monitoring Point 1	21/8/18	TSP	3.03	50.07	90	μg/m³
Monitoring Point 1	15/8/18	TSP	15.9	50.85	90	μg/m³
Monitoring Point 1	9/8/18	TSP	44.1	50.90	90	μg/m³
Monitoring Point 1	3/8/18	TSP	79.75	50.22	90	μg/m³
July 2018			T	1	1	
Monitoring Point 1	28/7/18	TSP	27.7	49.24	90	μg/m³
Monitoring Point 1	22/7/18	TSP	3.53	49.14	90	μg/m³
Monitoring Point 1	16/7/18	TSP	5.9	49.57	90	μg/m³
Monitoring Point 1	10/7/18	TSP	15.74	49.53	90	μg/m³
Monitoring Point 1	4/7/18	TSP	42.6	49.31	90	μg/m³
June 2018	00/5/5		20.00	10.15		/ ^
Monitoring Point 1	28/6/18	TSP	36.88	49.19	90	μg/m³
Monitoring Point 1	22/6/18	TSP	12.52	49.96	90	μg/m³

Monitoring Point 1   10/6/18   TSP   5.6.8   5.0.6   90   μg/m²   Monitoring Point 1   4/6/18   TSP   5.6.8   5.0.6   90   μg/m²   May 2018						
Monitoring Point 1	16/6/18	TSP	0.77	50.09	90	μg/m³
Monitoring Point   4/6/18		TSP	1.77	50.59	90	μg/m³
Monitoring Point 1   29/5/18   TSP   111.63   50.62   90   μg/m²   Monitoring Point 1   23/5/18   TSP   68.46   48.95   90   μg/m²   Monitoring Point 1   17/5/18   TSP   17.58   48.32   90   μg/m²   Monitoring Point 1   11/5/18   TSP   28.87   48.39   90   μg/m²   April 2018		TSP	56.8	50.6	90	μg/m³
Monitoring Point 1   29/5/18   TSP   111.63   50.62   90   μg/m²   Monitoring Point 1   17/5/18   TSP   68.46   48.95   90   μg/m²   Monitoring Point 1   17/5/18   TSP   17.58   48.32   90   μg/m²   Monitoring Point 1   11/5/18   TSP   2.87   48.39   90   μg/m²   Monitoring Point 1   11/5/18   TSP   2.87   48.39   90   μg/m²   Monitoring Point 1   30/4/18   TSP   24.89   51.57   90   μg/m²   Monitoring Point 1   23/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   79.1   48.04   90   μg/m²   Monitoring Point 1   5/4/18   TSP   79.1   48.04   90   μg/m²   Monitoring Point 1   5/4/18   TSP   79.1   48.04   90   μg/m²   Monitoring Point 1   24/3/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   22/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   12/3/18   TSP   51.06   44.72   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   112.18   43.77   90   μg/m²   Monitoring Point 1   12/3/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   12/3/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   12/3/18   TSP   80.24   43.46   90   μg/m²   Monitoring Point 1   12/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   12/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   12/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   12/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   17/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   17/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   17/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   17/1/18   TSP   57.51   44.29   90   μg/m²   Monitoring Point 1   17/1/18   TSP   17.05   45.56   90   μg/m²   Monitoring Point 1   18/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   18/12/17   TSP   37.34   41.89   90   μg/m²   Moni	, ,				1	1 0
Monitoring Point 1   23/5/18   TSP   68.46   48.95   90   μg/m²   Monitoring Point 1   17/5/18   TSP   17.58   48.32   90   μg/m²   Monitoring Point 1   17/5/18   TSP   24.89   51.57   90   μg/m²   Monitoring Point 1   23/4/18   TSP   24.89   51.57   90   μg/m²   Monitoring Point 1   17/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   144.84   50.33   90   μg/m²   Monitoring Point 1   17/4/18   TSP   79.1   48.04   90   μg/m²   Monitoring Point 1   17/4/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   24/3/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   24/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   21/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   21/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   21/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   22/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   19/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   5/1/18   TSP   56.58   45.5   90   μg/m²   Monitoring Point 1   6/12/17   TSP   70.11   42.26   90   μg/m²   Monitorin	29/5/18	TSP	111.63	50.62	90	μg/m³
Monitoring Point 1		TSP	68.46	+	90	1
Monitoring Point 1		TSP			90	
April 2018   Monitoring Point 1   30/4/18   TSP   24.89   51.57   90   μg/m²   Monitoring Point 1   23/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   144.84   50.33   90   μg/m²   Monitoring Point 1   11/4/18   TSP   144.84   50.33   90   μg/m²   Monitoring Point 1   11/4/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   30/03/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   30/03/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   21/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   112.18   43.77   90   μg/m²   Monitoring Point 1   22/3/18   TSP   12.18   43.77   90   μg/m²   Monitoring Point 1   28/2/18   TSP   32.38   42.97   90   μg/m²   Monitoring Point 1   28/2/18   TSP   32.38   42.97   90   μg/m²   Monitoring Point 1   10/2/18   TSP   32.38   44.97   90   μg/m²   Monitoring Point 1   10/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   10/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   10/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   12/3/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   105.41   43.20   90   μg/m²   Monitoring Point 1   12/1/18   TSP   105.41   43.20   90   μg/m²   Monitoring Point 1   11/1/18   TSP   105.41   43.20   90   μg/m²   Monitoring Point 1   11/1/18   TSP   106.44   43.11   90   μg/m²   Monitoring Point 1   14/1/18   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   14/1/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.51   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.51   41.52   90   μg/m²   Monitoring Point 1   14/1/18   TSP   106.44   43.11   90   μg/m²   Monitoring Point 1   14/1/18   TSP				<u> </u>	90	μg/m³
Monitoring Point 1   23/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   144.84   50.33   90   μg/m²   Monitoring Point 1   11/4/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   5/4/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   30/03/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   24/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   61.09   44.72   90   μg/m²   Monitoring Point 1   21/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   6/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   6/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   4/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   24/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   24/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   30/11/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   30/11/17   TSP   37.34   41.52   90   μg	, ,					1 0,
Monitoring Point 1   23/4/18   TSP   121.08   51.42   90   μg/m²   Monitoring Point 1   17/4/18   TSP   144.84   50.33   90   μg/m²   Monitoring Point 1   11/4/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   5/4/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   30/03/18   TSP   126.5   46.93   90   μg/m²   Monitoring Point 1   24/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   61.09   44.72   90   μg/m²   Monitoring Point 1   21/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   6/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   6/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   4/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   24/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   24/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   30/11/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   30/11/17   TSP   37.34   41.52   90   μg	30/4/18	TSP	24.89	51.57	90	μg/m³
Monitoring Point 1   17/4/18   TSP   144.84   50.33   90   μg/m²   Monitoring Point 1   11/4/18   TSP   79.1   48.04   90   μg/m²   Monitoring Point 1   5/4/18   TSP   126.5   46.93   90   μg/m²   March 2018   Monitoring Point 1   30/03/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   21/3/18   TSP   51.09   44.72   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.218   43.77   90   μg/m²   Monitoring Point 1   6/3/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   10/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   57.20   45.16   90   μg/m²   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   11/1/18   TSP   105.41   43.20   90   μg/m²   Monitoring Point 1   11/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   13/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   18/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.34   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   70.11   42.26   90   μg/m²   Monitoring Point 1   12/11/18   TSP   56.59   42.53   90   μg/m²   Monitoring Point 1   12/11/18   TSP   56.59   42.50   90   μg/m²   Monitoring Point 1   12/11/18   TSP   56.58   42.51   90   μg/m²   Monitoring Point 1   12/11/18   TSP   56.58   42.51   90   μg/m²   Monitoring Point 1   13/10/17   TSP   36.61		TSP	121.08	51.42	90	μg/m³
Monitoring Point 1   11/4/18   TSP   79.1   48.04   90   μg/m²   Monitoring Point 1   5/4/18   TSP   126.5   46.93   90   μg/m²   March 2018   Monitoring Point 1   30/03/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   61.09   44.72   90   μg/m²   Monitoring Point 1   21/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   112.18   43.77   90   μg/m²   Monitoring Point 1   6/3/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   32.38   42.97   90   μg/m²   Monitoring Point 1   19/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   62.9   44.96   90   μg/m²   Monitoring Point 1   12/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   23/1/18   TSP   80.56   45.5   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   5/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   42/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   42/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   24/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.35   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   37.35   41.52   90   μg/m²   Monitoring Point 1   18/12/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   14/11/18   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   14/11/18   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   42/11/18   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   42/11/17   TSP   56.58		TSP	144.84	50.33	90	μg/m³
Monitoring Point 1   5/4/18   TSP   126.5   46.93   90   μg/m²   March 2018		TSP	79.1	48.04	90	μg/m³
Monitoring Point 1   30/03/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   61.09   44.72   90   μg/m²   Monitoring Point 1   21/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   11.218   43.77   90   μg/m²   Monitoring Point 1   12/3/18   TSP   112.18   43.77   90   μg/m²   Monitoring Point 1   6/3/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   32.38   42.97   90   μg/m²   Monitoring Point 1   19/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   10/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   29/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   29/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   29/1/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   29/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   5/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   5/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   8/1/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   18/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m²   Monitoring Point 1   18/12/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   18/11/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   18/11/17   TSP   38.92   42.46   90   μg/m²   Monitoring Point 1   18/11/17   TSP   36.43   42.71   90   μg/m²   Monitoring Point 1   19/10/17   TSP   36.61   41.97   90   μg/m²   Monitoring Point 1   19/10/17   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   19/10/17   TSP   56.58   43.16   90	5/4/18	TSP	126.5	46.93	90	
Monitoring Point 1   30/03/18   TSP   50.30   44.91   90   μg/m²   Monitoring Point 1   24/3/18   TSP   61.09   44.72   90   μg/m²   Monitoring Point 1   21/3/18   TSP   11.68   43.77   90   μg/m²   Monitoring Point 1   12/3/18   TSP   112.18   43.77   90   μg/m²   Monitoring Point 1   6/3/18   TSP   112.18   43.77   90   μg/m²   Monitoring Point 1   6/3/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   10/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   29/1/18   TSP   50.59   45.57   90   μg/m²   Monitoring Point 1   29/1/18   TSP   50.56   45.5   90   μg/m²   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   μg/m²   Monitoring Point 1   30/12/17   TSP   61.79   42.35   90   μg/m²   Monitoring Point 1   18/12/17   TSP   33.99   41.77   90   μg/m²   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m²   Monitoring Point 1   18/12/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   18/12/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   12/11/18   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   12/11/18   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   12/11/18   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   12/11/17   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   12/11/18   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   12/11/18   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   12/11/17   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   13/10/17   TSP   56.58   43.16   90			1			1 0
Monitoring Point 1   24/3/18   TSP   61.09   44.72   90   μg/m²   Monitoring Point 1   21/3/18   TSP   11.68   43.79   90   μg/m²   Monitoring Point 1   12/3/18   TSP   112.18   43.77   90   μg/m²   Monitoring Point 1   6/3/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   28/2/18   TSP   80.22   43.5   90   μg/m²   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   84.95   44.92   90   μg/m²   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   29/1/18   TSP   80.56   45.5   90   μg/m²   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   105.41   43.20   90   μg/m²   Monitoring Point 1   11/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   5/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   30/12/17   TSP   67.99   42.98   90   μg/m²   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   18/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   18/12/17   TSP   37.35   41.52   90   μg/m²   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m²   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   12/11/18   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m²   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m²   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m²   Monitoring Point 1   13/10/17   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   42/11/18   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   41/10/17   TSP   46.25   42.53	30/03/18	TSP	50.30	44.91	90	μg/m³
Monitoring Point 1   21/3/18   TSP   11.68   43.79   90   μg/m³   Monitoring Point 1   12/3/18   TSP   112.18   43.77   90   μg/m³   Monitoring Point 1   6/3/18   TSP   80.22   43.5   90   μg/m³   February 2018			+		1	μg/m³
Monitoring Point 1					ļ	μg/m³
Monitoring Point 1   6/3/18   TSP   80.22   43.5   90   µg/m³					90	μg/m³
Monitoring Point 1   28/2/18   TSP   32.38   42.97   90   µg/m³   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   µg/m³   Monitoring Point 1   19/2/18   TSP   84.95   43.46   90   µg/m³   Monitoring Point 1   10/2/18   TSP   89.4   44.2   90   µg/m³   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   µg/m³   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   µg/m³   Monitoring Point 1   29/1/18   TSP   54.57   44.96   90   µg/m³   Monitoring Point 1   29/1/18   TSP   80.56   45.5   90   µg/m³   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   µg/m³   Monitoring Point 1   17/1/18   TSP   105.41   43.20   90   µg/m³   Monitoring Point 1   11/1/18   TSP   67.29   42.98   90   µg/m³   Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   µg/m³   Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   µg/m³   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   µg/m³   Monitoring Point 1   24/12/17   TSP   33.99   41.77   90   µg/m³   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   µg/m³   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   µg/m³   Monitoring Point 1   6/12/17   TSP   7.08   41.52   90   µg/m³   Monitoring Point 1   30/11/17   TSP   7.08   41.52   90   µg/m³   Monitoring Point 1   30/11/17   TSP   7.08   41.52   90   µg/m³   Monitoring Point 1   30/11/17   TSP   51.84   42.53   90   µg/m³   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   µg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   µg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   µg/m³   Monitoring Point 1   12/11/18   TSP   55.84   42.53   90   µg/m³   Monitoring Point 1   13/10/17   TSP   56.58   43.16   90   µg/m³   Monitoring Point 1   19/10/17   TSP   56.58   43.16   90   µg/m³   Monitoring Point 1   19/10/17   TSP   56.58   43.16   90   µg/m³   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   µg/m³   Monitoring Point 1   13/10/17   TSP   46.25   42.53   90   µg/m³   Monitoring Point 1   13/10/17   TSP   46.25   42.53   90			+		ļ	μg/m³
Monitoring Point 1   28/2/18   TSP   32.38   42.97   90   μg/m²   Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m²   Monitoring Point 1   19/2/18   TSP   89.4   44.2   90   μg/m²   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m²   Monitoring Point 1   29/1/18   TSP   80.56   45.5   90   μg/m²   Monitoring Point 1   29/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   172.05   45.16   90   μg/m²   Monitoring Point 1   17/1/18   TSP   105.41   43.20   90   μg/m²   Monitoring Point 1   11/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   5/1/18   TSP   67.29   42.98   90   μg/m²   Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   μg/m²   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m²   Monitoring Point 1   18/12/17   TSP   33.99   41.77   90   μg/m²   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m²   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   μg/m²   Monitoring Point 1   6/12/17   TSP   70.8   41.52   90   μg/m²   Monitoring Point 1   6/12/17   TSP   70.8   41.52   90   μg/m²   Monitoring Point 1   30/11/17   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   μg/m²   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m²   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m²   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m²   Monitoring Point 1   13/10/17   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   13/10/17   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   13/10/17   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   13/10/17   TSP   56.58   43.16   90   μg/m²   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   μg/m²   Monitoring Point 1   13/10/17   TSP   46.25   42.53   90   μg/m²   Monitoring Point 1   13/10/17   TSP   44.45   41.55   9	· · ·		•	1	1	,
Monitoring Point 1   22/2/18   TSP   84.95   43.46   90   μg/m³   Monitoring Point 1   19/2/18   TSP   89.4   44.2   90   μg/m³   Monitoring Point 1   10/2/18   TSP   62.9   44.92   90   μg/m³   Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   μg/m³   January 2018	28/2/18	TSP	32.38	42.97	90	μg/m³
Monitoring Point 1	22/2/18	TSP	84.95	43.46	90	μg/m³
Monitoring Point 1   10/2/18   TSP   52.9   44.92   90   µg/m³	19/2/18	TSP	89.4	44.2	90	μg/m³
Monitoring Point 1   4/2/18   TSP   54.57   44.96   90   µg/m³		TSP	+	44.92	90	μg/m³
January 2018   Monitoring Point 1   29/1/18   TSP   80.56   45.5   90   µg/m³   Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   µg/m³   Monitoring Point 1   17/1/18   TSP   105.41   43.20   90   µg/m³   Monitoring Point 1   11/1/18   TSP   67.29   42.98   90   µg/m³   Monitoring Point 1   5/1/8   TSP   61.79   42.35   90   µg/m³   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   µg/m³   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   µg/m³   Monitoring Point 1   24/12/17   TSP   33.99   41.77   90   µg/m³   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   µg/m³   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   µg/m³   Monitoring Point 1   6/12/17   TSP   7.08   41.52   90   µg/m³   Monitoring Point 1   30/11/17   TSP   7.08   41.52   90   µg/m³   Monitoring Point 1   30/11/17   TSP   106.44   43.11   90   µg/m³   Monitoring Point 1   30/11/17   TSP   51.84   42.53   90   µg/m³   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   µg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   µg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   µg/m³   Monitoring Point 1   6/11/18   TSP   55.58   43.16   90   µg/m³   Monitoring Point 1   25/10/17   TSP   56.58   43.16   90   µg/m³   Monitoring Point 1   19/10/17   TSP   56.58   43.16   90   µg/m³   Monitoring Point 1   19/10/17   TSP   36.61   41.97   90   µg/m³   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   µg/m³   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   µg/m³   Monitoring Point 1   17/10/17   TSP   36.61   41.97   90   µg/m³   Monitoring Point 1   17/10/17   TSP   36.61   41.97   90   µg/m³   Monitoring Point 1   17/10/17   TSP   44.45   41.55   90   µg/m³   Monitoring Point 1   17/10/17   TSP   44.27   41.07   90   µg/m³   September 2017		TSP	54.57	44.96	90	μg/m³
Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m³   Monitoring Point 1   17/1/18   TSP   105.41   43.20   90   μg/m³   Monitoring Point 1   11/1/18   TSP   67.29   42.98   90   μg/m³   Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   μg/m³   Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   μg/m³   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m³   Monitoring Point 1   24/12/17   TSP   33.99   41.77   90   μg/m³   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m³   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   μg/m³   Monitoring Point 1   6/12/17   TSP   7.08   41.52   90   μg/m³   November 2017   Monitoring Point 1   30/11/17   TSP   7.08   41.52   90   μg/m³   Monitoring Point 1   30/11/17   TSP   106.44   43.11   90   μg/m³   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   μg/m³   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   μg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m³   Monitoring Point 1   6/11/18   TSP   54.43   42.71   90   μg/m³   Monitoring Point 1   6/11/18   TSP   55.88   43.16   90   μg/m³   Monitoring Point 1   31/10/17   TSP   36.61   41.97   90   μg/m³   Monitoring Point 1   19/10/17   TSP   36.61   41.97   90   μg/m³   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   μg/m³   Monitoring Point 1   7/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP			1	1	JI.	
Monitoring Point 1   23/1/18   TSP   172.05   45.16   90   μg/m³   Monitoring Point 1   17/1/18   TSP   105.41   43.20   90   μg/m³   Monitoring Point 1   11/1/18   TSP   67.29   42.98   90   μg/m³   Monitoring Point 1   5/1/18   TSP   67.29   42.98   90   μg/m³   Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   μg/m³   Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m³   Monitoring Point 1   24/12/17   TSP   33.99   41.77   90   μg/m³   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m³   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   μg/m³   Monitoring Point 1   12/12/17   TSP   70.8   41.52   90   μg/m³   Monitoring Point 1   6/12/17   TSP   7.08   41.52   90   μg/m³   Monitoring Point 1   30/11/17   TSP   106.44   43.11   90   μg/m³   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   μg/m³   Monitoring Point 1   18/11/17   TSP   51.84   42.53   90   μg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m³   Monitoring Point 1   6/11/18   TSP   15   42.7   90   μg/m³   Monitoring Point 1   31/10/17   TSP   21.95   43.04   90   μg/m³   Monitoring Point 1   31/10/17   TSP   56.58   43.16   90   μg/m³   Monitoring Point 1   19/10/17   TSP   56.58   43.16   90   μg/m³   Monitoring Point 1   19/10/17   TSP   36.61   41.97   90   μg/m³   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   μg/m³   Monitoring Point 1   7/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   September 2017	29/1/18	TSP	80.56	45.5	90	μg/m³
Monitoring Point 1	23/1/18	TSP	172.05	45.16	90	μg/m³
Monitoring Point 1   5/1/18   TSP   61.79   42.35   90   μg/m <sup>3</sup>	17/1/18	TSP	105.41	43.20	90	μg/m³
Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m³   Monitoring Point 1   24/12/17   TSP   33.99   41.77   90   μg/m³   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m³   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   μg/m³   Monitoring Point 1   6/12/17   TSP   7.08   41.52   90   μg/m³   Monitoring Point 1   6/12/17   TSP   7.08   41.52   90   μg/m³   Monitoring Point 1   30/11/17   TSP   106.44   43.11   90   μg/m³   Monitoring Point 1   24/11/17   TSP   51.84   42.53   90   μg/m³   Monitoring Point 1   18/11/17   TSP   38.92   42.46   90   μg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m³   Monitoring Point 1   6/11/18   TSP   15   42.7   90   μg/m³   October 2017   Monitoring Point 1   31/10/17   TSP   56.58   43.16   90   μg/m³   Monitoring Point 1   19/10/17   TSP   56.58   43.16   90   μg/m³   Monitoring Point 1   19/10/17   TSP   46.25   42.53   90   μg/m³   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   μg/m³   Monitoring Point 1   13/10/17   TSP   44.45   41.55   90   μg/m³   Monitoring Point 1   17/10/17   TSP   44.45   41.55   90   μg/m³   Monitoring Point 1   17/10/17   TSP   44.45   41.55   90   μg/m³   Monitoring Point 1   17/10/17   TSP   44.27   41.07   90   μg/m³   September 2017	11/1/18	TSP	67.29	42.98	90	μg/m³
Monitoring Point 1   30/12/17   TSP   37.34   41.89   90   μg/m³   Monitoring Point 1   24/12/17   TSP   33.99   41.77   90   μg/m³   Monitoring Point 1   18/12/17   TSP   70.11   42.26   90   μg/m³   Monitoring Point 1   12/12/17   TSP   73.51   41.52   90   μg/m³   Monitoring Point 1   6/12/17   TSP   7.08   41.52   90   μg/m³   Monitoring Point 1   30/11/17   TSP   106.44   43.11   90   μg/m³   Monitoring Point 1   24/11/17   TSP   51.84   42.53   90   μg/m³   Monitoring Point 1   18/11/17   TSP   38.92   42.46   90   μg/m³   Monitoring Point 1   12/11/18   TSP   54.43   42.71   90   μg/m³   Monitoring Point 1   6/11/18   TSP   54.43   42.71   90   μg/m³   Monitoring Point 1   6/11/18   TSP   55.58   43.16   90   μg/m³   Monitoring Point 1   25/10/17   TSP   56.58   43.16   90   μg/m³   Monitoring Point 1   19/10/17   TSP   46.25   42.53   90   μg/m³   Monitoring Point 1   13/10/17   TSP   36.61   41.97   90   μg/m³   Monitoring Point 1   7/10/17   TSP   44.45   41.55   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.45   41.55   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.45   41.55   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.47   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.47   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.47   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.47   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07   90   μg/m³   Monitoring Point 1   1/10/17   TSP   44.27   41.07	5/1/18	TSP	61.79	42.35	90	μg/m³
Monitoring Point 1         24/12/17         TSP         33.99         41.77         90         μg/m³           Monitoring Point 1         18/12/17         TSP         70.11         42.26         90         μg/m³           Monitoring Point 1         12/12/17         TSP         73.51         41.52         90         μg/m³           Monitoring Point 1         6/12/17         TSP         7.08         41.52         90         μg/m³           November 2017         Monitoring Point 1         30/11/17         TSP         106.44         43.11         90         μg/m³           Monitoring Point 1         24/11/17         TSP         51.84         42.53         90         μg/m³           Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         19/10/17         TSP						
Monitoring Point 1         24/12/17         TSP         33.99         41.77         90         μg/m³           Monitoring Point 1         18/12/17         TSP         70.11         42.26         90         μg/m³           Monitoring Point 1         12/12/17         TSP         73.51         41.52         90         μg/m³           Monitoring Point 1         6/12/17         TSP         7.08         41.52         90         μg/m³           November 2017         Monitoring Point 1         30/11/17         TSP         106.44         43.11         90         μg/m³           Monitoring Point 1         24/11/17         TSP         51.84         42.53         90         μg/m³           Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017         Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         19/10/17	30/12/17	TSP	37.34	41.89	90	μg/m³
Monitoring Point 1         12/12/17         TSP         73.51         41.52         90         μg/m³           Monitoring Point 1         6/12/17         TSP         7.08         41.52         90         μg/m³           November 2017         Monitoring Point 1         30/11/17         TSP         106.44         43.11         90         μg/m³           Monitoring Point 1         24/11/17         TSP         51.84         42.53         90         μg/m³           Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017           Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         19/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1	24/12/17	TSP	33.99	41.77	90	μg/m³
Monitoring Point 1         6/12/17         TSP         7.08         41.52         90         μg/m³           November 2017           Monitoring Point 1         30/11/17         TSP         106.44         43.11         90         μg/m³           Monitoring Point 1         24/11/17         TSP         51.84         42.53         90         μg/m³           Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017         Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         19/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1	18/12/17	TSP	70.11	42.26	90	μg/m³
November 2017           Monitoring Point 1         30/11/17         TSP         106.44         43.11         90         μg/m³           Monitoring Point 1         24/11/17         TSP         51.84         42.53         90         μg/m³           Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017         Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         19/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1	12/12/17	TSP	73.51	41.52	90	μg/m³
Monitoring Point 1         30/11/17         TSP         106.44         43.11         90         μg/m³           Monitoring Point 1         24/11/17         TSP         51.84         42.53         90         μg/m³           Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017         Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         19/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27	6/12/17	TSP	7.08	41.52	90	μg/m³
Monitoring Point 1         24/11/17         TSP         51.84         42.53         90         μg/m³           Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017         Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         25/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017						
Monitoring Point 1         18/11/17         TSP         38.92         42.46         90         μg/m³           Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017           Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         25/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017	30/11/17	TSP	106.44	43.11	90	μg/m³
Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017           Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         25/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017	24/11/17	TSP	51.84	42.53	90	μg/m³
Monitoring Point 1         12/11/18         TSP         54.43         42.71         90         μg/m³           Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017           Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         25/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017		TSP		42.46	90	μg/m³
Monitoring Point 1         6/11/18         TSP         15         42.7         90         μg/m³           October 2017           Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         25/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017		TSP	54.43	42.71	90	μg/m³
October 2017           Monitoring Point 1         31/10/17         TSP         21.95         43.04         90         μg/m³           Monitoring Point 1         25/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017		TSP	15	42.7	90	μg/m³
Monitoring Point 1         25/10/17         TSP         56.58         43.16         90         μg/m³           Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017						
Monitoring Point 1       25/10/17       TSP       56.58       43.16       90       μg/m³         Monitoring Point 1       19/10/17       TSP       46.25       42.53       90       μg/m³         Monitoring Point 1       13/10/17       TSP       36.61       41.97       90       μg/m³         Monitoring Point 1       7/10/17       TSP       44.45       41.55       90       μg/m³         Monitoring Point 1       1/10/17       TSP       44.27       41.07       90       μg/m³         September 2017	31/10/17	TSP	21.95	43.04	90	μg/m³
Monitoring Point 1         19/10/17         TSP         46.25         42.53         90         μg/m³           Monitoring Point 1         13/10/17         TSP         36.61         41.97         90         μg/m³           Monitoring Point 1         7/10/17         TSP         44.45         41.55         90         μg/m³           Monitoring Point 1         1/10/17         TSP         44.27         41.07         90         μg/m³           September 2017		TSP		43.16	90	μg/m³
Monitoring Point 1       13/10/17       TSP       36.61       41.97       90       μg/m³         Monitoring Point 1       7/10/17       TSP       44.45       41.55       90       μg/m³         Monitoring Point 1       1/10/17       TSP       44.27       41.07       90       μg/m³         September 2017		TSP	46.25	42.53	90	μg/m³
Monitoring Point 1       7/10/17       TSP       44.45       41.55       90       μg/m³         Monitoring Point 1       1/10/17       TSP       44.27       41.07       90       μg/m³         September 2017		TSP	+		90	μg/m³
Monitoring Point 1 1/10/17 TSP 44.27 41.07 90 μg/m <sup>3</sup> September 2017				+		μg/m³
September 2017						μg/m³
	· ·		•	1	1	,
	25/9/17	TSP	27.29	40.54	90	μg/m³
wionitoring Fullit 1		10/6/18 4/6/18  29/5/18 23/5/18 17/5/18 11/5/18  30/4/18 23/4/18 17/4/18 11/4/18 11/4/18 5/4/18  30/03/18 24/3/18 21/3/18 12/3/18 6/3/18  28/2/18 22/2/18 19/2/18 10/2/18 4/2/18  29/1/18 23/1/18 17/1/18 11/1/18 5/1/18 30/12/17 24/12/17 18/12/17 18/12/17 18/12/17 18/11/17 12/11/18 6/11/18 31/10/17 25/10/17 19/10/17 13/10/17 1/10/17	10/6/18 TSP  4/6/18 TSP  29/5/18 TSP  23/5/18 TSP  17/5/18 TSP  11/5/18 TSP  30/4/18 TSP  30/4/18 TSP  30/4/18 TSP  11/4/18 TSP  11/4/18 TSP  30/03/18 TSP  30/03/18 TSP  24/3/18 TSP  21/3/18 TSP  21/3/18 TSP  21/3/18 TSP  22/2/18 TSP  28/2/18 TSP  28/2/18 TSP  29/1/18 TSP  29/1/18 TSP  29/1/18 TSP  30/12/17 TSP  30/12/17 TSP  30/12/17 TSP  30/12/17 TSP  12/12/17 TSP  30/11/17 TSP  30/11/17 TSP  31/10/17 TSP  12/11/18 TSP  31/10/17 TSP  25/10/17 TSP  31/10/17 TSP	10/6/18         TSP         1.77           4/6/18         TSP         56.8           29/5/18         TSP         56.8           29/5/18         TSP         68.46           17/5/18         TSP         17.58           11/5/18         TSP         2.87           30/4/18         TSP         24.89           23/4/18         TSP         121.08           17/4/18         TSP         121.08           17/4/18         TSP         121.08           17/4/18         TSP         121.08           17/4/18         TSP         126.5           30/03/18         TSP         50.30           24/3/18         TSP         126.5           30/03/18         TSP         50.30           24/3/18         TSP         11.68           12/3/18         TSP         11.68           12/3/18         TSP         31.28           22/2/18         TSP         32.38 <t< td=""><td>10/6/18         TSP         1.77         50.59           4/6/18         TSP         56.8         50.6           29/5/18         TSP         56.8         50.6           29/5/18         TSP         111.63         50.62           23/5/18         TSP         68.46         48.95           17/5/18         TSP         17.58         48.32           11/5/18         TSP         24.89         51.57           23/4/18         TSP         24.89         51.42           17/4/18         TSP         121.08         51.42           17/4/18         TSP         121.08         51.42           17/4/18         TSP         121.08         51.42           17/4/18         TSP         126.5         46.93           30/03/18         TSP         126.5         46.93           30/03/18         TSP         50.30         44.91           24/3/18         TSP         50.30         44.91           24/3/18         TSP         50.30         44.91           24/3/18         TSP         11.68         43.79           12/3/18         TSP         11.68         43.79           12/3/18</td><td>10/6/18         TSP         1.77         50.59         90           4/6/18         TSP         56.8         50.6         90           29/5/18         TSP         56.8         50.6         90           23/5/18         TSP         11.63         50.62         90           23/5/18         TSP         68.46         48.95         90           11/5/18         TSP         17.58         48.32         90           11/5/18         TSP         24.89         51.57         90           30/4/18         TSP         24.89         51.57         90           23/4/18         TSP         121.08         51.42         90           11/4/18         TSP         121.08         51.42         90           5/4/18         TSP         144.84         50.33         90           30/03/18         TSP         79.1         48.04         90           5/4/18         TSP         50.30         44.91         90           24/3/18         TSP         50.30         44.91         90           21/3/18         TSP         50.30         44.91         90           22/2/18         TSP         31.68</td></t<>	10/6/18         TSP         1.77         50.59           4/6/18         TSP         56.8         50.6           29/5/18         TSP         56.8         50.6           29/5/18         TSP         111.63         50.62           23/5/18         TSP         68.46         48.95           17/5/18         TSP         17.58         48.32           11/5/18         TSP         24.89         51.57           23/4/18         TSP         24.89         51.42           17/4/18         TSP         121.08         51.42           17/4/18         TSP         121.08         51.42           17/4/18         TSP         121.08         51.42           17/4/18         TSP         126.5         46.93           30/03/18         TSP         126.5         46.93           30/03/18         TSP         50.30         44.91           24/3/18         TSP         50.30         44.91           24/3/18         TSP         50.30         44.91           24/3/18         TSP         11.68         43.79           12/3/18         TSP         11.68         43.79           12/3/18	10/6/18         TSP         1.77         50.59         90           4/6/18         TSP         56.8         50.6         90           29/5/18         TSP         56.8         50.6         90           23/5/18         TSP         11.63         50.62         90           23/5/18         TSP         68.46         48.95         90           11/5/18         TSP         17.58         48.32         90           11/5/18         TSP         24.89         51.57         90           30/4/18         TSP         24.89         51.57         90           23/4/18         TSP         121.08         51.42         90           11/4/18         TSP         121.08         51.42         90           5/4/18         TSP         144.84         50.33         90           30/03/18         TSP         79.1         48.04         90           5/4/18         TSP         50.30         44.91         90           24/3/18         TSP         50.30         44.91         90           21/3/18         TSP         50.30         44.91         90           22/2/18         TSP         31.68

Monitoring Point 1	19/9/17	TSP	16.49	40.4	90	μg/m³
Monitoring Point 1	13/9/17	TSP	26.54	40.83	90	μg/m³
Monitoring Point 1	6/9/17	TSP	2.01	41.14	90	μg/m³
Monitoring Point 1	1/9/17	TSP	46.01	41.52	90	μg/m³
August 2017						1 0
Monitoring Point 1	26/8/17	TSP	21.1	40.95	90	μg/m³
Monitoring Point 1	20/8/17	TSP	50.93	40.78	90	μg/m <sup>3</sup>
Monitoring Point 1	14/8/17	TSP	18.5	41	90	μg/m³
Monitoring Point 1	8/8/17	TSP	2.65	40.87	90	μg/m <sup>3</sup>
Monitoring Point 1	2/8/17	TSP	20.08	41.51	90	μg/m <sup>3</sup>
July 2017	_, 0, _,					P6/ ···
Monitoring Point 1	27/7/17	TSP	21.95	41.26	90	μg/m³
Monitoring Point 1	21/7/17	TSP	29.23	40.98	90	μg/m <sup>3</sup>
Monitoring Point 1	15/7/17	TSP	4	40.63	90	μg/m <sup>3</sup>
Monitoring Point 1	9/7/17	TSP	1.96	40.58	90	μg/m <sup>3</sup>
Monitoring Point 1	3/7/17	TSP	35.64	40.70	90	μg/m <sup>3</sup>
June 2017	3/1/11	131	33.04	40.70	30	μ6/111
Monitoring Point 1	27/6/17	TSP	83.61	40.22	90	μg/m³
Monitoring Point 1	21/6/17	TSP	20.64	39.07	90	μg/m³
Monitoring Point 1	15/6/17	TSP	30.78	38.79	90	μg/m³
Monitoring Point 1	9/6/17	TSP	2.79	38.79	90	μg/m³
		TSP	+		90	
Monitoring Point 1	3/6/17	134	57.96	38.7	90	μg/m³
May 2017	20/5/47	TCD	0.50	27.05	00	
Monitoring Point 1	28/5/17	TSP	9.59	37.85	90	μg/m <sup>3</sup>
Monitoring Point 1	22/5/17	TSP	30.22	37.81	90	μg/m <sup>3</sup>
Monitoring Point 1	16/5/17	TSP	21.84	39.21	90	μg/m <sup>3</sup>
Monitoring Point 1	10/5/17	TSP	138.25	39.13	90	μg/m <sup>3</sup>
Monitoring Point 1	4/5/17	TSP	63.66	37.03	90	μg/m³
April 2017	20/4/47	TCD	45.50	26.22	00	/ 3
Monitoring Point 1	28/4/17	TSP	15.58	36.22	90	μg/m³
Monitoring Point 1	22/4/17	TSP	54.52	36.9	90	μg/m³
Monitoring Point 1	16/4/17	TSP	5.18	36.72	90	μg/m³
Monitoring Point 1	10/4/17	TSP	11.65	37.81	90	μg/m³
Monitoring Point 1	4/4/17	TSP	3.21	38.88	90	μg/m³
March 2017	20/2/47	TCD	20.00	1 00 70	- 00	1 / 2
Monitoring Point 1	29/3/17	TSP	38.89	39.72	90	μg/m³
Monitoring Point 1	23/3/17	TSP	3.96	40.26	90	μg/m³
Monitoring Point 1	17/3/17	TSP	10.7	40.73	90	μg/m³
Monitoring Point 1	11/3/17	TSP	95.51	41.04	90	μg/m³
Monitoring Point 1	5/3/17	TSP	48.22	41.37	90	μg/m³
February 2017	07/2/2	<b>T</b> 25		1	2.5	
Monitoring Point 1	27/2/17	TSP	62.22	41.97	90	μg/m³
Monitoring Point 1	21/2/17	TSP	129.86	41.5	90	μg/m³
Monitoring Point 1	15/2/17	TSP	133.48	40.19	90	μg/m³
Monitoring Point 1	9/2/17	TSP	65.23	39.26	90	μg/m³
Monitoring Point 1	3/2/17	TSP	87.53	39.72	90	μg/m³
January 2017	T.		T	T	T	1
Monitoring Point 1	28/1/17	TSP	59.99	39.26	90	μg/m³
Monitoring Point 1	22/1/17	TSP	52.3	39.11	90	μg/m³
Monitoring Point 1	16/1/17	TSP	91.92	39	90	μg/m³
Monitoring Point 1	10/1/17	TSP	29.07	37.82	90	μg/m³
Monitoring Point 1	4/1/17	TSP	33.78	38.6	90	μg/m³
December 2016						

Monitoring Point 1	29/12/16	TSP	29.63	38.79	90	μg/m³
Monitoring Point 1	23/12/16	TSP	64.25	39.85	90	μg/m³
Monitoring Point 1	17/12/16	TSP	24.69	40.58	90	μg/m³
Monitoring Point 1	11/12/16	TSP	73.5	42.34	90	μg/m³
Monitoring Point 1	5/12/16	TSP	104.36	43.1	90	μg/m³
November 2016	5, ==, = 5	-		10.2		J P-0/ ···
Monitoring Point 1	29/11/16	TSP	71.14	42.61	90	μg/m³
Monitoring Point 1	23/11/16	TSP	47.44	42.23	90	μg/m <sup>3</sup>
Monitoring Point 1	17/11/16	TSP	54.04	43.37	90	μg/m <sup>3</sup>
Monitoring Point 1	11/11/16	TSP	53.96	43.31	90	μg/m <sup>3</sup>
Monitoring Point 1	5/11/16	TSP	35.42	44.4	90	μg/m <sup>3</sup>
October 2016	3/11/10	131	33.42	77.7	30	μ8/111
Monitoring Point 1	30/10/16	TSP	29.77	44.46	90	μg/m³
Monitoring Point 1	24/10/16	TSP	18.07	45.98	90	μg/m <sup>3</sup>
Monitoring Point 1	18/10/16	TSP	11.73	46.78	90	μg/m³
Monitoring Point 1	12/10/16	TSP	11.73	47.36	90	
Monitoring Point 1	6/10/16	TSP		+	90	μg/m <sup>3</sup>
	6/10/16	134	15.33	47.63	90	μg/m³
September 2016	20/0/46	TCD	12.16	40.42	1 00	
Monitoring Point 1	30/9/16	TSP	12.16	48.12	90	μg/m <sup>3</sup>
Monitoring Point 1	24/9/16	TSP	18.25	48.89	90	μg/m³
Monitoring Point 1	18/9/16	TSP	43.14	49.18	90	μg/m³
Monitoring Point 1	12/9/16	TSP	45.55	48.85	90	μg/m³
Monitoring Point 1	6/9/16	TSP	24.82	48.48	90	μg/m³
August 2016	· · ·	T	T		1	T
Monitoring Point 1	31/8/16	TSP	11.29	48.45	90	μg/m³
Monitoring Point 1	25/8/16	TSP	9.81	48.48	90	μg/m³
Monitoring Point 1	19/8/16	TSP	65.49	48.37	90	μg/m³
Monitoring Point 1	13/8/16	TSP	10.2	48.26	90	μg/m³
Monitoring Point 1	7/8/16	TSP	42.03	48.17	90	μg/m³
Monitoring Point 1	1/8/16	TSP	4.88	47.56	90	μg/m³
July 2016	T	T	T	1	1	1
Monitoring Point 1	26/7/16	TSP	4.53	47.67	90	μg/m³
Monitoring Point 1	20/7/16	TSP	8.15	47.72	90	μg/m³
Monitoring Point 1	14/7/16	TSP	0.93	47.81	90	μg/m³
Monitoring Point 1	8/7/16	TSP	9.31	48.04	90	μg/m³
Monitoring Point 1	2/7/16	TSP	6.2	49.93	90	μg/m³
June 2016						
Monitoring Point 1	26/6/16	TSP	13.55	49.91	90	μg/m³
Monitoring Point 1	20/6/16	TSP	3.38	50.13	90	μg/m³
Monitoring Point 1	14/6/16	TSP	26.58	50.15	90	μg/m³
Monitoring Point 1	8/6/16	TSP	1.39	52.44	90	μg/m³
Monitoring Point 1	2/6/16	TSP	6.46	52.54	90	μg/m³
May 2016						
Monitoring Point 1	27/5/16	TSP	6.76	52.58	90	μg/m³
Monitoring Point 1	21/5/16	TSP	115.99	52.76	90	μg/m³
Monitoring Point 1	15/5/16	TSP	17.01	51.01	90	μg/m³
Monitoring Point 1	9/5/16	TSP	10.38	51.12	90	μg/m³
Monitoring Point 1	3/5/16	TSP	13.9	51.23	90	μg/m³
April 2016						
Monitoring Point 1	29/4/16	TSP	57.1	51.14	90	μg/m³
Monitoring Point 1	21/4/16	TSP	43.81	50.31	90	μg/m³
Monitoring Point 1	15/4/16	TSP	71.37	49.66	90	μg/m <sup>3</sup>
Monitoring Point 1	9/4/16	TSP	77.16	49.04	90	μg/m³
	· · ·	L			I.	

Manitarina Daint 1	2/4/46	TCD	F4.42	40.25	00	
Monitoring Point 1	3/4/16	TSP	54.12	48.25	90	μg/m³
March 2016	T		T	1		1
Monitoring Point 1	28/3/16	TSP	72.1	47.8	90	μg/m³
Monitoring Point 1	22/3/16	TSP	32.4	47.63	90	μg/m³
Monitoring Point 1	16/3/16	TSP	29.6	47.93	90	μg/m³
Monitoring Point 1	10/3/16	TSP	115.53	48.65	90	μg/m³
Monitoring Point 1	4/3/16	TSP	85.2	47.98	90	μg/m³
February 2016						
Monitoring Point 1	27/2/16	TSP	33.44	47.76	90	μg/m³
Monitoring Point 1	21/2/16	TSP	50.04	47.81	90	μg/m³
Monitoring Point 1	15/2/16	TSP	76.75	47.99	90	μg/m³
Monitoring Point 1	9/2/16	TSP	93.03	47.81	90	μg/m³
Monitoring Point 1	3/2/16	TSP	59.44	47.38	90	μg/m³
January 2016			l	1		1 0
Monitoring Point 1	28/1/16	TSP	51.24	47.07	90	μg/m³
Monitoring Point 1	22/1/16	TSP	45.26	46.55	90	μg/m³
Monitoring Point 1	16/1/16	TSP	19.87	46.56	90	μg/m <sup>3</sup>
Monitoring Point 1	10/1/16	TSP	76.68	46.96	90	μg/m <sup>3</sup>
Monitoring Point 1	4/1/16	TSP	45.33	46.38	90	μg/m <sup>3</sup>
December 2015	., _, 10					ro/'''
Monitoring Point 1	29/12/15	TSP	94.46	46.6	90	μg/m³
Monitoring Point 1	23/12/15	TSP	108.57	45.39	90	μg/m³
Monitoring Point 1	17/12/15	TSP	132.01	44.45	90	μg/m <sup>3</sup>
Monitoring Point 1	11/12/15	TSP	120.32	43.99	90	μg/m³
Monitoring Point 1	5/12/15	TSP	74.44	42.24	90	μg/m³
November 2015	3/12/13	131	74.44	42.24	30	μβ/ΙΙΙ
Monitoring Point 1	29/11/15	TSP	47.73	41.41	90	μg/m³
Monitoring Point 1	23/11/15	TSP	122.91	41.45	90	
Monitoring Point 1	17/11/15	TSP	44.6	40.46	90	μg/m³
Monitoring Point 1		TSP			90	μg/m³
	11/11/15		120.58	40.15		μg/m³
Monitoring Point 1	5/11/15	TSP	38.57	39.32	90	μg/m³
October 2015	20/40/45	TCD	422.72	40.40	00	3
Monitoring Point 1	30/10/15	TSP	122.73	40.48	90	μg/m³
Monitoring Point 1	24/10/15	TSP	67.06	38.89	90	μg/m³
Monitoring Point 1	18/10/15	TSP	47.17	38.85	90	μg/m³
Monitoring Point 1	12/10/15	TSP	27.05	38.69	90	μg/m³
Monitoring Point 1	6/10/15	TSP	45.75	38.74	90	μg/m³
September 2015	1		T			1 , 2
Monitoring Point 1	30/9/15	TSP	58.64	38.4	90	μg/m³
Monitoring Point 1	24/9/15	TSP	36.25	38.31	90	μg/m³
Monitoring Point 1	18/9/15	TSP	22.87	38.63	90	μg/m³
Monitoring Point 1	12/9/15	TSP	22.99	38.39	90	μg/m³
Monitoring Point 1	6/9/15	TSP	23.05	38.29	90	μg/m³
August 2015	,		T			1
Monitoring Point 1	31/8/15	TSP	13.26	38.1	90	μg/m³
Monitoring Point 1	25/8/15	TSP	3.02	38.51	90	μg/m³
Monitoring Point 1	19/8/15	TSP	58.67	38.89	90	μg/m³
Monitoring Point 1	13/8/15	TSP	4.73	38.27	90	μg/m³
Monitoring Point 1	7/8/15	TSP	4.98	39.36	90	μg/m³
Monitoring Point 1	1/8/15	TSP	11.69	39.69	90	μg/m³
July 2015						
Monitoring Point 1	26/7/15	TSP	7.24	39.97	90	μg/m³
Monitoring Point 1	20/7/15	TSP	13.48	40.23	90	μg/m³

Monitoring Point 1	14/7/15	TSP	15.47	40.63	90	μg/m³
Monitoring Point 1	8/7/15	TSP	124.63	40.68	90	μg/m³
Monitoring Point 2	2/7/15	TSP	4.89	38.66	90	μg/m³
June 2015					•	•
Monitoring Point 1	26/6/15	TSP	26.76	38.66	90	μg/m³
Monitoring Point 1	20/6/15	TSP	4.57	38.34	90	μg/m³
Monitoring Point 1	14/6/15	TSP	166.17	38.37	90	μg/m³
Monitoring Point 1	8/6/15	TSP	7.93	35.95	90	μg/m³
Monitoring Point 1	2/6/15	TSP	8.88	36.13	90	μg/m³
May 2015						
Monitoring Point 1	27/5/15	TSP	17.38	36.18	90	μg/m³
Monitoring Point 1	21/5/15	TSP	9.13	36.65	90	μg/m³
Monitoring Point 1	15/5/15	TSP	23.73	36.96	90	μg/m³
Monitoring Point 1	9/5/15	TSP	17.29	37.01	90	μg/m³
Monitoring Point 1	3/5/15	TSP	8.63	37.65	90	μg/m³
April 2015						
Monitoring Point 1	27/4/15	TSP	6.27	38.05	90	μg/m³
Monitoring Point 1	21/4/15	TSP	4.23	38.92	90	μg/m³
Monitoring Point 1	15/4/15	TSP	33.39	39.42	90	μg/m³
Monitoring Point 1	9/4/15	TSP	29.35	39.62	90	μg/m³
Monitoring Point 1	3/4/15	TSP	26.25	39.79	90	μg/m³
March 2015						
Monitoring Point 1	28/3/15	TSP	61.75	39.79	90	μg/m³
Monitoring Point 1	22/3/15	TSP	50.67	39.05	90	μg/m³
Monitoring Point 1	16/3/15	TSP	73.64	38.86	90	μg/m³
Monitoring Point 1	10/3/15	TSP	74.9	38.1	90	μg/m³
Monitoring Point 1	4/3/15	TSP	71.58	37.56	90	μg/m³
February 2015						
Monitoring Point 1	26/2/15	TSP	36.44	37.08	90	μg/m³
Monitoring Point 1	20/2/15	TSP	61.3	37.19	90	μg/m³
Monitoring Point 1	14/2/15	TSP	65.34	36.79	90	μg/m³
Monitoring Point 1	8/2/15	TSP	66.82	37.15	90	μg/m³
Monitoring Point 1	2/2/15	TSP	40.95	37.9	90	μg/m³
January 2015						
Monitoring Point 1	27/1/15	TSP	18.98	38.99	90	μg/m³
Monitoring Point 1	21/1/15	TSP	45.9	39.19	90	μg/m³
Monitoring Point 1	15/1/15	TSP	44.78	39.54	90	μg/m³
Monitoring Point 1	9/1/15	TSP	41.31	39.97	90	μg/m³
Monitoring Point 1	3/1/15	TSP	58.28	40.27	90	μg/m³

### 2. Blasting

Blast monitoring is conducted as per condition L7 of EPL 13088. The blasting monitoring results for the month of November and December 2019 are summarised below.

Sample Period: November and December 2019

Licensee: Peppertree Quarry

Licensee Address: 843 Marulan south road, Marulan NSW 2579

EPL No: 13088

#### Qualifications related to noise:

- \* The overpressure level from blasting operations at the premises must not exceed 120dB (Lin Peak) at any time
- \* The overpressure level from blasting operations at the premises must not exceed 115dB (Lin Peak) for more than 5% of the total number of blasts over each reporting period
- \* Ground vibration peak particle vector from the blasting operations at the premises must not exceed 10mm/sec at any time
- \* Ground vibration peak particle vector from the blasting operations at the premises must not exceed 5mm/sec for more than 5% of the total number of blasts over each reporting period
- \* Blast monitoring overpressure and ground vibration is measured at the 4 locations. North west, north east, Pace and managers residence

Measurements are online and can be obtained within 15minutes of the blast however blast reports with the data are submitted with 48 hours of each blast

Results					
Location	Blast Date	Ground Vibration Result	GV Compliant	Overpressure Result	OP Compliant
North West Boundary	19 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
North East Boundary	19 <sup>th</sup> December 2019	0.13	YES	112.9	YES
683 Marulan South Road	19 <sup>th</sup> December 2019	0.06	YES	104.2	YES
Residence	19 <sup>th</sup> December 2019	0.04	YES	96.2	YES
North West Boundary	12 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
North East Boundary	12 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
683 Marulan South Road	12 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
Residence	12 <sup>th</sup> December 2019	1.02	YES	99.8	YES
North West Boundary	5 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
North East Boundary	5 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
683 Marulan South Road	5 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
Residence	5 <sup>th</sup> December 2019	No trigger	YES	No trigger	YES
North West Boundary	29 <sup>th</sup> November 2019	1.09	YES	99.2	YES
North East Boundary	29 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES
683 Marulan South Road	29 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES
Residence	29 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES
North West Boundary	14 <sup>th</sup> November 2019	1.02	YES	100.3	YES
North East Boundary	14 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES
683 Marulan South Road	14 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES
Residence	14 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES

North West Boundary	7 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES
North East Boundary	7 <sup>th</sup> November 2019	0.2	YES	117.9	YES
683 Marulan South Road	7 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES
Residence	7 <sup>th</sup> November 2019	No trigger	YES	No trigger	YES

The blast data indicates that results are below the trigger levels for both Ground Vibration and Overpressure for all blasts conducted in November and December 2019.

#### **Historical results**

	Blast Date	<b>Ground Vibration</b>	GV Compliant	Overpressure Result	OP
Location		Result			Compliant
North West Boundary	31 <sup>st</sup> October 2019	1.56	YES	102.4	YES
North East Boundary	31 <sup>st</sup> October 2019	No trigger	YES	No trigger	YES
683 Marulan South Road	31 <sup>st</sup> October 2019	0.08	YES	106.9	YES
Residence	31 <sup>st</sup> October 2019	2.27	YES	102	YES
North West Boundary	29 <sup>th</sup> October 2019	0.54	YES	104.7	YES
North East Boundary	29 <sup>th</sup> October 2019	No trigger	YES	No trigger	YES
683 Marulan South Road	29 <sup>th</sup> October 2019	No trigger	YES	No trigger	YES
Residence	29 <sup>th</sup> October 2019	0.6	YES	98.2	YES
North West Boundary	22 <sup>nd</sup> October 2019	No Trigger	YES	No Trigger	YES
North East Boundary	22 <sup>nd</sup> October 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	22 <sup>nd</sup> October 2019	No Trigger	YES	No Trigger	YES
Residence	22 <sup>nd</sup> October 2019	0.59	YES	98.1	YES
North West Boundary	21st October 2019	No Trigger	YES	No Trigger	YES
North East Boundary	21st October 2019	0.22	YES	100.9	YES
683 Marulan South Road	21st October 2019	No Trigger	YES	No Trigger	YES
Residence	21st October 2019	1.03	YES	100.2	YES
North West Boundary	8 <sup>th</sup> October 2019	No Trigger	YES	No Trigger	YES
North East Boundary	8 <sup>th</sup> October 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	8 <sup>th</sup> October 2019	No Trigger	YES	No Trigger	YES
Residence	8 <sup>th</sup> October 2019	0.72	YES	96.6	YES
North West Boundary	1st October 2019	No Trigger	YES	No Trigger	YES
North East Boundary	1 <sup>st</sup> October 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	1 <sup>st</sup> October 2019	0.21	YES	98.8	YES
Residence	1 <sup>st</sup> October 2019	0.71	YES	102.4	YES
North West Boundary	24 <sup>th</sup> September 2019	No Trigger	YES	No Trigger	YES
North East Boundary	24 <sup>th</sup> September 2019	0.24	YES	95.6	YES
683 Marulan South Road	24 <sup>th</sup> September 2019	0.22	YES	99.1	YES
Residence	24 <sup>th</sup> September 2019	0.86	YES	102.4	YES
North West Boundary	19 <sup>th</sup> September 2019	No Trigger	YES	No Trigger	YES
North East Boundary	19 <sup>th</sup> September 2019	0.23	YES	95.6	YES
683 Marulan South Road	19 <sup>th</sup> September 2019	No Trigger	YES	No Trigger	YES
Residence	19 <sup>th</sup> September 2019	0.78	YES	105.6	YES

North West Boundary	12 September 2019	1.38	YES	105.7	YES
North East Boundary	12 September 2019	0.27	YES	104.7	YES
683 Marulan South Road	12 September 2019	0.24	YES	99.2	YES
Residence	12 September 2019	1.93	YES	101.4	YES
	, the				
North West Boundary	5 <sup>th</sup> September 2019	1.66	YES	104.2	YES
North East Boundary	5 <sup>th</sup> September 2019	0.21	YES	100.9	YES
683 Marulan South Road	5 <sup>th</sup> September 2019	0.31	YES	99.3	YES
Residence	5 <sup>th</sup> September 2019	1.37	YES	102.4	YES
North West Boundary	3 <sup>rd</sup> September 2019	0.76	YES	102.4	YES
North East Boundary	3 <sup>rd</sup> September 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	3 <sup>rd</sup> September 2019	No Trigger	YES	No Trigger	YES
Residence	3 <sup>rd</sup> September 2019	1.00	YES	101.4	YES
North West Boundary	27th August 2019	No Trigger	YES	No Trigger	YES
North East Boundary	27th August 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	27th August 2019	No Trigger	YES	No Trigger	YES
Residence	27th August 2019	No Trigger	YES	No Trigger	YES
	22 14	0.40	\ <u></u>	100.4	\/F6
North West Boundary	22nd August 2019	0.43	YES	109.4	YES
North East Boundary	22nd August 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	22nd August 2019	No Trigger	YES	No Trigger	YES
Residence	22nd August 2019	0.67	YES	97.3	YES
North West Boundary	20th August 2019	0.96	YES	104.7	YES
North East Boundary	20th August 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	20th August 2019	0.3	YES	101.1	YES
Residence	20th August 2019	1.4	YES	99.9	YES
	Ü				
North West Boundary	15th August 2019	0.29	YES	102.4	YES
North East Boundary	15th August 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	15th August 2019	No Trigger	YES	No Trigger	YES
Residence	15th August 2019	0.28	YES	102.4	YES
North Mont Days days	42th A 2040	0.6	VEC	106.6	VEC
North West Boundary  North East Boundary	13th August 2019	0.6	YES	106.6	YES
683 Marulan South Road	13th August 2019 13th August 2019	No Trigger No Trigger	YES YES	No Trigger	YES YES
Residence	13th August 2019	0.6	YES	No Trigger 104	YES
Residence	13th August 2013	0.0	123	104	123
North West Boundary	8th August 2019	0.89	YES	109	YES
North East Boundary	8th August 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	8th August 2019	No Trigger	YES	No Trigger	YES
Residence	8th August 2019	0.95	YES	100	YES
North West Boundary	1 <sup>st</sup> August 2019	1.09	YES	114.2	YES
North East Boundary	1 <sup>st</sup> August 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	1 <sup>st</sup> August 2019	no trigger	YES	no trigger	YES
Residence	1 <sup>st</sup> August 2019	0.81	YES	111.6	YES
	a ath I I a s i s	4.15	\ <u>\</u>	407.7	\/
North West Boundary	30 <sup>th</sup> July 2019	1.12	YES	107.6	YES
North East Boundary	30 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES

683 Marulan South Road	30 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
Residence	30 <sup>th</sup> July 2019	1.43	YES	100.7	YES
	,				
North West Boundary	26 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
North East Boundary	26 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	26 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
Residence	26 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
	20 00.17 2020	880.	. =0	889.	
North West Boundary	24 <sup>th</sup> July 2019	0.98	YES	106.6	YES
North East Boundary	24 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	24 <sup>th</sup> July 2019	0.26	YES	100.6	YES
Residence	24 <sup>th</sup> July 2019	0.95	YES	101.4	YES
	,				
North West Boundary	16 <sup>th</sup> July 2019	1.27	YES	113.5	YES
North East Boundary	16 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	16 <sup>th</sup> July 2019	no trigger	YES	no trigger	YES
Residence	16 <sup>th</sup> July 2019	1.09	YES	102.9	YES
THE STATE OF THE S			1.2		1
North West Boundary	11 <sup>th</sup> July 2019	1.51	YES	111.9	YES
North East Boundary	11 <sup>th</sup> July 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	11 <sup>th</sup> July 2019	0.25	YES	106.9	YES
Residence	11 <sup>th</sup> July 2019	1.83	YES	97.4	YES
			1.2		
North West Boundary	4 <sup>th</sup> July 2019	1.14	YES	107.7	YES
North East Boundary	4 <sup>th</sup> July 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	4 <sup>th</sup> July 2019	No Trigger	YES	No Trigger	YES
Residence	4 <sup>th</sup> July 2019	1.22	YES	106.7	YES
Residence	4 July 2013	1.22	123	100.7	123
North West Boundary	27 <sup>th</sup> June 2019	0.68	YES	105	YES
North East Boundary	27 <sup>th</sup> June 2019	No Trigger	YES	No Trigger	YES
683 Marulan South Road	27 <sup>th</sup> June 2019		YES		YES
Residence	27 June 2019 27 <sup>th</sup> June 2019	No Trigger 0.93	YES	No Trigger 104.3	YES
residence	27 Julie 2019	0.95	TES	104.5	TES
North West Boundary	20 <sup>th</sup> June 2019	0.66	YES	99.3	YES
•	20 <sup>th</sup> June 2019	No Trigger	YES		YES
North East Boundary	20 June 2019 20 <sup>th</sup> June 2019		YES	No Trigger	YES
683 Marulan South Road	20 <sup>th</sup> June 2019	No Trigger		No Trigger	
Residence	20° June 2019	0.51	YES	97.5	YES
North West Boundary	5 <sup>th</sup> June 2019	no trigger	YES	no trigger	YES
North East Boundary	5th June 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	5th June 2019	no trigger	YES	no trigger	YES
Residence	5th June 2019	no trigger	YES	no trigger	YES
Residence	Still Julie 2015	no trigger	TES	no trigger	1123
North West Boundary	30 <sup>th</sup> May 2019	0.61	YES	105.4	YES
North East Boundary	30th May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	30th May 2019	no trigger	YES	no trigger	YES
Residence	30th May 2019	0.81	YES	80.1	YES
nesidence	30011 Wildy 2013	0.01	123	00.1	11.5
North West Boundary	24 <sup>th</sup> May 2019	0.68	YES	106.5	YES
North East Boundary	24th May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	24th May 2019	no trigger	YES	no trigger	YES
	L-TUI IVIUY ZUIJ	I IIO UISSCI	1 - 5	110 1115501	1 - 1 - 3
Residence	24th May 2019	0.66	YES	80.1	YES

North West Boundary	21 <sup>st</sup> May 2019	1.04	YES	104.7	YES
North East Boundary	21st May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	21st May 2019	no trigger	YES	no trigger	YES
Residence	21st May 2019	0.91	YES	80.1	YES
North West Boundary	14th May 2019	0.99	YES	108.4	YES
North East Boundary	14th May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	14th May 2019	no trigger	YES	no trigger	YES
Residence	14th May 2019	1.04	YES	80.1	YES
	,				
North West Boundary	9th May 2019	0.95	YES	104.7	YES
North East Boundary	9th May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	9th May 2019	no trigger	YES	no trigger	YES
Residence	9th May 2019	1.09	YES	80.1	YES
Residence	5 till 11 a g		. =0		
North West Boundary	7th May 2019	0.8	YES	104.7	YES
North East Boundary	7th May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	7th May 2019	no trigger	YES	no trigger	YES
Residence	7th May 2019	0.88	YES	80.1	YES
Residence	7 th Way 2015	0.00	123	00.1	123
North West Boundary	2 <sup>nd</sup> May 2019	no trigger	YES	no trigger	YES
North East Boundary	2 <sup>nd</sup> May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	2 <sup>nd</sup> May 2019	no trigger	YES	no trigger	YES
Residence	2 <sup>nd</sup> May 2019	no trigger	YES	no trigger	YES
Residence	2 IVIAY 2019	no trigger	TES	no trigger	TES
North West Boundary	1 <sup>st</sup> May 2019	0.48	YES	104.7	YES
North East Boundary	1 <sup>st</sup> May 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	1 <sup>st</sup> May 2019	no trigger	YES	no trigger	YES
Residence	1 <sup>st</sup> May 2019	no trigger	YES	no trigger	YES
Residence			1	680	
North West Boundary	24 <sup>th</sup> April 2019	0.920	YES	105.2	YES
North East Boundary	24 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	24 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
Residence	24 <sup>th</sup> April 2019		YES	no trigger	YES
	P			00-	
North West Boundary	15 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
North East Boundary	15 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	15 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
Residence	15 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
Residence	15 April 2015	no trigger	123	no trigger	123
North West Boundary	9 <sup>th</sup> April 2019	0.21	YES	98.3	YES
North East Boundary	9 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	9 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
Residence	9 <sup>th</sup> April 2019	no trigger	YES	no trigger	YES
NESILICITICE	2 Vhiii 5013	ווט נווצצכו	ILJ	ווט נווצצכו	11.3
North West Boundary	4th April 2019	no trigger	YES	no trigger	YES
North East Boundary	4th April 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	4th April 2019	no trigger	YES	no trigger	YES
	4th April 2019	1.7	YES	80.1	YES
Residence	401 April 2013	1./	IES	00.1	153
Ni antia Mara di Bo	1St Apr:1 2010		VEC	na kuisaa	VEC
North West Boundary	1st April 2019	no trigger	YES	no trigger	YES
North East Boundary	1 <sup>st</sup> April 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	1 <sup>st</sup> April 2019	no trigger	YES	no trigger	YES

Residence	1 <sup>st</sup> April 2019	0.34	YES	80.1	YES
	th.				
North West Boundary	27 <sup>th</sup> March 2019	no trigger	YES	no trigger	YES
North East Boundary	27 <sup>th</sup> March 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	27 <sup>th</sup> March 2019	no trigger	YES	no trigger	YES
Residence	27 <sup>th</sup> March 2019	0.24	YES	80.1	YES
North West Boundary	14 <sup>th</sup> March 2019	1	YES	104.8	YES
North East Boundary	14 <sup>th</sup> March 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	14 <sup>th</sup> March 2019	no trigger	YES	no trigger	YES
Residence	14 <sup>th</sup> March 2019	1.11	YES	103.7	YES
North West Douglass	11 <sup>th</sup> March 2019	0.23	YES	95.8	YES
North West Boundary	11 March 2019		YES		YES
North East Boundary 683 Marulan South Road	11 March 2019	no trigger no trigger	YES	no trigger no trigger	YES
Residence	11 March 2019	0.25	YES	98.5	YES
Residence	11 March 2019	0.25	1E3	90.5	163
North West Boundary	7 <sup>th</sup> March 2019	0.4	YES	95.7	YES
North East Boundary	7 <sup>th</sup> March 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	7 <sup>th</sup> March 2019	no trigger	YES	no trigger	YES
Residence	7 <sup>th</sup> March 2019	0.43	YES	98.4	YES
North West Boundary	28 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
North East Boundary	28 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	28 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
Residence	28 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
Residence	20 1 Col daily 2013	no trigger	123	no trigger	1123
North West Boundary	26 <sup>th</sup> February 2019	0.34	YES	99.2	YES
North East Boundary	26 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	26 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
Residence	26 <sup>th</sup> February 2019	0.43	YES	100.1	YES
North West Boundary	21 <sup>st</sup> February 2019	0.84	YES	106.8	YES
North East Boundary	21 <sup>st</sup> February 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	21 <sup>st</sup> February 2019	no trigger	YES	no trigger	YES
Residence	21 <sup>st</sup> February 2019	1.18	YES	101.7	YES
North West Boundary	14 <sup>th</sup> February 2019	0.29	YES	97.7	YES
North East Boundary	14 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	14 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
Residence	14 <sup>th</sup> February 2019	0.28	YES	101.7	YES
North West Boundary	11 <sup>th</sup> February 2019	0.57	YES	104.3	YES
North East Boundary	11 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	11 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
Residence	11 <sup>th</sup> February 2019	0.7	YES	100.2	YES
North Most Day adam.	7th Fohruary 2010	0.97	VEC	106.6	VEC
North West Boundary	7 <sup>th</sup> February 2019	0.87	YES	106.6	YES
North East Boundary	7 <sup>th</sup> February 2019 7 <sup>th</sup> February 2019	no trigger	YES	no trigger	YES
683 Marulan South Road		0.22	YES	102	YES
Residence	7 <sup>th</sup> February 2019	1.19	YES	100.1	YES
North West Boundary	24th January 2019	1.26	YES	108.7	YES
			1		1

North East Boundary	24 <sup>th</sup> January 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	24th January 2019	no trigger	YES	no trigger	YES
Residence	24th January 2019	1.66	YES	105.7	YES
North West Boundary	17 <sup>th</sup> January 2019	0.41	YES	112.4	YES
North East Boundary	17th January 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	17th January 2019	no trigger	YES	no trigger	YES
Residence	17th January 2019	0.6	YES	106.6	YES
North West Boundary	11 <sup>th</sup> January 2019	1.29	YES	107.3	YES
North East Boundary	11th January 2019	no trigger	YES	no trigger	YES
683 Marulan South Road	11th January 2019	no trigger	YES	no trigger	YES
Residence	11th January 2019	1.18	YES	104.8	YES
North West Boundary	20 <sup>th</sup> December 2018	0.89	YES	107.3	YES
North East Boundary	20 <sup>th</sup> December 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	20 <sup>th</sup> December 2018	no trigger	YES	no trigger	YES
Residence	20 <sup>th</sup> December 2018	0.96	YES	104.2	YES
North West Boundary	18th December 2018	1.23	YES	104.7	YES
North East Boundary	18th December 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	18th December 2018	no trigger	YES	no trigger	YES
Residence	18th December 2018	1.01	YES	104.8	YES
North West Boundary	12th December 2018	no trigger	YES	no trigger	YES
North East Boundary	12th December 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	12th December 2018	no trigger	YES	no trigger	YES
Residence	12th December 2018	no trigger	YES	no trigger	YES
North West Boundary	7 <sup>th</sup> December 2018	1.39	YES	109	YES
North East Boundary	7 <sup>th</sup> December 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	7 <sup>th</sup> December 2018	no trigger	YES	no trigger	YES
Residence	7 <sup>th</sup> December 2018	0.84	YES	104.2	YES
North West Boundary	29 <sup>th</sup> November 2018	1.02	YES	108.0	YES
North East Boundary	29 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	29 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
Residence	29 <sup>th</sup> November 2018	1.12	YES	100.1	YES
North West Boundary	24 <sup>th</sup> November 2018	0.81	YES	101.1	YES
North East Boundary	24 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	24 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
Residence	24 <sup>th</sup> November 2018	0.9	YES	100.1	YES
North West Boundary	16 <sup>th</sup> November 2018	1.3	YES	108	YES
North East Boundary	16 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	16 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
Residence	16 <sup>th</sup> November 2018	1.0	YES	105.5	YES
	anth an				
North West Boundary	12 <sup>th</sup> November 2018	1.52	YES	107.3	YES
North East Boundary	12 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	12 <sup>th</sup> November 2018	no trigger	YES	no trigger	YES
Residence	12 <sup>th</sup> November 2018	0.89	YES	114.4	YES

North West Boundary	31 <sup>st</sup> October 2018	0.52	YES	105.8	YES
North East Boundary	31 <sup>st</sup> October 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	31 <sup>st</sup> October 2018	0.11	YES	100.4	YES
Residence	31 <sup>st</sup> October 2018	0.91	YES	102.8	YES
North West Boundary	25 <sup>th</sup> October 2018	0.62	YES	103.8	YES
North East Boundary	25 <sup>th</sup> October 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	25 <sup>th</sup> October 2018	0.11	YES	100.3	YES
Residence	25 <sup>th</sup> October 2018	0.57	YES	101.8	YES
North West Boundary	18 <sup>th</sup> October 2018	0.65	YES	105.4	YES
North East Boundary	18 <sup>th</sup> October 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	18 <sup>th</sup> October 2018	no trigger	YES	no trigger	YES
Residence	18 <sup>th</sup> October 2018	0.9	YES	103.2	YES
North West Boundary	11 <sup>th</sup> October 2018	0.57	YES	109.8	YES
North East Boundary	11 <sup>th</sup> October 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	11 <sup>th</sup> October 2018	0.13	YES	100.1	YES
Residence	11 <sup>th</sup> October 2018	0.73	YES	106.9	YES
N. (1.14/ D I	20th C = 11 + 11 + 11 2010	a a talana	V56		VEC
North West Boundary	20 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
North East Boundary	20 <sup>th</sup> September 2018	0.3	YES	110.3	YES
683 Marulan South Road	20 <sup>th</sup> September 2018	no trigger	YES	100.5	YES
Residence	20 <sup>th</sup> September 2018	0.8	YES	104.4	YES
North West Boundary	12 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
North East Boundary	12 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	12 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
Residence	12 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
	ath a second				
North West Boundary	6 <sup>th</sup> September 2018	1.05	YES	105.6	YES
North East Boundary	6 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	6 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
Residence	6 <sup>th</sup> September 2018	0.6	YES	105.9	YES
North West Boundary	5 <sup>th</sup> September 2018	1.04	YES	109.8	YES
North East Boundary	5 <sup>th</sup> September 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	5 <sup>th</sup> September 2018	0.23	YES	104.2	YES
Residence	5 <sup>th</sup> September 2018	1.56	YES	108.9	YES
North West Boundary	30 <sup>th</sup> August 2018	1.34	YES	113	YES
North East Boundary	30 <sup>th</sup> August 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	30 <sup>th</sup> August 2018	0.2	YES	99.4	YES
Residence	30 <sup>th</sup> August 2018	1.31	YES	106.5	YES
North West Boundary	21st August 2018	1.07	YES	109.9	YES
North East Boundary	21st August 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	21st August 2018	0.11	YES	99.2	YES
Residence	21st August 2018	1.14	YES	108.2	YES
					1
North West Boundary	9 <sup>th</sup> August 2018	1.17	YES	107.3	YES
North East Boundary	9 <sup>th</sup> August 2018	no trigger	YES	no trigger	YES

683 Marulan South Road	9 <sup>th</sup> August 2018	no trigger	YES	no trigger	YES
Residence	9 <sup>th</sup> August 2018	0.7	YES	110.3	YES
North West Boundary	2nd August 2018	0.88	YES	103	YES
North East Boundary	2nd August 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	2nd August 2018	no trigger	YES	no trigger	YES
Residence	2nd August 2018	0.59	YES	107.3	YES
North West Boundary	26 <sup>th</sup> July 2018	0.73	YES	no trigger	YES
North East Boundary	26 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	26 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
Residence	26 <sup>th</sup> July 2018	1.13	YES	102.5	YES
	,				
North West Boundary	20 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
North East Boundary	20 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	20 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
Residence	20 <sup>th</sup> July 2018	no data	YES	no data	YES
	,		1		
North West Boundary	12 <sup>th</sup> July 2018	0.94	YES	104.9	YES
North East Boundary	12 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	12 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
Residence	12 <sup>th</sup> July 2018	0.82	YES	105	YES
Residence		0.02	0		1.20
North West Boundary	5 <sup>th</sup> July 2018	1.14	YES	110.1	YES
North East Boundary	5 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	5 <sup>th</sup> July 2018	no trigger	YES	no trigger	YES
Residence	5 <sup>th</sup> July 2018	0.65	YES	106.9	YES
Nesidefice	3 July 2010	0.03	125	100.5	123
North West Boundary	28th June 2018	0.98	YES	105.4	YES
North East Boundary	28th June 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	28th June 2018	0.21	YES	100.9	YES
Residence	28th June 2018	1.64	YES	103.2	YES
Residence	2011 June 2010	1.04	123	103.2	123
North West Boundary	22 <sup>nd</sup> June 2018	0.88	YES	107.3	YES
North East Boundary	22 <sup>nd</sup> June 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	22 <sup>nd</sup> June 2018	0.15	YES	101.7	YES
Residence	22 <sup>nd</sup> June 2018	no trigger	YES	no trigger	YES
Residence	22 34110 2010	110 (11886)	123	THO THISSEL	123
North West Boundary	14 <sup>th</sup> June 2018	1.53	YES	110	YES
North East Boundary	14 <sup>th</sup> June 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	14 <sup>th</sup> June 2018	0.14	YES	100.5	YES
Residence	14 <sup>th</sup> June 2018	no trigger	YES	no trigger	YES
Nesidefice	14 June 2010	no trigger	125	no trigger	123
North West Boundary	6 <sup>th</sup> June 2018	1.32	YES	108.8	YES
North East Boundary	6 <sup>th</sup> June 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	6 <sup>th</sup> June 2018	0.21	YES	99.7	YES
Residence	6 <sup>th</sup> June 2018	no trigger	YES	no trigger	YES
ויבאועבוונל	O JULIE ZUIO	ווט נווצצכו	ILJ	ווט נווצצכו	ILJ
North West Davis dam	21ct May 2010	0.9	YES	108.1	YES
North Fact Boundary	31st May 2018		YES		_
North East Boundary	31st May 2018	no trigger		no trigger 99.6	YES
683 Marulan South Road	31st May 2018	0.14	YES		YES
Residence	31st May 2018	no trigger	YES	no trigger	YES
				I	

North West Boundary	24 <sup>th</sup> May 2018	0.49	YES	104.9	YES
North East Boundary	24 <sup>th</sup> May 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	24 <sup>th</sup> May 2018	no trigger	YES	no trigger	YES
Residence	24 <sup>th</sup> May 2018	0.63	YES	102.5	YES
North West Boundary	17th May 2018	0.73	YES	105.9	YES
North East Boundary	17th May 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	17th May 2018	0.11	YES	100.9	YES
Residence	17th May 2018	0.79	YES	106.7	YES
North West Boundary	10 May 2018	no trigger	YES	no trigger	YES
North East Boundary	10 May 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	10 May 2018	no trigger	YES	no trigger	YES
Residence	10 May 2018	0.04	YES	112.1	YES
North West Boundary	3 May 2018	no trigger	YES	no trigger	YES
North East Boundary	3 May 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	3 May 2018	no trigger	YES	no trigger	YES
Residence	3 May 2018	0.63	YES	no trigger no data available no data available no data available no data available no trigger	YES
North West Boundary	19 April 2018	0.95	YES	108.9	YES
North East Boundary	19 April 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	19 April 2018	0.12	YES	100.8	YES
Residence	19 April 2018	no trigger	YES	no trigger	YES
North West Boundary	12 April 2018	no data available	YES	no data available	YES
North East Boundary	12 April 2018	no data available	YES	no data available	YES
683 Marulan South Road	12 April 2018	no data available	YES	no data available	YES
Residence	12 April 2018	no data available	YES	no data available	YES
North West Boundary	22nd March 2018	1.05	YES	110	YES
North East Boundary	22nd March 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	22nd March 2018	0.14	YES	108.2	YES
Residence	22nd March 2018	0.98	YES	114.9	YES
North West Boundary	15 march 2018	1.1	YES	99.3	YES
North East Boundary	15 march 2018	no trigger	YES		YES
683 Marulan South Road	15 march 2018	0.1	YES		YES
Residence	15 march 2018	1.45	YES	98.5	YES
North West Boundary	12 march 2018	1.9	YES		YES
North East Boundary	12 march 2018	no trigger	YES		YES
683 Marulan South Road				100.3	\ /EC
Residence	12 march 2018	0.17	YES		YES
	12 march 2018 12 march 2018	0.17 1.2	YES YES		YES
	12 march 2018	1.2	YES	103.2	YES
North West Boundary	12 march 2018 1st March 2018	1.2	YES YES	103.2	YES
North West Boundary North East Boundary	12 march 2018  1st March 2018  1st March 2018	1.2	YES YES YES	103.2	YES YES YES
•	12 march 2018 1st March 2018	1.2	YES YES	103.2 106.4 no trigger	YES
North East Boundary	12 march 2018  1st March 2018  1st March 2018	1.2 1.3 no trigger	YES YES YES	103.2  106.4  no trigger  no trigger	YES YES YES
North East Boundary 683 Marulan South Road	12 march 2018  1st March 2018  1st March 2018  1st March 2018  1st March 2018	1.2  1.3  no trigger  no trigger	YES YES YES YES	103.2  106.4  no trigger  no trigger  105	YES YES YES YES
North East Boundary 683 Marulan South Road	12 march 2018  1st March 2018  1st March 2018  1st March 2018	1.2  1.3  no trigger  no trigger	YES YES YES YES	103.2  106.4  no trigger  no trigger  105	YES YES YES YES
North East Boundary 683 Marulan South Road Residence	12 march 2018  1st March 2018  1st March 2018  1st March 2018  1st March 2018	1.2  1.3  no trigger  no trigger  1.6	YES YES YES YES YES	103.2  106.4  no trigger  no trigger  105	YES YES YES YES YES

Residence	20 February 2018	1.75	YES	109.9	YES
	,				
North West Boundary	16 February 2018	4.1	YES	109.1	YES
North East Boundary	16 February 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	16 February 2018	0.17	YES	106.4	YES
Residence	16 February 2018	1.3	YES	110.5	YES
North West Boundary	8 February 2018	no trigger	YES	no trigger	YES
North East Boundary	8 February 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	8 February 2018	no trigger	YES	no trigger	YES
Residence	8 February 2018	no trigger	YES	no trigger	YES
North Wost Doundary	1 February 2018	1.1	YES	103.8	YES
North West Boundary North East Boundary	1 February 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	1 February 2018	no trigger	YES	no trigger	YES
Residence	1 February 2018	0.65	YES	103.5	YES
Residence	Trebruary 2010	0.03	1123	103.5	TES
North West Boundary	25 January 2018	no trigger	YES	no trigger	YES
North East Boundary	25 January 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	25 January 2018	no trigger	YES	no trigger	YES
Residence	25 January 2018	0.6	YES	111.9	YES
North West Boundary	11 January 2018	0.85	YES	98.4	YES
North East Boundary	11 January 2018	no trigger	YES	no trigger	YES
683 Marulan South Road	11 January 2018	0.13	YES	100	YES
Residence	11 January 2018	1.35	YES	99.5	YES
North West Boundary	21 December 2017	0.95	YES	108.9	YES
North East Boundary	21 December 2017	no trigger	YES	no trigger	YES
683 Marulan South Road	21 December 2017	0.09	YES	101.2	YES
Residence	21 December 2017	0.8	YES	108.3	YES
Namble Mast Davis dam.	14 December 2017	no triggor	VEC		YES
North West Boundary	14 December 2017	no trigger	YES YES	no triggor	YES
North East Boundary 683 Marulan South Road	14 December 2017	no trigger no trigger	YES	no trigger no trigger	YES
Residence	14 December 2017	no trigger	YES	no trigger	YES
Nesidefice	14 December 2017	no trigger	123		123
North West Boundary	8 December 2017	1.15	YES	102	YES
North East Boundary	8 December 2017	no trigger	YES	no trigger	YES
683 Marulan South Road	8 December 2017	no trigger	YES	no trigger	YES
Residence	8 December 2017	0.85	YES	106.2	YES
North West Boundary	4 December 2017	1.16	YES		YES
North East Boundary	4 December 2017	no trigger	YES	no trigger	YES
683 Marulan South Road	4 December 2017	no trigger	YES	no trigger	YES
Residence	4 December 2017	1.65	YES		YES
Nighth March D	16 November 2017	0.55	VEC	105.7	VEC
North West Boundary	16 November 2017	0.65	YES	105.7	YES
North East Boundary	16 November 2017 16 November 2017	no trigger	YES	no trigger	YES YES
683 Marulan South Road	16 November 2017 16 November 2017	0.1	YES YES	no trigger 106.5	YES
Residence	TO INOVEHIDER 2017	0.7	ILS	100.3	IES
North West Boundary	13 November 2017	0.8	YES	105.8	YES
North East Boundary	13 November 2017	no trigger	YES	no trigger	YES
Last Boardary					<u> </u>

683 Marulan South Road	13 November 2017	no trigger	YES	no trigger	YES
Residence	13 November 2017	0.7	YES	107.1	YES
North West Boundary	2 November 2017	0.75	YES	100.3	YES
North East Boundary	2 November 2017	no trigger	YES	no trigger	YES
683 Marulan South Road	2 November 2017	0.11	YES	no trigger	YES
Residence	2 November 2017	0.8	YES	100.2	YES
North West Boundary	24 October 2017	0.5	YES	101	YES
North East Boundary	24 October 2017	no trigger	YES	no trigger	YES
683 Marulan South Road	24 October 2017	no trigger	YES	no trigger	YES
Residence	24 October 2017	0.6	YES	100.7	YES
North West Boundary	13 October 2017	1.25	YES	100.3	YES
North East Boundary	13 October 2017	no trigger	YES	no trigger	YES
683 Marulan South Road	13 October 2017	0.9	YES	no trigger	YES
Residence	13 October 2017	0.85	YES	105.1	YES
Residence	15 00:000: 2017	0.03	120	103.1	1.23
orth West Boundary	21 September 2017	0.8	YES	102.4	YES
North East Boundary	21 September 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	21 September 2017	0.17	YES	98.1	YES
Residence	21 September 2017	1.28	YES	108	YES
Residence	22 September 2027	1.20	120	100	123
North West Boundary	11 September 2017	No trigger	YES	No trigger	YES
North East Boundary	11 September 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	11 September 2017	0.8	YES	98.9	YES
Residence	11 September 2017	No trigger	YES	No trigger	YES
residence	11 September 2017	No trigger	123	No trigger	1123
North West Boundary	31 August 2017	1.55	YES	102.4	YES
North East Boundary	31 August 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	31 August 2017	0.22	YES	97	YES
Residence	31 August 2017	1.45	YES	102.9	YES
Residence	31 August 2017	1.43	123	102.5	1123
North West Boundary	17 August 2017	1.6	YES	106.6	YES
North East Boundary	17 August 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	17 August 2017	0.24	YES	112.9	YES
Residence	17 August 2017	1.75	YES	102.9	YES
Residence	17 August 2017	1.75	123	102.5	1123
North West Boundary	11 August 2017	1.15	YES	108.6	YES
North East Boundary	11 August 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	11 August 2017	0.12	YES	101.1	YES
Residence	11 August 2017	1.00	YES	102.3	YES
Nesidefice	11 August 2017	1.00	123	102.5	123
North West Boundary	4 August 2017	0.9	YES	104.1	YES
North East Boundary	4 August 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	4 August 2017	0.12	YES	103	YES
Residence	4 August 2017	0.12	YES	105.3	YES
NESIGETICE	- / (ubust 201/	0.0	125	103.3	123
North West Boundary	27 July 2017	0.91	YES	108.8	YES
North East Boundary	27 July 2017 27 July 2017	No trigger	YES	No trigger	YES
	27 July 2017 27 July 2017	No trigger	YES	No trigger	YES
		ווט נווצצכו	ı ILJ	וויט נווצצכו	1 1 1
683 Marulan South Road Residence	27 July 2017	0.68	YES	109	YES

North West Boundary	20 July 2017	1.07	YES	109.3	YES
North East Boundary	20 July 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	20 July 2017	0.12	YES	103.5	YES
Residence	20 July 2017	1.29	YES	117.4	YES
North West Boundary	6 July 2017	1.02	YES	106.4	YES
North East Boundary	6 July 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	6 July 2017	0.18	YES	98.1	YES
Residence	6 July 2017	1.31	YES	105.8	YES
North West Boundary	29 June 2017	2.00	YES	103.6	YES
North East Boundary	29 June 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	29 June 2017	0.33	YES	97.3	YES
Residence	29 June 2017	2.45	YES	103.1	YES
North West Boundary	23 June 2017	0.75	YES	100.6	YES
North East Boundary	23 June 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	23 June 2017	0.24	YES	96.4	YES
Residence	23 June 2017	0.75	YES	101.5	YES
North West Boundary	15 June 2017	No trigger	YES	No trigger	YES
North East Boundary	15 June 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	15 June 2017	No trigger	YES	No trigger	YES
Residence	15 June 2017	No trigger	YES	No trigger	YES
AL	9 June 2017	0.7	VEC	102.9	VEC
North West Boundary			YES		YES
North East Boundary	9 June 2017 9 June 2017	No trigger 0.24	YES YES	No trigger 98.7	YES
683 Marulan South Road	9 June 2017 9 June 2017	1.35	YES	101.7	YES
Residence	9 Julie 2017	1.55	TLS	101.7	TES
North West Boundary	6 June 2017	0.7	YES	No trigger	YES
North East Boundary	6 June 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	6 June 2017	0.15	YES	96.1	YES
Residence	6 June 2017	0.7	YES	105.6	YES
Residence	o same 2017	0.7	1.20	103.0	123
North West Boundary	26 may 2017	0.75	YES	No trigger	YES
North East Boundary	26 may 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	26 may 2017	0.8	YES	105.3	YES
Residence	26 may 2017	0.9	YES	105.8	YES
	,				
North West Boundary	18 may 2017	0.55	YES	104.7	YES
North East Boundary	18 may 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	18 may 2017	0.27	YES	100	YES
Residence	18 may 2017	1.00	YES	105.3	YES
North West Boundary	11 May 2017	No trigger	YES	No trigger	YES
North East Boundary	11 May 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	11 May 2017	0.85	YES	105.8	YES
Residence	11 May 2017	0.09	YES	102.3	YES
North West Boundary	4 May 2017	No trigger	YES	No trigger	YES
North East Boundary	4 May 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	4 May 2017	1.05	YES	104.2	YES

Residence	4 May 2017	0.17	YES	97.2	YES
North Wort Poundary	20 April 2017	No trigger	YES	No trigger	YES
North West Boundary  North East Boundary	20 April 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	20 April 2017	No trigger	YES	No trigger	YES
Residence	20 April 2017	No trigger	YES	No trigger	YES
Residence	20 April 2017	No trigger	TES	No trigger	ILS
North West Boundary	13 April 2017	No trigger	YES	No trigger	YES
North East Boundary	13 April 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	13 April 2017	0.8	YES	105.3	YES
Residence	13 April 2017	0.13	YES	96.9	YES
N I. W B I.	C A :: ::! 2017	No Avisora	VEC	No Avison	VEC
North West Boundary	6 April 2017	No trigger	YES	No trigger	YES
North East Boundary	6 April 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	6 April 2017	1.1	YES	105.4	YES
Residence	6 April 2017	0.24	YES	99.1	YES
North West Boundary	23 March 2017	1.25	YES	105.5	YES
North East Boundary	23 March 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	23 March 2017	0.14	YES	105	YES
Residence	23 March 2017	1.1	YES	108.6	YES
residence			1.20		1.2
North West Boundary	9 March 2017	0.88	YES	102.4	YES
North East Boundary	9 March 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	9 March 2017	0.19	YES	99.7	YES
Residence	9 March 2017	0.9	YES	104.8	YES
North West Boundary	23 February 2017	115.6	YES	0.65	YES
North East Boundary	23 February 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	23 February 2017	99.2	YES	0.14	YES
Residence	23 February 2017	111.1	YES	0.75	YES
Residence	25 1 651 441 7 2517	11111	123	0.75	1.23
North West Boundary	16 February 2017	100.3	YES	0.9	YES
North East Boundary	16 February 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	16 February 2017	96.9	YES	0.16	YES
Residence	16 February 2017	101.9	YES	1.75	YES
North West Boundary	9 February 2017	100.3	YES	0.75	YES
North East Boundary	9 February 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	9 February 2017	98.6	YES	0.33	YES
Residence	9 February 2017	99.8	YES	1.6	YES
North West Boundary	2 February 2017	No trigger	YES	0.87	YES
North East Boundary	2 February 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	2 February 2017	105.6	YES	0.19	YES
Residence	2 February 2017	106.2	YES	2.15	YES
North West Boundary	23 January 2017	106	YES	0.81	YES
North East Boundary	23 January 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	23 January 2017	100.8	YES	0.13	YES
Residence	23 January 2017	105.8	YES	0.75	YES
North West Boundary	12 January 2017	110.4	YES	1.06	YES
110. til VVCSt Doullaal y	12 Juliauly 2017	110.7	1.23	1.00	1.5

North East Boundary	12 January 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	12 January 2017	100.8	YES	0.25	YES
Residence	12 January 2017	No trigger	YES	2.01	YES
North West Boundary	9 January 2017	No trigger	YES	No trigger	YES
North East Boundary	9 January 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	9 January 2017	95.6	YES	0.13	YES
Residence	9 January 2017	No trigger	YES	0.82	YES
North West Boundary	5 January 2017	94.4	YES	No trigger	YES
North East Boundary	5 January 2017	No trigger	YES	No trigger	YES
683 Marulan South Road	5 January 2017	No trigger	YES	No trigger	YES
Residence	5 January 2017	No trigger	YES	No trigger	YES
North West Boundary	20 December 2016	101.5	YES	0.45	YES
North East Boundary	20 December 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	20 December 2016	No trigger	YES	No trigger	YES
Pace Residence	20 December 2016	No trigger	YES	0.7	YES
North West Boundary	15 December 2016	104.4	YES	0.95	YES
North East Boundary	15 December 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	15 December 2016	102.4	YES	0.4	YES
Residence	15 December 2016	No trigger	YES	1.9	YES
North West Boundary	8th December 2016	96.3	YES	0.75	YES
North East Boundary	8th December 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	8th December 2016	112.5	YES	0.16	YES
Residence	8th December 2016	98.2	YES	1.3	YES
North Wast Poundary	1st December 2016	105.6	YES	1.1	YES
North West Boundary  North East Boundary	1st December 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	1st December 2016	104.4	YES	0.21	YES
Residence	1st December 2016	106.6	YES	2.05	YES
Residence	13t December 2010	100.0	125	2.03	1123
North West Boundary	28th November 2016	104.7	YES	0.8	YES
North East Boundary	28th November 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	28th November 2016	103.1	YES	0.18	YES
Residence	28th November 2016	108.3	YES	1.6	YES
North West Boundary	24th November 2016	107.3	YES	3.25	YES
North East Boundary	24th November 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	24th November 2016	99.1	YES	0.49	YES
Residence	24th November 2016	109.9	YES	3.35	YES
North West Boundary	17th November 2016	No trigger	YES	No trigger	YES
North East Boundary	17th November 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	17th November 2016	No trigger	YES	No trigger	YES
Residence	17th November 2016	No trigger	YES	No trigger	YES
North West Boundary	10th November 2016	1.25	YES	100.9	YES
North East Boundary	10th November 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	10th November 2016	0.14	YES	103.1	YES
Pace Residence	10th November 2016	1.00	YES	101.7	YES

North West Boundary	8th November 2016	1.00	YES	100.1	YES
North East Boundary	8th November 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	8th November 2016	0.14	YES	101.9	YES
Residence	8th November 2016	0.85	YES	104.4	YES
North West Boundary	27th October 2016	1.5	Yes	107.3	YES
North East Boundary	27th October 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	27th October 2016	0.26	Yes	100.8	YES
Residence	27th October 2016	2.30	YES	105.8	YES
Nowth Most Devisedow	10th Ostabar 2016	1.2	YES	106.1	YES
North West Boundary North East Boundary	18th October 2016 18th October 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	18th October 2016	No trigger	YES	No trigger	YES
Residence	18th October 2016	No trigger	YES	No trigger	YES
Residence	18(11 October 2010	No trigger	TES	No trigger	ILS
North West Boundary	14th October 2016	1.8	YES	100.9	YES
North East Boundary	14th October 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	14th October 2016	0.21	YES	100.8	YES
Residence	14th October 2016	No trigger	YES	No trigger	YES
				2 31.000	
North West Boundary	6th October 2016	1.5	YES	100.9	YES
North East Boundary	6th October 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	6th October 2016	0.14	YES	98.1	YES
Residence	6th October 2016	No trigger	YES	No trigger	YES
	22nd	1.15		104.1	YES
North West Boundary	September2016		YES		
	22nd	No trigger		No trigger	YES
North East Boundary	September2016	No tuisses	YES	No trioner	VEC
683 Marulan South Road	22nd September2016	No trigger	YES	No trigger	YES
003 Marulan South Road	22nd	No trigger	TES	No trigger	YES
Pace Residence	September2016	No trigger	YES	140 trigger	123
			1,-4		
North West Boundary	21st September 2016	1.45	YES	103.6	YES
North East Boundary	21st September 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	21st September 2016	No trigger	YES	No trigger	YES
Pace Residence		ייספייי סייי	163		
i acc nesiacnec	21st September 2016	No trigger	YES	No trigger	YES
r dec residence	· · · · · · · · · · · · · · · · · · ·		+		YES
	· · · · · · · · · · · · · · · · · · ·		+		YES
North West Boundary	21st September 2016	No trigger	YES	No trigger	
North West Boundary North East Boundary	21st September 2016 15th Sept 2016	No trigger 1.05	YES	No trigger 110.9	YES
North West Boundary North East Boundary 683 Marulan South Road	21st September 2016 15th Sept 2016 15th Sept 2016	No trigger  1.05  No trigger	YES YES YES	No trigger  110.9  No trigger	YES YES
North West Boundary North East Boundary 683 Marulan South Road Pace Residence	21st September 2016 15th Sept 2016 15th Sept 2016 15th Sept 2016 15th Sept 2016	1.05 No trigger  0.2 No trigger	YES YES YES YES YES	No trigger  110.9  No trigger  97.5  No trigger	YES YES YES YES YES
North West Boundary North East Boundary 683 Marulan South Road Pace Residence North West Boundary	21st September 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  5th September 2016	1.05 No trigger 0.2 No trigger 0.85	YES YES YES YES YES YES	No trigger  110.9  No trigger  97.5  No trigger  105.6	YES YES YES YES YES
North West Boundary North East Boundary 683 Marulan South Road Pace Residence North West Boundary North East Boundary	21st September 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  5th September 2016  5th September 2016	1.05 No trigger 0.2 No trigger 0.85 No trigger	YES YES YES YES YES YES YES	No trigger  110.9  No trigger  97.5  No trigger  105.6  No trigger	YES YES YES YES YES YES YES
North West Boundary North East Boundary 683 Marulan South Road Pace Residence North West Boundary North East Boundary 683 Marulan South Road	21st September 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  5th September 2016  5th September 2016  5th September 2016	1.05 No trigger 0.2 No trigger 0.85 No trigger No trigger	YES YES YES YES YES YES YES YES YES	No trigger  110.9  No trigger  97.5  No trigger  105.6  No trigger  No trigger	YES YES YES YES YES YES YES YES
North West Boundary North East Boundary 683 Marulan South Road Pace Residence North West Boundary North East Boundary 683 Marulan South Road	21st September 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  5th September 2016  5th September 2016	1.05 No trigger 0.2 No trigger 0.85 No trigger	YES YES YES YES YES YES YES	No trigger  110.9  No trigger  97.5  No trigger  105.6  No trigger	YES YES YES YES YES YES YES
North West Boundary North East Boundary 683 Marulan South Road Pace Residence North West Boundary North East Boundary 683 Marulan South Road Pace Residence	21st September 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  5th September 2016  5th September 2016  5th September 2016  5th September 2016	No trigger  1.05 No trigger 0.2 No trigger  0.85 No trigger No trigger No trigger	YES	No trigger  110.9 No trigger 97.5 No trigger  105.6 No trigger No trigger No trigger	YES
North West Boundary North East Boundary 683 Marulan South Road Pace Residence North West Boundary	21st September 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  15th Sept 2016  5th September 2016  5th September 2016  5th September 2016	1.05 No trigger 0.2 No trigger 0.85 No trigger No trigger	YES YES YES YES YES YES YES YES YES	No trigger  110.9  No trigger  97.5  No trigger  105.6  No trigger  No trigger	YES YES YES YES YES YES YES YES

Pace Residence	30 august 2016	0.9	YES	103.2	YES
North West Boundary	25 august 2016	No trigger	YES	No trigger	YES
North East Boundary	25 august 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	25 august 2016	No trigger	YES	No trigger	YES
Pace Residence	25 august 2016	1.7	YES	104.2	YES
North West Boundary	18th August 2016	No trigger	YES	No trigger	YES
North East Boundary	18th August 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	18th August 2016	No trigger	YES	No trigger	YES
Pace Residence	18th August 2016	0.75	YES	101.1	YES
North West Boundary	11th August 2016	No trigger	YES	No trigger	YES
North East Boundary	11th August 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	11th August 2016	No trigger	YES	No trigger	YES
Pace Residence	11th August 2016	0.9	YES	101.6	YES
North West Boundary	4 august 2016	No trigger	YES	No trigger	YES
North East Boundary	4 august 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	4 august 2016	No trigger	YES	No trigger	YES
Pace Residence	4 august 2016	1.6	YES	103	YES
North West Boundary	21st July 2016	No trigger	YES	No trigger	YES
North East Boundary	21st July 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	21st July 2016	No trigger	YES	No trigger	YES
Pace Residence	21st July 2016	0.95	YES	101.7	YES
North West Boundary	15th July 2016	1.40	YES	102.4	YES
North East Boundary	15th July 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	15th July 2016	No trigger	YES	No trigger	YES
Pace Residence	15th July 2016	1.15	YES	101.3	YES
North West Boundary	30th June 2016	No trigger	YES	No trigger	YES
North East Boundary	30th June 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	30th June 2016	No trigger	YES	No trigger	YES
Pace Residence	30th June 2016	No trigger	YES	No trigger	YES
North West Boundary	16th June 2016	No trigger	YES	No trigger	YES
North East Boundary	16th June 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	16th June 2016	No trigger	YES	No trigger	YES
Pace Residence	16th June 2016	No trigger	YES	No trigger	YES
North West Boundary	2nd June 2016	No trigger	YES	No trigger	YES
North East Boundary	2nd June 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	2nd June 2016	No trigger	YES	No trigger	YES
Pace Residence	2nd June 2016	No trigger	YES	No trigger	YES
	001.00				
North West Boundary	26th May 2016	No trigger	YES	No trigger	YES
North East Boundary	26th May 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	26th May 2016	No trigger	YES	No trigger	YES
Pace Residence	26th May 2016	No trigger	YES	No trigger	YES
North West Boundary	19th May 2016	No trigger	YES	No trigger	YES

North East Boundary	19th May 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	19th May 2016	No trigger	YES	No trigger	YES
Pace Residence	19th May 2016	No trigger	YES	No trigger	YES
North West Boundary	12th May 2016	No trigger	YES	No trigger	YES
North East Boundary	12th May 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	12th May 2016	No trigger	YES	No trigger	YES
Pace Residence	12th May 2016	No trigger	YES	No trigger	YES
North West Boundary	6th May 2016	No trigger	YES	No trigger	YES
North East Boundary	6th May 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	6th May 2016	No trigger	YES	No trigger	YES
Pace Residence	6th May 2016	No trigger	YES	No trigger	YES
Tace Residence	oth may 2010	140 (118861	123	140 (11886)	1.23
North West Boundary	28th April 2016	No trigger	YES	No trigger	YES
North East Boundary	28th April 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	28th April 2016	No trigger	YES	No trigger	YES
Pace Residence	28th April 2016	No trigger	YES	No trigger	YES
North West Boundary	21st April 2016	No trigger	YES	No trigger	YES
North East Boundary	21st April 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	21st April 2016	No trigger	YES	No trigger	YES
Pace Residence	21st April 2016	No trigger	YES	No trigger	YES
North West Boundary	14th April 2016	No trigger	YES	No trigger	YES
North East Boundary	14th April 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	14th April 2016	No trigger	YES	No trigger	YES
Pace Residence	14th April 2016	No trigger	YES	No trigger	YES
North West Boundary	8th April 2016	No trigger	YES	No trigger	YES
North East Boundary	8th April 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	8th April 2016	No trigger	YES	No trigger	YES
Pace Residence	8th April 2016	No trigger	YES	No trigger	YES
North West Boundary	31st March 2016	No trigger	YES	No trigger	YES
North East Boundary	31st March 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	31st March 2016	No trigger	YES	No trigger	YES
Pace Residence	31st March 2016	No trigger	YES	No trigger	YES
North West Boundary	24th March 2016	No trigger	YES	No trigger	YES
North East Boundary	24th March 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	24th March 2016	No trigger	YES	No trigger	YES
Pace Residence	24th March 2016	No trigger	YES	No trigger	YES
North West Boundary	18th March 2016	No trigger	YES	No trigger	YES
North East Boundary	18th March 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	18th March 2016	0.1	YES	111.2	YES
Pace Residence	18th March 2016	No trigger	YES	No trigger	YES
. Edd Hediaerioe			1.25		
North West Boundary	11th March 2016	No trigger	YES	No trigger	YES
North East Boundary	11th March 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	11th March 2016	No trigger	YES	No trigger	YES
Pace Residence	11th March 2016	No trigger	YES	No trigger	YES

North West Boundary	3rd March 2016	No trigger	YES	No trigger	YES
North East Boundary	3rd March 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	3rd March 2016	No trigger	YES	No trigger	YES
Pace Residence	3rd March 2016	No trigger	YES	No trigger	YES
North West Boundary	25th February 2016	0.1	YES	102.3	YES
North East Boundary	25th February 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	25th February 2016	No trigger	YES	No trigger	YES
Pace Residence	25th February 2016	No trigger	YES	No trigger	YES
North West Boundary	22nd February 2016	No trigger	YES	No trigger	YES
North East Boundary	22nd February 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	22nd February 2016	No trigger	YES	No trigger	YES
Pace Residence	22nd February 2016	No trigger	YES	No trigger	YES
North West Boundary	11th February 2016	0.05	YES	103.6	YES
North East Boundary	11th February 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	11th February 2016	No trigger	YES	No trigger	YES
Pace Residence	11th February 2016	No trigger	YES	No trigger	YES
	411.5.1. 204.6		V56		\/FC
North West Boundary	4th February 2016	0.05	YES	104.7	YES
North East Boundary	4th February 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	4th February 2016	No trigger	YES	No trigger	YES
Pace Residence	4th February 2016	No trigger	YES	No trigger	YES
North West Boundary	28th January 2016	0.05	YES	103.6	YES
North East Boundary	28th January 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	28th January 2016	No trigger	YES	No trigger	YES
Pace Residence	28th January 2016	No trigger	YES	No trigger	YES
North West Douglass	21 January 2016	No trigger	YES	No trigger	YES
North West Boundary	21 January 2016 21 January 2016	No trigger	YES	No trigger	YES
North East Boundary	21 January 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	21 January 2016 21 January 2016	No trigger	YES	No trigger	YES
Pace Residence	21 January 2016	No trigger	TES	No trigger	TES
North West Boundary	16th January 2016	No trigger	YES	No trigger	YES
North East Boundary	16th January 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	16th January 2016	No trigger	YES	No trigger	YES
Pace Residence	16th January 2016	0.1	YES	100.9	YES
North West Boundary	12 January 2016	No trigger	YES	No trigger	YES
North East Boundary	12 January 2016	No trigger	YES	No trigger	YES
683 Marulan South Road	12 January 2016	No trigger	YES	No trigger	YES
Pace Residence	12 January 2016	0.95	YES	5	YES
North West Boundary	18th December 2015	No trigger	YES	No trigger	YES
North East Boundary	18th December 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	18th December 2015	No trigger	YES	No trigger	YES
Pace Residence	18th December 2015	No trigger	YES	No trigger	YES
North West Boundary	10th December2015	No trigger	YES	No trigger	YES
North East Boundary	10th December 2015	No trigger	YES	No trigger	YES

683 Marulan South Road	10th December2015	No trigger	YES	No trigger	YES
Pace Residence	10th December2015	No trigger	YES	No trigger	YES
North West Boundary	4th December 2015	No trigger	YES	No trigger	YES
North East Boundary	4th December 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	4th December 2015	0.21	YES	97.80	YES
Pace Residence	4th December 2015	0.85	YES	No trigger	YES
North West Boundary	3rd December 2015	No trigger	YES	No trigger	YES
North East Boundary	3rd December 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	3rd December 2015	No trigger	YES	No trigger	YES
Pace Residence	3rd December 2015	No trigger	YES	No trigger	YES
				00-	
North West Boundary	30th November 2015	No trigger	YES	No trigger	YES
North East Boundary	30th November 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	30th November 2015	No trigger	YES	No trigger	YES
Pace Residence	30th November 2015	1.10	YES	No trigger	YES
North West Boundary	27th November 2015	No trigger	YES	No trigger	YES
North East Boundary	27th November 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	27th November 2015	No trigger	YES	No trigger	YES
Pace Residence	27th November 2015	1.05	YES	No trigger	YES
North West Boundary	20th November2015	No trigger	YES	No trigger	YES
North East Boundary	20th November2015	No trigger	YES	No trigger	YES
683 Marulan South Road	20th November2015	No trigger	YES	No trigger	YES
Pace Residence	20th November2015	0.85	YES	No trigger	YES
				00-	
North West Boundary	19th November 2015	No trigger	YES	No trigger	YES
North East Boundary	19th November2015	No trigger	YES	No trigger	YES
683 Marulan South Road	19th November2015	No trigger	YES	No trigger	YES
Pace Residence	19th November2015	No trigger	YES	No trigger	YES
North West Boundary	13th November2015	No trigger	YES	No trigger	YES
North East Boundary	13th November2015	No trigger	YES	No trigger	YES
683 Marulan South Road	13th November2015	00.18	YES	96.0	YES
Pace Residence	13th November2015	No trigger	YES	No trigger	YES
North West Boundary	9th November 2015	No trigger	YES	No trigger	YES
North East Boundary	9th November 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	9th November 2015	No trigger	YES	No trigger	YES
Pace Residence	9th November 2015	No trigger	YES	No trigger	YES
North West Boundary	5th November 2015	No trigger	YES	No trigger	YES
North East Boundary	5th November 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	5th November 2015	0.37	YES	109	YES
Pace Residence	5th November 2015	1.4	YES	112	YES
North West Boundary	30th October 2015	No trigger	YES	No trigger	YES
North East Boundary	30th October 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	30th October 2015	No trigger	YES	No trigger	YES
Pace Residence	30th October 2015	No trigger	YES	No trigger	YES
	1		1		1

North West Boundary	29th October 2015	No trigger	YES	No trigger	YES
North East Boundary	29th October 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	29th October 2015	No trigger	YES	No trigger	YES
Pace Residence	29th October 2015	0.95	YES	103.8	YES
North West Boundary	23rd October 2015	No trigger	YES	No trigger	YES
North East Boundary	23rd October 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	23rd October 2015	No trigger	YES	No trigger	YES
Pace Residence	23rd October 2015	No trigger	YES	No trigger	YES
North West Boundary	9th October 2015	No trigger	YES	No trigger	YES
North East Boundary	9th October 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	9th October 2015	0.18	YES	96.2	YES
Pace Residence	9th October 2015	0.95	YES	98.3	YES
North West Boundary	28th September2015	1.2	YES	101	YES
North East Boundary	28th September2015	No trigger	YES	No trigger	YES
683 Marulan South Road	28th September2015	0.18	YES	98.6	YES
Pace Residence	28th September2015	1.25	YES	103.2	YES
North West Boundary	23rd September2015	No trigger	YES	No trigger	YES
North East Boundary	23rd September2015	No trigger	YES	No trigger	YES
683 Marulan South Road	23rd September2015	No trigger	YES	No trigger	YES
Pace Residence	23rd September2015	No trigger	YES	No trigger	YES
North West Boundary	21st September2015	No trigger	YES	No trigger	YES
North East Boundary	21st September2015	No trigger	YES	No trigger	YES
683 Marulan South Road	21st September2015	No trigger	YES	No trigger	YES
Pace Residence	21st September2015	1.15	YES	100.9	YES
North West Boundary	16th September2015	No trigger	YES	No trigger	YES
North East Boundary	16th September2015	No trigger	YES	No trigger	YES
683 Marulan South Road	16th September2015	No trigger	YES	No trigger	YES
Pace Residence	16th September2015	1.2	YES	102.5	YES
North West Boundary	11th September2015	No trigger	YES	No trigger	YES
North East Boundary	11th September2015	No trigger	YES	No trigger	YES
683 Marulan South Road	11th September2015	No trigger	YES	No trigger	YES
Pace Residence	11th September2015	No trigger	YES	No trigger	YES
race nesidence	11th September 2015	No trigger	TL3	No trigger	123
North West Boundary	9th September 2015	No trigger	YES	No trigger	YES
North East Boundary	9th September 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	9th September 2015	0.23	YES	98.7	YES
Pace Residence	9th September 2015	0.95	YES	103.2	YES
North West Boundary	19th August 2015	No trigger	YES	No trigger	YES
North East Boundary	19th August 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	19th August 2015	No trigger	YES	No trigger	YES
Pace Residence	19th August 2015	1.3	YES	103.2	YES
North West Boundary	7th August 2015	1.00	YES	101.8	YES
North East Boundary	7th August 2015	No trigger	YES	No trigger	YES

683 Marulan South Road	7th August 2015	No trigger	YES	No trigger	YES
Pace Residence	7th August 2015	1.25	YES	101.6	YES
North West Boundary	29th July 2015	No trigger	YES	No trigger	YES
North East Boundary	29th July 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	29th July 2015	0.16	YES	No trigger	YES
Pace Residence	29th July 2015	No trigger	YES	No trigger	YES
North West Boundary	20th July 2015	No trigger	YES	No trigger	YES
North East Boundary	20th July 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	20th July 2015	0.26	YES	100.1	YES
Pace Residence	20th July 2015	1.35	YES	105.5	YES
North West Boundary	15th July 2015	No trigger	YES	No trigger	YES
North East Boundary	15th July 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	15th July 2015	0.30	YES	106	YES
Pace Residence	15th July 2015	1.00	YES	110.7	YES
North West Boundary	12th July 2015	No trigger	YES	No trigger	YES
North East Boundary	12th July 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	12th July 2015	0.18	YES	100.2	YES
Pace Residence	12th July 2015	No trigger	YES	No trigger	YES
North West Boundary	2nd July 2015	No trigger	YES	No trigger	YES
North East Boundary	2nd July 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	2nd July 2015	0.38	YES	102.9	YES
Pace Residence	2nd July 2015	1.65	YES	101.6	YES
	,				
North West Boundary	26th June 2015	No trigger	YES	No trigger	YES
North East Boundary	26th June 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	26th June 2015	No trigger	YES	No trigger	YES
Pace Residence	26th June 2015	0.8	YES	103.4	YES
		0.0			
North West Boundary	19th June 2015	No trigger	YES	No trigger	YES
North East Boundary	19th June 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	19th June 2015	0.19	YES	106.7	YES
Pace Residence	19th June 2015	No trigger	YES	No trigger	YES
Tace Residence		140 trigger		140 (11886)	. = 0
North West Boundary	16th June 2015	No trigger	YES	No trigger	YES
North East Boundary	16th June 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	16th June 2015	0.19	YES	98.7	YES
Pace Residence	16th June 2015	No trigger	YES	No trigger	YES
. abe nestactive		110 (11660)	1	110 (11880)	
North West Boundary	5th June 2015	No trigger	YES	No trigger	YES
North East Boundary	5th June 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	5th June 2015	1.4	YES	104.4	YES
Pace Residence	5th June 2015	0.33	YES	104.4	YES
i ace nesidence	JULIANIC ZOIJ	0.55	125	101.3	123
					VEC
North West Poundany	28th May 2015	No trigger	VEC	No triager	
North West Boundary	28th May 2015	No trigger	YES	No trigger	YES
North East Boundary	28th May 2015	No trigger	YES	No trigger	YES
•	1				

North West Boundary	21st May 2015	No trigger	YES	No trigger	YES
North East Boundary	21st May 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	21st May 2015	1.35	YES	108.4	YES
Pace Residence	21st May 2015	0.32	YES	102	YES
North West Boundary	14th May 2015	1.6	YES	109.4	YES
North East Boundary	14th May 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	14th May 2015	1.8	YES	108.4	YES
Pace Residence	14th May 2015	0.25	YES	101.1	YES
North West Boundary	8th May 2015	1.05	YES	108.4	YES
North East Boundary	8th May 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	8th May 2015	1	YES	101.7	YES
Pace Residence	8th May 2015	No trigger	YES	No trigger	YES
North West Boundary	5th May 2015	No trigger	YES	No trigger	YES
North East Boundary	5th May 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	5th May 2015	0.95	YES	105.7	YES
Pace Residence	5th May 2015	0.17	YES	97.9	YES
North West Boundary	1st May 2015	1.75	YES	110	YES
North East Boundary	1st May 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	1st May 2015	1.4	YES	112.3	YES
Pace Residence	1st May 2015	0.38	YES	109	YES
North West Boundary	24th April 2015	1.5	YES	103.3	YES
North East Boundary	24th April 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	24th April 2015	0.16	YES	100.3	YES
Pace Residence	24th April 2015	1.4	YES	103.9	YES
North West Boundary	17th April 2015	No trigger	YES	No trigger	YES
North East Boundary	17th April 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	17th April 2015	No trigger	YES	No trigger	YES
Pace Residence	17th April 2015	No trigger	YES	No trigger	YES
North West Boundary	13th April 2015	No trigger	YES	No trigger	YES
North East Boundary	13th April 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	13th April 2015	No trigger	YES	No trigger	YES
Pace Residence	13th April 2015	1.05	YES	No trigger	YES
North West Boundary	30th March 2015	No trigger	YES	No trigger	YES
North East Boundary	30th March 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	30th March 2015	No trigger	YES	No trigger	YES
Pace Residence	30th March 2015	1.05	YES	No trigger	YES
North West Boundary	27th March 2015	No trigger	YES	No trigger	YES
North East Boundary	27th March 2015	No trigger	YES	113.6	YES
683 Marulan South Road	27th March 2015	No trigger	YES	No trigger	YES
Pace Residence	27th March 2015	No trigger	YES	No trigger	YES
North West Boundary	23rd March 2015	No trigger	YES	No trigger	YES
North East Boundary			1		\/FC
North East Doundary	23rd March 2015	No trigger	YES	100	YES

Pace Residence	23rd March 2015	No trigger	YES	No trigger	YES
North West Boundary	20th March 2015	No trigger	YES	No trigger	YES
North East Boundary	20th March 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	20th March 2015	No trigger	YES	No trigger	YES
Pace Residence	20th March 2015	No trigger	YES	No trigger	YES
North West Boundary	5th March 2015	No trigger	YES	No trigger	YES
North East Boundary	5th March 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	5th March 2015	No trigger	YES	No trigger	YES
Pace Residence	5th March 2015	2.1	YES	No trigger	YES
North West Boundary	25 February 2015	1.55	YES	108.8	YES
North East Boundary	25 February 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	25 February 2015	No trigger	YES	No trigger	YES
Pace Residence	25 February 2015	2.5	YES	105.8	YES
North West Boundary	10th February 2015	No trigger	YES	No trigger	YES
North East Boundary	10th February 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	10th February 2015	No trigger	YES	No trigger	YES
Pace Residence	10th February 2015	1.6	YES	104.2	YES
North West Boundary	29th January 2015	No trigger	YES	No trigger	YES
North East Boundary	29th January 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	29th January 2015	No trigger	YES	No trigger	YES
Pace Residence	29th January 2015	1.1	YES	109	YES
North West Boundary	20 January 2015	No trigger	YES	No trigger	YES
North East Boundary	20 January 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	20 January 2015	No trigger	YES	No trigger	YES
Pace Residence	20 January 2015	1.10	YES	105.3	YES
North West Boundary	8th January 2015	2.00	YES	101.6	YES
North East Boundary	8th January 2015	No trigger	YES	No trigger	YES
683 Marulan South Road	8th January 2015	No trigger	YES	No trigger	YES
Pace Residence	8th January 2015	1.35	YES	102.3	YES

#### 3.0 Noise Monitoring

Noise monitoring is conducted as per condition L6 of EPL 13088. The last round of monitoring was conducted in November 2019 with the next round due January 2020.

Sample Period: November 2019

Peppertree

Licensee: Quarry

Licensee Address: 843 Marulan south road, Marulan NSW 2579

EPL No: 13088

#### Qualifications related to noise:

Noise is measured quarterly

The identified noise emission limits apply under meteorological conditions of wind speed 3m/s at 10 meters above ground level, and temp inversion conditions. Monitoring protocols are contained within the Noise and Blasting Management Plan found on this website.

Noise monitoring is measured at the 5 residential receiver locations. – R2, R3, R4, R8, R17 since approval of Modification 4 in August 2016.

Results for November round of monitoring are still pending

#### **Historical results**

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R17	6/8/2019	20	35
R2	6/8/2019	30	35
R3	6/8/2019	23	35
R8	6/8/2019	22	41
R4	6/8/2019	23	35
R17	7/8/2019	32	35
R17	7/8/2019	31	35
R2	7/8/2019	28	35
R2	7/8/2019	31	35
R3	7/8/2019	27	35
R3	7/8/2019	30	35
R8	7/8/2019	29	41
R8	7/8/2019	28	41
R4	7/8/2019	26	35
R4	7/8/2019	26	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	evening
R17	7/8/2019	26	35
R17	7/8/2019	26	35
R3	7/8/2019	20	35
R3	7/8/2019	23	35
R2	7/8/2019	31	35
R2	7/8/2019	31	35
R4	7/8/2019	23	35
R4	7/8/2019	22	35
R8	8/8/2019	34	35
R8	8/8/2019	35	35
R17	8/8/2019	29	35
R17	8/8/2019	28	35
R2	8/8/2019	26	35
R2	8/8/2019	25	35
R3	8/8/2019	22	35
R3	8/8/2019	23	35
R4	8/8/2019	22	35
R4	8/8/2019	22	35
R8	8/8/2019	18	35
R8	8/8/2019	27	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R3	7/8/2019	23	45
R2	7/8/2019	31	45
R2	7/8/2019	30	45
R4	7/8/2019	23	45
R4	7/8/2019	21	45
R8	8/8/2019	39	45
R8	8/8/2019	41	45
R17	8/8/2019	36	45
R17	8/8/2019	31	45
R2	8/8/2019	27	45
R2	8/8/2019	25	45
R3	8/8/2019	22	45
R3	8/8/2019	23	45
R4	8/8/2019	22	45
R4	8/8/2019	22	45
R8	8/8/2019	18	45
R8	8/8/2019	31	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R17	7/5/2019	26	35
R17	7/5/2019	28	35
R2	7/5/2019	29	35
R3	7/5/2019	26	35
R2	7/5/2019	33	35
R3	7/5/2019	24	35
R4	7/5/2019	24	35
R8	7/5/2019	24	41
R4	7/5/2019	26	35
R8	7/5/2019	24	41
R8	8/5/2019	35	41
R4	8/5/2019	31	35
R8	8/5/2019	39	41
R4	8/5/2019	33	35
R17	8/5/2019	28	35
R17	8/5/2019	24	35
R2	8/5/2019	33	35
R3	8/5/2019	29	35
R2	8/5/2019	32	35
R3	8/5/2019	30	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	evening
R3	8/5/2019	30	35
R4	8/5/2019	23	35
R8	8/5/2019	23	35
R4	8/5/2019	23	35
R8	8/5/2019	18	35
R4	8/5/2019	24	35
R17	8/5/2019	31	35
R17	8/5/2019	31	35
R3	8/5/2019	20	35
R2	8/5/2019	27	35
R3	9/5/2019	21	35
R2	9/5/2019	27	35
R8	9/5/2019	22	35
R4	9/5/2019	20	35
R8	9/5/2019	21	35
R4	9/5/2019	19	35
R8	9/5/2019	21	35
R17	9/5/2019	33	35
R17	9/5/2019	33	35
R3	9/5/2019	21	35
R2	9/5/2019	26	35
R3	9/5/2019	22	35
R2	9/5/2019	28	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R17	8/5/2019	34	45
R17	8/5/2019	34	45
R3	8/5/2019	20	45
R2	8/5/2019	27	45
R3	8/5/2019	21	45
R2	8/5/2019	27	45
R8	9/5/2019	28	45
R4	9/5/2019	20	45
R8	9/5/2019	28	45
R4	9/5/2019	20	45
R8	9/5/2019	29	45
R17	9/5/2019	38	45
R17	9/5/2019	38	45
R3	9/5/2019	21	45
R2	9/5/2019	26	45
R3	9/5/2019	22	45
R2	9/5/2019	28	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R8	13/2/2019	20.9	41
R8	13/2/2019	22.2	41
R8	13/2/2019	24.1	41
R4	13/2/2019	22.4	35
R8	13/2/2019	29.2	41
R4	13/2/2019	22.6	35
R8	13/2/2019	26	41
R4	13/2/2019	23	35
R4	13/2/2019	22.9	35
R3	13/2/2019	26.4	35
R3	13/2/2019	26.5	35
R17	13/2/2019	20.3	35
R3	13/2/2019	26.3	35
R17	13/2/2019	19.2	35
R3	13/2/2019	29.5	35
R17	13/2/2019	20.5	35
R3	13/2/2019	24.3	35
R3	13/2/2019	23.8	35
R2	13/2/2019	26.8	35
R2	13/2/2019	26.6	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	evening
R17	13/2/2019	23.1	35
R17	13/2/2019	13.7	35
R17	13/2/2019	13.8	35
R3	13/2/2019	26	35
R3	13/2/2019	28.5	35
R3	13/2/2019	23	35
R2	14/2/2019	16.5	35
R2	14/2/2019	13	35
R2	14/2/2019	11.7	35
R4	14/2/2019	23.8	35
R4	14/2/2019	25.9	35
R4	14/2/2019	27.1	35
R8	14/2/2019	31.5	35
R8	14/2/2019	29.6	35
R8	14/2/2019	33.1	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R17	13/2/2019	23.1	45
R17	13/2/2019	13.5	45
R17	13/2/2019	13.6	45
R3	13/2/2019	31.7	45
R3	13/2/2019	32.5	45
R3	14/2/2019	31.8	45
R2	14/2/2019	19.7	45
R2	14/2/2019	13	45
R2	14/2/2019	18.1	45
R4	14/2/2019	24.1	45
R4	14/2/2019	30.6	45
R4	14/2/2019	36.3	45
R8	14/2/2019	38.7	45
R8	14/2/2019	38.1	45
R8	14/2/2019	37.4	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R17	27/11/18	22	35
R2	27/11/18	32	35
R3	27/11/18	19	35
R4	27/11/18	33	35
R8	27/11/18	35	41
R17	29/11/18	26	35
R17	29/11/18	24	35
R3	29/11/18	31	35
R3	29/11/18	31	35
R2	29/11/18	27	35
R2	29/11/18	26	35
R8	29/11/18	33	41
R8	29/11/18	29	41
R4	29/11/18	31	35
R4	29/11/18	33	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	evening
R3	29/11/18	30	35
R2	29/11/18	32	35
R8	29/11/18	25	41
R4	29/11/18	33	35
R17	29/11/18	21	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R3	29/11/18	30	45
R3	29/11/18	32	45
R8	29/11/18	25	45
R8	29/11/18	33	45
R17	29/11/18	21	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R3	31/7/18	31.2	35
R8	31/7/18	31.0	41
R8	31/7/18	31.0	41
R3	31/7/18	31.5	35
R2	31/7/18	32.0	35
R2	31/7/18	29.7	35
R17	31/7/18	27.7	35
R17	31/7/18	26.1	35
R4	31/7/18	31.9	35
R4	31/7/18	29.6	35
R2	1/8/18	25.9	35
R2	1/8/18	27.1	35
R17	1/8/18	24.9	35
R17	1/8/18	23.8	35
R3	1/8/18	24.1	35
R3	1/8/18	28.8	35
R8	1/8/18	28.7	41
R8	1/8/18	29.3	41
R4	1/8/18	28.2	35
R4	1/8/18	27.3	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening / night
R2	1/8/18	26.3	35
R2	1/8/18	24.9	35
R17	1/8/18	17.1	35
R17	1/8/18	20.0	35
R3	1/8/18	33.3	35
R3	1/8/18	31.3	35
R8	1/8/18	33.3	35
R8	1/8/18	33.6	35
	_	-	

Receiver	Receiver Date		Operational Criteria (dB(A))	
EPL ID		Leq, 15 minute (dB(A))	evening / night	
R17	1/8/18	15.2	35	
R4	1/8/18	31.4	35	
R4	1/8/18	27.2	35	
R8	1/8/18	14.9	35	
R3	2/8/18	30.4	35	
R33	2/8/18	26.8	35	
R8	2/8/18	31.2	35	
R2	2/8/18	18.1	35	
R8	2/8/18	29.0	35	
R2	2/8/18	23.8	35	
R8	2/8/18	31.6	35	
R3	2/8/18	33.5	35	
R8	2/8/18	31.5	35	
R3	2/8/18	35.0	35	
R17	2/8/18	12.8	35	
R4	2/8/18	32.5	35	
R4	2/8/18	32.5	35	
R17	2/8/18	13.4	35	

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R3	1/8/18	38.3	45
R3	1/8/18	36.3	45
R8	1/8/18	38.3	45
R8	1/8/18	38.6	45
R17	1/8/18	15.2	45
R4	1/8/18	41.4	45
R4	1/8/18	37.2	45
R8	1/8/18	14.9	45
R3	2/8/18	35.4	45
R3	2/8/18	36.8	45
R8	2/8/18	31.2	45
R2	2/8/18	18.1	45
R8	2/8/18	29.0	45
R2	2/8/18	23.8	45
R8	2/8/18	31.6	45
R3	2/8/18	38.5	45
R8	2/8/18	31.5	45
R3	2/8/18	40.0	45
R17	2/8/18	17.8	45
R4	2/8/18	37.5	45
R4	2/8/18	37.5	45

	R17		2/8/18		18.4	
Rec	eiver	Date	2		e Noise Level ntribution	 erational Criteria (A))
EPL	ID			LAe	eq, 15 minute (dB(A))	daytime
	R17	:	1/5/2018		<30	35
	R2		1/5/2018		<30	35
	R3	:	1/5/2018		<30	35
	R8		1/5/2018		31	41
	R4	:	1/5/2018		31	35
	R17	- 2	2/5/2018		31	35
	R2		2/5/2018		31	35
	R3		2/5/2018		<30	35
•	R8		2/5/2018		33	41
	R4		2/5/2018		<30	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening / night
R17	2/5/2018	<30	35
R17	2/5/2018	32	35
R2	2/5/2018	32	35
R2	3/5/2018	33	35
R8	3/5/2018	<30	35
R8	3/5/2018	<30	35
R4	3/5/2018	<30	35
R4	3/5/2018	<30	35
R3	3/5/2018	<30	35
R3	3/5/2018	<30	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R2	2/5/2018	32	45
R2	3/5/2018	33	45
R8	3/5/2018	<30	45
R8	3/5/2018	<30	45
R17	2/5/2018	<30	45
R17	2/5/2018	32	45
R4	3/5/2018	<30	45
R4	3/5/2018	<30	45
R3	3/5/2018	<30	45
R3	3/5/2018	<30	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R2	30/01/2018	26	35
R2	30/01/2018	26	35
R2	31/01/2018	16	35
R2	31/01/2018	18	35
R8	30/01/2018	24	41
R8	30/01/2018	22	41
R8	31/01/2018	25	41
R8	31/01/2018	35	41
R17	30/01/2018	22	35
R17	30/01/2018	24	35
R17	31/01/2018	15	35
R17	31/01/2018	11	35
R4	30/01/2018	19	35
R4	30/01/2018	22	35
R4	31/01/2018	28	35
R4	31/01/2018	29	35
R3	30/01/2018	23	35
R3	30/01/2018	25	35
R3	31/01/2018	31	35
R3	31/01/2018	30	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening / night
R2	1/02/2018	19	35
R2	1/02/2018	20	35
R8	31/01/2018	30	35
R8	31/01/2018	30	35
R17	1/02/2018	15	35
R17	1/02/2018	18	35
R4	31/01/2018	27	35
R4	31/01/2018	28	35
R3	1/02/2018	24	35
R3	1/02/2018	24	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R2	1/02/2018	19	45
R2	1/02/2018	20	45
R8	31/01/2018	33	45
R8	31/01/2018	33	45
R17	1/02/2018	17	45

R17	1/02/2018	19	45
R4	31/01/2018	28	45
R4	31/01/2018	29	45
R3	1/02/2018	25	45
R3	1/02/2018	26	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R17	12-Dec-17	20	35
R17	12-Dec-17	19	35
R2	12-Dec-17	23	35
R2	12-Dec-17	23	35
R3	12-Dec-17	25	35
R3	12-Dec-17	25	35
R4	12-Dec-17	30	35
R4	12-Dec-17	23	35
R17	13-Dec-17	27	35
R2	13-Dec-17	30	35
R3	13-Dec-17	25	35
R8	13-Dec-17	26	35
R4	13-Dec-17	26	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening / night
R8	12-Dec-2017	21	35
R8	12-Dec-2017	18	35
R8	13-Dec-2017	31	35
R8	13-Dec-2017	29	35
R4	13-Dec-2017	27	35
R4	13-Dec-17	27	35
R3	13-Dec-17	30	35
R3	13-Dec-17	30	35
R3	14-Dec-17	29	35
R3	14-Dec-17	29	35
R2	14-Dec-17	30	35
R2	14-Dec-17	28	35
R17	14-Dec-17	22	35
R17	14-Dec-17	21	35
R17	14-Dec-17	20	35
R8	14-Dec-17	26	35
R8	14-Dec-17	28	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R4	13-Dec-17	31	45
R4	13-Dec-17	34	45
R3	13-Dec-17	34	45
R3	13-Dec-17	33	45
R3	14-Dec-17	33	45
R3	14-Dec-17	34	45
R2	14-Dec-17	32	45
R2	14-Dec-17	26	45
R17	14-Dec-17	25	45
R17	14-Dec-17	24	45
R17	14-Dec-17	30	45
R8	14-Dec-17	32	45
R8	14-Dec-17	31	45

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R8	11 <sup>th</sup> July 2017	27	41
R4	11 <sup>th</sup> July 2017	27	35
R17	11 <sup>th</sup> July 2017	16	35
R2	11 <sup>th</sup> July 2017	25	35
R3	11 <sup>th</sup> July 2017	29	35
R8	12 <sup>th</sup> July 2017	28	41
R4	12 <sup>th</sup> July 2017	28	35
R17	12 <sup>th</sup> July 2017	23	35
R2	12 <sup>th</sup> July 2017	33	35
R3	12 <sup>th</sup> July 2017	38*	35
R3	12 <sup>th</sup> July 2017	43*	35
R3	12 <sup>th</sup> July 2017	26	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
R8	13 <sup>th</sup> July 2017	31	35
R8	13 <sup>th</sup> July 2017	32	35
R4	13 <sup>th</sup> July 2017	35	35
R4	13 <sup>th</sup> July 2017	27	35
R4	13 <sup>th</sup> July 2017	35	35
R17	12 <sup>th</sup> July 2017	16	35
R17	12 <sup>th</sup> July 2017	18	35
R2	13 <sup>th</sup> June 2017	27	35
R2	13 <sup>th</sup> June 2017	29	35

R3	12 <sup>th</sup> July 2017	32	35
R3	12 <sup>th</sup> July 2017	33	35
R3	12 <sup>th</sup> July 2017	33	35
R3	13 <sup>th</sup> July 2017	34	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R8	12 <sup>th</sup> July 2017	35	45
R8	12 <sup>th</sup> July 2017	36	45
R4	13 <sup>th</sup> July 2017	31	45
R4	13 <sup>th</sup> July 2017	39	45
R4	13 <sup>th</sup> July 2017	39	45
R17	12 <sup>th</sup> July 2017	20	45
R17	12 <sup>th</sup> July 2017	22	45
R2	13 <sup>th</sup> July 2017	31	45
R2	13 <sup>th</sup> July 2017	33	45
R3	12 <sup>th</sup> July 2017	36	45
R3	12 <sup>th</sup> July 2017	37	45
R3	13 <sup>th</sup> July 2017	39	45
R3	13 <sup>th</sup> July 2017	38	45

Note \*two results were over the operational criteria however inversion conditions were in place and therefore the readings are not valid.

Receiver Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
---------------	--	------------------------------

EPL ID		LAeq, 15 minute (dB(A))	daytime
R8	16 <sup>th</sup> May 2017	16	41
R4	16 <sup>th</sup> May 2017	26	35
R17	16 <sup>th</sup> May 2017	17	35
R2	16 <sup>th</sup> May 2017	26	35
R3	16 <sup>th</sup> May 2017	21	35
R8	17 <sup>™</sup> May 2017	19	41
R8	17 <sup>™</sup> May 2017	17	41
R4	17 <sup>™</sup> May 2017	17	35
R4	17 <sup>™</sup> May 2017	17	35
R17	17 <sup>™</sup> May 2017	11	35
R17	17 <sup>™</sup> May 2017	9	35
R2	17 <sup>™</sup> May 2017	24	35
R2	17 <sup>™</sup> May 2017	23	35
R3	17 <sup>™</sup> May 2017	27	35
R3	17 <sup>™</sup> May 2017	19	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R8	18 <sup>™</sup> May 2017	35	45
R8	18 <sup>™</sup> May 2017	34	45
R4	18 <sup>™</sup> May 2017	26	45
R4	18 <sup>™</sup> May 2017	27	45
R17	18 <sup>™</sup> May 2017	13	45
R17	18 <sup>™</sup> May 2017	14	45
R2	18 <sup>™</sup> May 2017	27	45
R2	18 <sup>™</sup> May 2017	28	45
R3	18 <sup>™</sup> May 2017	42	45
R3	18 <sup>™</sup> May 2017	25	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
R8	17 <sup>TH</sup> May 2017	33	35
R8	17 <sup>™</sup> May 2017	32	35
R4	17 <sup>TH</sup> May 2017	26	35
R4	17 <sup>TH</sup> May 2017	27	35
R17	18 <sup>TH</sup> May 2017	13	35
R17	18 <sup>TH</sup> May 2017	14	35
R2	18 <sup>TH</sup> May 2017	27	35
R2	18 <sup>™</sup> May 2017	28	35
R3	18 <sup>™</sup> May 2017	33	35
R3	18 <sup>™</sup> May 2017	24	35

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R17	9th February 2017	23	35
R17	9th February 2017	22	35
R3	9th February 2017	28	35
R3	9th February 2017	29	35
R2	9th February 2017	27	35
R2	9th February 2017	27	35
R4	9th February 2017	22	35
R4	9th February 2017	21	35
R17	9th February 2017	21	35
R8	9th February 2017	26	41
R8	9th February 2017	27	41
R17	9th February 2017	20	35
Danation	Data	Site Noise Level	On another all Criteria (AD(A))

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
R3	10th February 2017	29	35
R3	10th February 2017	30	35
R2	10th February 2017	26	35
R2	10th February 2017	25	35
R17	9th February 2017	16	35
R17	9th February 2017	17	35
R17	9th February 2017	19	35
R17	9th February 2017	23	35
R17	9th February 2017	24	35
R17	9th February 2017	22	35
R17	9th February 2017	21	35
R4	10th February 2017	26	35

L	R4	10th February 2017	27	35
ſ	R4	10th February 2017	27	35
Ī	R17	10th February 2017	23	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R4	9th February 2017	26	45
R4	9th February 2017	27	45
R4	9th February 2017	27	45
R17	9th February 2017	23	45
R17	9th February 2017	23	45
R17	9th February 2017	26	45
R17	9th February 2017	26	45
R17	9th February 2017	33	45
R17	9th February 2017	34	45
R17	9th February 2017	32	45
R17	9th February 2017	26	45
R3	9th February 2017	34	45
R2	9th February 2017	35	45
R2	9th February 2017	31	45
R2	9th February 2017	30	45

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
R17	26th October 2016	17	35
R17	26th October 2016	15	35
R3	26th October 2016	21	35
R3	26th October 2016	22	35
R2	26th October 2016	28	35
R2	26th October 2016	30	35
R4	26th October 2016	25	35
R4	26th October 2016	25	35
R8	26th October 2016	26	41
R8	26th October 2016	28	41
R3	25th October 2016	27	35
R2	25th October 2016	31	35
R17	25th October 2016	23	35
R4	25th October 2016	22	35
R8	25th October 2016	26	41

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
R17	26 <sup>th</sup> October 2016	26	45
R17	26 <sup>th</sup> October 2016	25	45
R3	26 <sup>th</sup> October 2016	28	45
R3	27 <sup>th</sup> October 2016	28	45
R2	27 <sup>th</sup> October 2016	31	45
R2	27 <sup>th</sup> October 2016	31	45
R4	27 <sup>th</sup> October 2016	26	45
R4	27 <sup>th</sup> October 2016	26	45
R8	27 <sup>th</sup> October 2016	24	45
R8	27 <sup>th</sup> October 2016	34	45
R17	27 <sup>th</sup> October 2016	23	45
R17	27 <sup>th</sup> October 2016	22	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	evening
R17	26th October 2016	26	35
R17	26th October 2016	25	35
R3	26th October 2016	28	35
R3	27th October 2016	28	35
R2	27th October 2016	31	35
R2	27th October 2016	31	35
R4	27th October 2016	26	35
R4	27th October 2016	26	35
R8	27th October 2016	24	35
R8	27th October 2016	25	35
R17	27th October 2016	23	35
R17	27th October 2016	22	35

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
16	16th August 2016	22	41
6	16th August 2016	29	35
2	16th August 2016	24	39
5	16th August 2016	32	35
16	17th August 2016	25	41
6	17th August 2016	30	35
2	17th August 2016	25	39
5	17th August 2016	30	35
16	17th August 2016	25	41

6	17th August 2016	31	35
2	17th August 2016	26	39
5	17th August 2016	32	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
5	17 <sup>th</sup> August 2016	34	45
5	17 <sup>th</sup> August 2016	33	45
5	18 <sup>th</sup> August 2016	21	45
5	18 <sup>th</sup> August 2016	20	45
6	17 <sup>th</sup> August 2016	34	45
6	17 <sup>th</sup> August 2016	34	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	evening
2	18th August 2016	32	35
5	18th August 2016	21	35
2	18th August 2016	33	35
2	18th August 2016	24	35
5	18th August 2016	20	35
6	17th August 2016	34	35
5	17th August 2016	34	35
6	17th August 2016	34	35
5	17th August 2016	33	35

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
16	10th May 2016	30	41
6	10th May 2016	31	35
2	10th May 2016	31	39
5	10th May 2016	26	35
16	10th May 2016	23	41
6	11th May 2016	33	35
2	11th May 2016	28	39
5	11th May 2016	25	35
16	11th May 2016	23	41
6	11th May 2016	32	35
2	11th May 2016	23	39
5	11th May 2016	26	35
16	11th May 2016	20	41

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
2	12 <sup>th</sup> May 2016	28	45
5	12 <sup>th</sup> May 2016	24	45
5	12 <sup>th</sup> May 2016	30	45
16	12 <sup>th</sup> May 2016	26	45
6	12 <sup>th</sup> May 2016	26	45

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
2	11th may 2016	28	35
16	11th may 2016	24	35
5	12th May 2016	26	35
6	12th May 2016	30	35
5	12th May 2016	26	35

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
16	2 <sup>nd</sup> February 2016	24	41
6	2 <sup>nd</sup> February 2016	22	35
2	2 <sup>nd</sup> February 2016	22	39
5	2 <sup>nd</sup> February 2016	21	35
16	3rd February 2016	25	41
6	3rd February 2016	24	35
2	3rd February 2016	17	39
5	3rd February 2016	19	35
16	3rd February 2016	31	41
6	3rd February 2016	28	35
2	3rd February 2016	20	39
5	3rd February 2016	18	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
2	3rd February 2016	27	35
5	3rd February 2016	34	35
2	3rd February 2016	26	35
5	3rd February 2016	33	35
6	4th February 2016	28	35
5	4th February 2016	31	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
2	4th February 2016	29	45
2	4th February 2016	28	45
5	4th February 2016	31	45
5	4th February 2016	38	45
5	4th February 2016	36	45
6	4th February 2016	29	45

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
16	20 <sup>th</sup> October 2015	<32	41
6	20 <sup>th</sup> October 2015	<30	35
2	20 <sup>th</sup> October 2015	<30	39
5	20 <sup>th</sup> October 2015	<30	35
16	21st October 2015 <sup>th</sup>	<31	41
6	21st October 2015 <sup>th</sup>	<30	35
2	21st October 2015 <sup>th</sup>	<30	39
5	21st October 2015 <sup>th</sup>	<30	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
2	21st October 2015 <sup>th</sup>	<30	35
5	21st October 2015 <sup>th</sup>	31	35
2	21st October 2015 <sup>th</sup>	<33	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
2	21st October 2015 <sup>th</sup>	<30	45
5	21st October 2015 <sup>th</sup>	<33	45
2	21st October 2015 <sup>th</sup>	<35	45

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
16	21 <sup>st</sup> July 2015	<22	41
6	21st July 2015	<33	35
2	21 <sup>st</sup> July 2015	<27	39
5	21st July 2015	<26	35
16	22 <sup>nd</sup> July 2015	<27	41

16	22 <sup>nd</sup> July 2015	<29	41
2	22 <sup>nd</sup> July 2015	<35	39
2	22 <sup>nd</sup> July 2015	<32	39
2	22 <sup>nd</sup> July 2015	<28	39
6	22 <sup>nd</sup> July 2015	<30	35
6	22 <sup>nd</sup> July 2015	<31	35
5	22 <sup>nd</sup> July 2015	<22	35
5	22 <sup>nd</sup> July 2015	<22	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
6	22nd July 2015	<33	35
6	23 <sup>rd</sup> July 2015	<25	35
5	23 <sup>rd</sup> July 2015	<30	35
16	23 <sup>rd</sup> July 2015	<31	35
16	23 <sup>rd</sup> July 2015	<30	35

Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LA1, 1 minute (dB(A))	evening
6	23 <sup>rd</sup> July 2015	<33	45
6	23 <sup>rd</sup> July 2015	<25	45
5	23 <sup>rd</sup> July 2015	<35	45
16	23 <sup>rd</sup> July 2015	<36	45
16	23 <sup>rd</sup> July 2015	<36	45

Receiver	Date	Predicted Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
16	8th April 2015	<30	41
6	8th April 2015	<30	35
2	8th April 2015	<30	39
5	8th April 2015	<30	35
16	9th April 2015	<30	41
16	9th April 2015	<30	41
2	9th April 2015	<30	39
2	9th April 2015	<30	39
6	9th April 2015	<30	35
5	9th April 2015	<30	35
Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
2	10 <sup>th</sup> April2015	<30	35
5	10 <sup>th</sup> April2015	31	35
6	10 <sup>th</sup> April2015	<30	35
16	10 <sup>th</sup> April2015	<30	35


Receiver Date Site Noise Level Contribution Operational Criteria (dB(A))	Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
--	----------	------	-------------------------------	------------------------------

EPL ID		LA1, 1 minute (dB(A))	evening
2	10 <sup>th</sup> April2015	<30	45
5	10 <sup>th</sup> April2015	39	45
6	10 <sup>th</sup> April2015	<30	45
16	10 <sup>th</sup> April2015	<30	45


Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		LAeq, 15 minute (dB(A))	daytime
16	3rd February 2015	28	41
6	3rd February 2015	25	35
2	3rd February 2015	25	39
5	3rd February 2015	27	35
2	4 <sup>th</sup> February 2015	29	39
2	4 <sup>th</sup> February 2015	29	39
5	4 <sup>th</sup> February 2015	27	35
5	4 <sup>th</sup> February 2015	27	35
6	4 <sup>th</sup> February 2015	<25	35
6	4 <sup>th</sup> February 2015	<25	35
16	4 <sup>th</sup> February 2015	32	41
16	4 <sup>th</sup> February 2015	32	41
Receiver	Date	Site Noise Level Contribution	Operational Criteria (dB(A))
EPL ID		Leq, 15 minute (dB(A))	evening
2	4th February 2015	28	35
2	4th February 2015	25	35
5	5th February 2015	<25	35
5	5th February 2015	<25	35
6	5th February 2015	<25	35
6	5th February 2015	<25	35
16	4 <sup>th</sup> February 2015	28	35
16	5 <sup>th</sup> February 2015	29	35

#### Peppertree Quarry Monitoring Locations.

#### **Deposited Dust, TSP and PM10 Monitoring Locations**



## Noise Monitoring Locations



#### **Blast Monitoring Locations**

