

Build something great™



BORAL TEVEN QUARRY

WATER MONITORING DATA

Build something great™



Licensee	Boral Resources (Country) Pty Ltd
Facility Address	North Teven Road, Teven NSW 2478
Premises Details	Boral - Teven Quarry
EPL No	2261
Link to Public Register	https://epa.epa.nsw.gov.au/prpocapp/ViewPDFLicence.aspx?DOCID=168184&SYSUID=1&LICID=2261
Date of dataset update	15/02/2021

This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of obtaining any monitoring data that relates to pollution under an Environment Protection Licence

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 2261 (EPL 2261 – Boral Teven Quarry)

Qualifications Related to Surface Water

L1.3: Discharge of runoff exceeding the quality limits in L2.4 to waters from the premises is permitted when the discharge occurs solely as a result of rainfall at the premises exceeding a total of 63.2 millimetres over any consecutive five day period.

L2.4: Water and/or Land Concentration Limits

NOTE: Where no data has been published for a particular date there has been no discharge from that point for that date ^{3.7.8}

Teven Quarry: EPL 2261 - Surface Water Monitoring Results											
EPL Identification	Monitoring Frequency	Date Sampled	Date Results Obtained	Date Results Published	pH Result (pH units)	TSS Result (mg/L)	pH (Lower Limit)	pH (Upper Limit)	TSS (Max Limit)	Sample Compliant (YES/NO)	Comments
EPL ID 1	Daily During Discharge	24/12/2020	22/1/2021	15/2/2021	8.2	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/12/2020	22/1/2021	15/2/2021	7.9	17	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/12/2020	22/1/2021	15/2/2021	7.9	16	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/12/2020	22/1/2021	15/2/2021	8.1	14	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/12/2020	22/1/2021	15/2/2021	8.3	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	1/8/2020	14/8/2020	22/8/2020	7.8	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	31/7/2020	14/8/2020	22/8/2020	7.8	6	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	30/7/2020	14/8/2020	22/8/2020	7.9	6	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	29/7/2020	14/8/2020	22/8/2020	7.9	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/7/2020	14/8/2020	22/8/2020	8	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	27/7/2020	14/8/2020	22/8/2020	8.1	6	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	26/7/2020	14/8/2020	22/8/2020	8.1	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	25/7/2020	14/8/2020	22/8/2020	8.2	45	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/05/2020	19/06/2020	20/08/2020	7.7	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/05/2020	19/06/2020	20/08/2020	7.9	43	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/05/2020	19/06/2020	20/08/2020	7.8	6	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	19/05/2020	19/06/2020	20/08/2020	7.7	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	18/05/2020	19/06/2020	20/08/2020	7.9	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/02/2020	27/02/2020	20/05/2020	8.0	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/02/2020	27/02/2020	20/05/2020	8.0	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/02/2020	27/02/2020	20/05/2020	7.7	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/02/2020	27/02/2020	20/05/2020	7.7	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	19/02/2020	27/02/2020	20/05/2020	7.9	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	18/02/2020	27/02/2020	20/05/2020	8.0	7	6.5	8.5	50	YES	

EPL ID 1	Daily During Discharge	17/02/2020	27/02/2020	20/05/2020	7.9	8	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/02/2020	27/02/2020	20/05/2020	7.9	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/02/2020	24/02/2020	26/02/2020	7.7	26	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	14/02/2020	24/02/2020	26/02/2020	7.4	61	6.5	8.5	50	YES	As per EPL L1.3 previous rainfall for 5 days prior was 120.2mm. Result conforms to EPL 2261
EPL ID 1	Daily During Discharge	13/02/2020	24/02/2020	26/02/2020	7.4	46	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	12/02/2020	24/02/2020	26/02/2020	7.5	35	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	11/02/2020	24/02/2020	26/02/2020	7.5	45	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	10/02/2020	24/02/2020	26/02/2020	7.4	33	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	9/02/2020	24/02/2020	26/02/2020	8.1	36	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	8/02/2020	24/02/2020	26/02/2020	7.6	36	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	7/02/2020	24/02/2020	26/02/2020	7.7	21	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/07/2020	24/02/2020	26/02/2020	7.9	33	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/01/2020	10/02/2020	26/02/2020	8.0	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/01/2020	10/02/2020	26/02/2020	8.1	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/01/2020	10/02/2020	26/02/2020	8.1	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/07/2019	16/07/2019	26/02/2020	7.8	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/07/2019	16/07/2019	26/02/2020	7.6	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/07/2019	16/07/2019	26/02/2020	7.7	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	1/07/2019	3/07/2019	26/02/2020	7.4	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/05/2019	6/06/2019	24/06/2019	8.0	21	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/05/2019	6/06/2019	24/06/2019	7.9	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	17/05/2019	6/06/2019	24/06/2019	7.9	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/05/2019	6/06/2019	24/06/2019	8.0	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	13/05/2019	6/06/2019	24/06/2019	7.9	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/05/2019	6/06/2019	24/06/2019	8.1	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/05/2019	6/06/2019	24/06/2019	8.1	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/05/2019	6/06/2019	24/06/2019	8.1	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	17/12/2018			8.4	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/11/2018			8.2	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/11/2018			8.3	8	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/11/2018			8.2	95	6.5	8.5	50	YES	As per EPL L1.3 previous rainfall for 5 days prior was 97mm. Result conforms to EPL 2261
EPL ID 1	Daily During Discharge	20/11/2018			8.2	18	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	27/10/2018			7.4	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	26/10/2018			7.4	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/10/2018			7.9	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	14/10/2018			7.8	15	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	13/10/2018			7.8	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	12/10/2018			7.9	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	11/10/2018			7.5	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	9/10/2018			8.2	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/10/2018			8.3	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	25/09/2018			8.3	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	24/09/2018			8.2	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/09/2018			8.1	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/09/2018			8.2	15	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/09/2018			8.1	36	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/09/2018			8.2	31	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/09/2018			8.1	20	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	29/05/2018			8.1	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/05/2018			7.8	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	18/05/2018			7.9	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	17/05/2018			7.7	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/05/2018			7.7	16	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/05/2018			7.8	21	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	14/05/2018			7.9	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	10/05/2018			7.8	15	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	9/05/2018			7.8	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	8/05/2018			7.9	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	7/05/2018			7.9	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/05/2018			7.7	14	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/05/2018			7.7	16	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	30/04/2018			7.8	24	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	29/04/2018			7.9	16	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/04/2018			7.8	17	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	27/04/2018			7.8	7	6.5	8.5	50	YES	

EPL ID 1	Daily During Discharge	26/04/2018			7.8	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	25/04/2018			7.9	16	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	24/04/2018			7.8	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/04/2018			7.9	18	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/04/2018			7.9	18	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/04/2018			7.8	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/04/2018			7.9	0.5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	26/03/2018			8.1	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/03/2018			8.2	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/03/2018			8.2	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/03/2018			8.0	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	8/03/2018			7.6	18	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	7/03/2018			7.5	32	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/03/2018			7.6	38	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/03/2018			8.1	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/03/2018			8.1	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	1/03/2018			8.1	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/02/2018			8.0	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	27/02/2018			8.1	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	26/02/2018			8.1	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/02/2018			8.0	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/02/2018			8.0	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/02/2018			8.0	22	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/02/2018			7.9	23	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/01/2018			8.1	21	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/01/2018			8.2	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	1/01/2018			8.0	22	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	31/12/2017			8.1	23	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/12/2017			8.3	29	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	27/12/2017			8.2	24	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	26/12/2017			7.9	21	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/12/2017			8.2	22	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/11/2017			8.0	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/11/2017			8.1	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	11/11/2017			7.2	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	10/11/2017			7.2	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	9/11/2017			7.0	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	8/11/2017			7.0	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	7/11/2017			6.8	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/11/2017			6.8	16	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	19/10/2017			7.7	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	18/10/2017			7.7	17	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	17/10/2017			7.5	20	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/10/2017			7.7	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/10/2017			7.8	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/10/2017			7.2	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	11/07/2017			7.8	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/07/2017			7.8	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/07/2017			7.9	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/07/2017			7.8	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/07/2017			7.8	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/07/2017			7.9	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	1/07/2017			7.6	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	30/06/2017			7.9	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	29/06/2017			7.5	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/06/2017			7.6	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	27/06/2017			7.5	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	26/06/2017			7.7	15	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	25/06/2017			7.7	14	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	24/06/2017			7.7	16	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/06/2017			7.8	18	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/06/2017			7.8	18	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/06/2017			7.7	24	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/06/2017			7.7	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	19/06/2017			7.4	7	6.5	8.5	50	YES	

EPL ID 1	Daily During Discharge	18/06/2017			7.2	12	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	17/06/2017			7.4	18	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/06/2017			7.6	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/06/2017			7.7	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	14/06/2017			7.8	55	6.5	8.5	50	YES	As per EPL L1.3 previous rainfall for 5 days prior was 243.4mm. Result conforms to EPL 2261
EPL ID 1	Daily During Discharge	13/06/2017			7.9	34	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	12/06/2017			7.8	25	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/05/2017			7.8	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/05/2017			7.5	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	7/05/2017			7.8	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/05/2017			7.8	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/05/2017			7.7	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/05/2017			7.9	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	24/04/2017			7.9	13	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/04/2017			7.7	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/04/2017			7.7	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/04/2017			6.6	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/04/2017			6.7	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	19/04/2017			7.7	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	18/04/2017			7.7	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	17/04/2017			7.7	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/04/2017			7.7	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/04/2017			7.7	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	14/04/2017			7.7	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	13/04/2017			7.7	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	12/04/2017			7.8	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	11/04/2017			7.7	7	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	10/04/2017			7.7	6	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	9/04/2017			7.6	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	8/04/2017			7.5	33	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	7/04/2017			7.5	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/04/2017			7.4	6	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	5/04/2017			7.3	6	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	4/04/2017			7.4	10	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/04/2017			7.9	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/04/2017			7.7	8	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	1/04/2017			7.6	9	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	31/03/2017			7.6	29	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	30/03/2017			7.3	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	29/03/2017			7.4	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/03/2017			7.5	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	27/03/2017			7.6	2	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	26/03/2017			7.5	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	25/03/2017			8.3	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	24/03/2017			7.4	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	23/03/2017			7.8	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/03/2017			7.8	8	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	21/03/2017			7.5	17	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	20/03/2017			7.4	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	19/03/2017			7.6	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	18/03/2017			7.7	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	17/03/2017			7.5	4	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/03/2017			7.7	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/03/2017			7.8	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	14/03/2017			8.4	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/03/2017			7.7	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	3/03/2017			8.3	14	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	2/03/2017			8.1	32	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	1/03/2017			8.0	23	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	28/02/2017			8.0	15	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	9/02/2017			8.3	1	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	6/12/2016			8.4	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	30/11/2016			8.3	3	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	16/11/2016			8.3	11	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	15/11/2016			8.0	5	6.5	8.5	50	YES	

EPL ID 1	Daily During Discharge	10/11/2016			8.3	5	6.5	8.5	50	YES	
EPL ID 1	Daily During Discharge	22/09/2016			8.3	3	6.5	8.5	50	YES	

Date of data (sample date)	Old published data	Correction &/or change to data	Update Person	Date corrected data published	Reason for data correction
16/02/2020	61mg/L TSS	Result correct. Comment added	RJ	18/08/2020	Comments section updated to inform that result of 61mg/L is conforming to EPL 2261 due to exempt condition L1.3 of EPL. TSS results due to rain event greater than 63.2mm in previous 5 days (120.2mm)(Full review of all POMD August 2020, following EPA Audit 6/8/20)
21/11/2018	95mg/L TSS	Result correct. Comment added	RJ	18/08/2020	Comments section updated to inform that result of 95mg/L is conforming to EPL 2261 due to exempt condition L1.3 of EPL. TSS results due to rain event greater than 63.2mm in previous 5 days (97mm)(Full review of all POMD August 2020, following EPA Audit 6/8/20)
28/06/2018	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
27/06/2018	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
7/06/2018	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
6/06/2018	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
5/06/2018	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
14/06/2017	55mg/L TSS	Result correct. Comment added	RJ	18/08/2020	Comments section updated to inform that result of 55mg/L is conforming to EPL 2261 due to exempt condition L1.3 of EPL. TSS results due to rain event greater than 63.2mm in previous 5 days (243.4mm)(Full review of all POMD August 2020, following EPA Audit 6/8/20)
6/01/2017	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
5/01/2017	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
4/01/2017	ND	Removed	RJ	18/08/2020	Result of ND (no discharge) was removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
17/04/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
16/04/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
15/04/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
12/04/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
3/04/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
30/06/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
29/06/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
28/06/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
27/06/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)
26/06/2019	pH and TSS Results	Removed	RJ	18/08/2020	Results published were removed from the data set. No discharged occurred on this data and data set was removed to eliminate misleading data ^(Full review of all POMD August 2020, following EPA Audit 6/8/20)