# Safety Data Sheet



### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### 1.1 Product identifier

Product name

Synonyms

### SPECIALISED SAND AND GRAVEL

2MM, 3MM, 5MM, 6MM, 7MM, 12MM, 20MM, 40MM, FILTER GRAVEL, FILTER SAND • ARCTIC WHITE, HENDEN, EBONY, GOLD, GREYSTONE, JADE, ORIGINAL, PEBBLEFINA, PEBBLESHEEN • F12, F16, F14, F4, F6, F8, SF2 • FS500, FS600, FS700, FS800, FS900, 1.6 MM GOLD, RED 1MM, 2MM BLACK, 3MM BLACK, 3MM GOLD, 6MM GOLD, C2, C3, C1 • PLATINUM, SHIMMERING SEA, COMBEXTRA, DAVEY SAND, QUARTZ • TN, AB, BLUE CIRCLE UNI-SAND, W6, FW, 18/40, 30/60, 900, 1MM

### 1.2 Uses and uses advised against

Uses DECORATION • DECORATIVE AGGREGATE • FILLER • WATER FILTRATION

### 1.3 Details of the supplier of the product

Supplier name	BORAL AUSTRALIA
Address	Triniti T2, Level 3, 39 Delhi Road, North Ryde, NSW, 2113, AUSTRALIA
Telephone	(02) 9220 6300
Website	http://www.boral.com.au

### 1.4 Emergency telephone numbers

Emergency

13 11 26 (Poisons Information Centre)

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

### 2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

### 2.3 Other hazards

This product contains more than 1% Crystalline Silica (Quartz) and is considered a Crystalline Silica Substance as specified in Victoria's Occupational Health and Safety Amendment (Crystalline Silica) Regulations 2021, S.R. No. 137/2021.

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	>60%

Ingredient Notes 1. Depending on the original source materials, aggregates may contain varying amounts of Crystalline Silica (Quartz) however this material is unlikely to exceed 0.1% Respirable Crystalline Silica (RCS).

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

### Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

# ChemAlert.

Skin

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to product form and application, ingestion is considered unlikely.

**First aid facilities** Eye wash facilities and safety shower should be available.

### 4.2 Most important symptoms and effects, both acute and delayed

Repeated exposure to crystalline silica may result in lung fibrosis (silicosis). Principal symptoms of silicosis are coughing and breathlessness. Crystalline silica is classified as carcinogenic to humans (IARC Group 1).

### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

### 5.3 Advice for firefighters

No fire or explosion hazard exists.

### 5.4 Hazchem code

None allocated.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for disposal. Avoid generating dust.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Use of safe work practices are recommended to avoid eye or skin contact and inhalation.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs.

### 7.3 Specific end uses

No information provided.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

### **Exposure standards**

Ingredient	Reference	TWA		STEL	
ingrouon	Kelerence		mg/m³	ppm	mg/m³
Quartz (respirable dust)	SWA [AUS]		0.05		

# ChemAlert.

### **Biological limits**

No biological limit values have been entered for this product.

### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Wet where possible. Maintain dust levels below the recommended exposure standard.

### PPE

Eye / Face	Wear safety glasses or dust-proof goggles when handling material to avoid contact with eyes.
Hands	Wear PVC, rubber or cotton gloves when handling material to prevent skin contact.
Body	Wear long sleeved shirt and full-length trousers.
Respiratory	Where an inhalation risk exists wear a Class P1 (Particulate) respirator, dependent on a site specific risk assessment.



### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	GRANULES
Odour	ODOURLESS
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	> 1200°C
Evaporation rate	NOT AVAILABLE
рН	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Relative density	NOT AVAILABLE
Solubility (water)	< 2 g/L
Vapour pressure NOT AVAILABLE	
Upper explosion limit NOT RELEVANT	
Lower explosion limit NOT RELEVANT	
Partition coefficient NOT AVAILABLE	
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity NOT AVAILABLE	
Explosive properties NOT EXPLOSIVE	
Oxidising properties	NON OXIDISING
Odour threshold	NOT AVAILABLE
9.2 Other information	
Bulk density	1400 kg/m <sup>3</sup> to 1800 kg/m <sup>3</sup>

### **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

This material is considered inert.

### 10.2 Chemical stability

Stable under recommended conditions of storage.

### 10.3 Possibility of hazardous reactions

Polymerization will not occur.

# ChemAlert.

### 10.4 Conditions to avoid

No known conditions to avoid.

### 10.5 Incompatible materials

Incompatible with strong acids (e.g. hydrochloric acid).

### 10.6 Hazardous decomposition products

This material will not decompose to form hazardous products.

### **11. TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

Acute toxicity	This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects are not anticipated.			
Skin	Not classified as a skin irritant. However, if dust is generated, over exposure may result in mild irritation, rash and dermatitis.			
Еуе	Not classified as an eye irritant. However, if dust is formed over exposure may result in mild irritation, lacrimation and redness.			
Sensitisation	Not classified as causing skin or respiratory sensitisation.			
Mutagenicity	Insufficient data available to classify as a mutagen.			
Carcinogenicity	Dust in/on the supplied product or created when the product is cut, abraded or crushed may contain crystalline silica some of which may be respirable (particles small enough to go into deep parts of the lung when breathed in). Crystalline silica is classified as carcinogenic to humans (IARC Group 1). However, there is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore, preventing the onset of silicosis will also reduce the cancer risk.			
Reproductive	Insufficient data available to classify as a reproductive toxin.			
STOT - single exposure	eNot classified as causing organ damage from single exposure.			
STOT - repeated exposure	Repeated exposure to respirable silica may result in pulmonary fibrosis (silicosis). Silicosis is a fibronodular lung disease caused by deposition in the lungs of fine respirable particles of crystalline silica. Principal symptoms of silicosis are coughing and breathlessness.			
Aspiration	This product is a solid and aspiration hazards are not expected to occur.			

### **12. ECOLOGICAL INFORMATION**

### 12.1 Toxicity

The main component/s of this product are not anticipated to cause any adverse effects to the environment.

### 12.2 Persistence and degradability

Product is persistent and non-degradable.

### 12.3 Bioaccumulative potential

This product is not expected to bioaccumulate.

### 12.4 Mobility in soil

A low mobility would be expected in a landfill situation.

### 12.5 Other adverse effects

Avoid contamination of drains and waterways.

### **13. DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods

Waste disposal	Ensure product is covered with moist soil to prevent dust generation and dispose of to approved Council landfill. Contact the manufacturer/supplier for additional information (if required).
Logiclotion	Dianage of in accordance with relevant level legislation

Legislation Dispose of in accordance with relevant local legislation.

# ChemAlert.

### 14. TRANSPORT INFORMATION

### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Not a Marine Pollutant.

14.6 Special precautions for user

Hazchem code None allocated.

### 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7). Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals) All components are listed on AllC, or are exempt.

### **16. OTHER INFORMATION**

Additional information PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

> HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous
	Goods)
GHS	Globally Harmonized System
-	Group Text Emergency Procedure Guide
	International Agency for Research on Cancer
-	Lethal Concentration, 50% / Median Lethal Concentration
	Lethal Dose, 50% / Median Lethal Dose
	Milligrams per Cubic Metre
•	Occupational Exposure Limit
-	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly
pii	alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average
	ent has been compiled by RMT on behalf of the manufacturer, importer or supplier of and serves as their Safety Data Sheet ('SDS').
It is based manufacturer the current s at the time of	on information concerning the product which has been provided to RMT by the r, importer or supplier or obtained from third party sources and is believed to represent tate of knowledge as to the appropriate safety and handling precautions for the product of issue. Further clarification regarding any aspect of the product should be obtained the manufacturer, importer or supplier.
does not pro accepts no	has taken all due care to include accurate and up-to-date information in this SDS, it ovide any warranty as to accuracy or completeness. As far as lawfully possible, RMT liability for any loss, injury or damage (including consequential loss) which may be neurred by any person as a consequence of their reliance on the information contained
	3 9322 1711 322 1794 rmt.com.au
	CNS EC No. EMS GHS GTEPG IARC LC50 LD50 mg/m <sup>3</sup> OEL pH ppm STEL STOT-RE STOT-RE STOT-RE STOT-SE SUSMP SWA TLV TWA This docume the product a It is based manufacture the current s at the time of directly from While RMT does not pro accepts no suffered or in in this SDS. Risk Manage 5 Ventnor Aw Western Aus Phone: +61 & Fax: +61 & 9 Email: info@

# [ End of SDS ]

## **Revision Information**

### **Revision History**

Revision	Date	Description
2.4	16/05/2023	Revision Update
2.3	27/06/2022	Revision Update
2.2	22/06/2020	Standard SDS Review
2.1	17/06/2020	Standard SDS Review
1.0	Jan 2014	Initial SDS Creation

### **Review Team**

SME Reviewers	Subject Matter
National Technical Manager - Cement	Quality
H&S Business Partner - Cement	Health & Safety
Environmental Sustainability Manager, Cement	Environment & Community
Mobile Asset Manager - Cement	Transport & Dangerous Goods
National Health & Hygiene Manager	Health & Hygiene
National Technical Manager - Cement	Product Custodian