



Shadforth Quarry

Environmental Monitoring Report

December 2020

Date Published: Dec 2020



This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of obtaining any monitoring data that relates to pollution under an Environment Protection Licence.

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 4988 (EPL 4988 – Boral Shadforth Quarry Quarry)

This report provides environmental monitoring data for Shadforth Quarry for the period October 2015 to December 2020.

Shadforth Quarry Information	
Premise Details	Boral – Shadforth Quarry
Address	Bushells Road, Shadforth NSW 2250
Licensee	Boral Resources NSW Pty Ltd
EPL No	4988
EPL Location	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=157360&SYSUID=1&LICID=4988

Monitoring data in this report relates to the monitoring undertaken for the following environmental pollutants:

- Blasting

Blasting

Blast monitoring is conducted as per condition L4 of EPL 4988. The blasting monitoring results are summarised below.

Monitoring Period: October 2015 – November 2020
 Licensee: Shadforth Quarry
 Licensee Address: Milthorpe Road, Shadforth NSW 2800
 EPL No: 4988

Qualifications related to blasting:

Blasting activities at the premises are restricted to the following hours:

- a) Monday to Friday: 9 am to 3 pm; and
- b) at no time on Saturdays, Sundays or Public Holidays.

The frequency of blasting activities at the premises is restricted to the following:

- a) maximum of 2 blasts a day; and
- b) maximum of 5 blasts a week, averaged over a calendar year.

The airblast overpressure level from blasting operations in or on the premises must not exceed:

- a) 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period; and
- b) 120 dB (Lin Peak) at any time.

The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed:

- a) 5mm/s for more than 5% of the total number of blasts carried out on the premises during each reporting period; and
- b) 10 mm/s at any time.

Airblast overpressure and ground vibration levels must be measured at most affected residence or noise sensitive location that is not owned by the licensee or subject to a private agreement between the owner of the residence or noise sensitive location and the licensee as to an alternative overpressure level.

Results

Location	Blast Date	Results Received	Blast Time	Ground Vibration Result	GV Compliant	Overpressure Result	OP Compliant
Farm gate	16/01/17	17/01/17	13:15	No trigger	Yes	No trigger	Yes
Farm gate	03/05/17	04/05/17	13:00	No trigger	Yes	No trigger	Yes
Farm gate	04/07/17	05/07/17	10:58	No trigger	Yes	No trigger	Yes
Farm gate	16/10/17	17/10/17	12:55	No trigger	Yes	No trigger	Yes
Farm gate	22/01/18	23/01/18	12:16	No trigger	Yes	No trigger	Yes
Farm gate	27/04/18	28/04/18	13:32	114	Yes	0.803	Yes
Dust Monitor	27/04/18	28/04/18	13:32	105.5	Yes	4.55	Yes
Farm gate	10/08/18	11/08/18	12:35	No trigger	Yes	No trigger	Yes
Farm gate	04/02/19	05/02/19	14:42	No trigger	Yes	No trigger	Yes
Farm gate	25/07/19	26/07/19	12:53	No trigger	Yes	No trigger	Yes
Farm gate	01/10/19	02/10/19	12:20	114	Yes	0.684	Yes
Farm gate	13/01/20	14/01/20	11:52	No trigger	Yes	No trigger	Yes
Farm gate	12/02/20	12/02/20	12:33	No trigger	Yes	No trigger	Yes
Farm gate	05/06/20	05/06/20	13:17	No trigger	Yes	No trigger	Yes
Farm gate	10/08/20	10/08/20	14:36	114	Yes	0.773	Yes
Farm gate	26/10/20	26/10/20	12:16	112	Yes	0.684	Yes
Farm gate	14/12/20	14/12/20	12:52	No trigger	Yes	No trigger	Yes

* Less than 5% of the total number of blasts carried out on the premises during respective reporting period.

Note: "No Trigger" refer to the blast monitors not being triggered due to Trigger levels set on the Blast Monitor for Airblast were 100 dBL and Ground Vibration 0.51 mm/s.

Blast data indicates compliance against the set criteria.

Shadforth Quarry Monitoring Locations.

Nominal Blast Monitoring Location

